# **REPUBLIC OF KENYA**



# MINISTRY OF AGRICULTURE AND LIVESTOCK DEVELOPMENT STATE DEPARTMENT FOR CROP DEVELOPMENT

# DEVELOPMENT OF AGRICULTURE TECHNOLOGY INNOVATION CENTERS (GRAIN DRYING AND STORAGE FACILITIES)

NATIONAL COMPETITIVE BIDDING
INSTRUCTION TO BIDDERS, CONDITIONS OF
CONTRACT, SPECIFICATIONS & BILLS OF
QUANTITIES

TENDER NUMBER : MOALD/SDCD/ENG/ GDSF/04/2023-2024

TENDER NAME : Construction of Mogogosiek Grain Drying and

**Storage Facility in Bomet County** 

ISSUED ON : 24<sup>TH</sup> OCTOBER, 2023

SUBMISSION DEADLINE : 8<sup>TH</sup> NOVEMBER, 2023

PROCURING ENTITY : MINISTRY OF AGRICULTURE AND LIVESTOCK

**DEVELOPMENT** 

STATE DEPARTMENT FOR CROP DEVELOPMENT KILIMO HOUSE, CATHEDRAL ROAD, NAIROBI

P. O. BOX 30028 - 00100, NAIROBI

E-mail: <a href="mailto:info@kilimo.go.ke">info@kilimo.go.ke</a>
Website: <a href="mailto:www.kilimo.go.ke">www.kilimo.go.ke</a>
Telephone: +254-20-2718870

Hotline: 0800724891

#### SPECIFIC PROCUREMENT NOTICE

#### **REPUBLIC OF KENYA**



# MINISTRY OF AGRICULTURE AND LIVESTOCK DEVELOPMENT STATE DEPARTMENT FOR CROP DEVELOPMENT

# DEVELOPMENT OF AGRICULTURE TECHNOLOGY INNOVATION CENTERS (GRAIN DRYING AND STORAGE FACILITIES)

Date: 24th October, 2023

# CONSTRUCTION OF MOGOGOSIEK GRAIN DRYING AND STORAGE FACILITY IN BOMET COUNTY

- The Ministry of Agriculture and Livestock Development has received funds from the Government of Kenya and intends to utilize the same towards development of infrastructure under Development of Agriculture Technology Innovation Centers (Grain Drying and Storage Facilities).
- 2. The Ministry of Agriculture and Livestock Development now invites sealed bids from eligible bidders for the works as shown in the table below:

**Table 1: Tenders** 

S/No.	Tender No.	Tender Description	Bid Security (Kes)
1.	MOALD/SDCD/ENG/ GDSF/01/2023-2024	Construction of Kibuline Grain Drying and Storage Facility in Meru County	1,050,0000
2.	MOALD/SDCD/ENG/ GDSF/02/2023-2024	Construction of Matayos Grain Drying and Storage Facility in Busia County	1,050,0000

S/No.	Tender No.	Tender Description	Bid Security (Kes)
3.	MOALD/SDCD/ENG/ GDSF/03/2023-2024	Construction of Bakule Grain Drying and Storage Facility in Uasin Gishu County	1,050,0000
4.	MOALD/SDCD/ENG/ GDSF/04/2023-2024	Construction of Mogogosiek Grain Drying and Storage Facility in Bomet County	1,050,0000
5.	MOALD/SDCD/ENG/ GDSF/05/2023-2024	Re-Advertisement of Construction of Mbeu Muungano CBO Grain Drying and Storage Facility in Meru County	600,000

- **3.** Interested eligible bidders may obtain further information from the Office of the Engineering Secretary, State Department for Crop Development, Kilimo House, 5<sup>th</sup> Floor, Room 5-4B, Cathedral Road, P.O. Box 30028 00100, Nairobi.
- 4. A complete set of bidding documents may be downloaded from the Ministry's Website <a href="www.kilimo.go.ke">www.kilimo.go.ke</a>.
- 5. The provisions in the Instructions to Bidders and in the General Conditions of Contract are the provisions of the **Public Procurement and Asset Disposal Act, 2015 for Procurement of Works.**
- 6. Bids should be clearly marked as detailed in Table 1(Tender Description and Tender No.) and deposited at **State Department for Crop Development Tender Box, situated at the Ground Floor, Kilimo House, Cathedral Road** or posted to:

### **Principal Secretary**

State Department for Crop Development
Ministry of Agriculture and Livestock Development
Kilimo House, Cathedral Road
P. O. Box 30028 - 00100
NAIROBI

7. All tenders should be received on or before **Wednesday**, 8<sup>th</sup> **November**, 2023 at 11.00 am Local Time and MUST be accompanied by a BID GUARANTEE as indicated in the table above.

- 8. Bulky bid documents that cannot fit in the tender box should be dropped at the Head: Supply Chain Management Office at Kilimo House, 4<sup>th</sup> Floor Room 4-2B.
- Bids will be opened in the presence of bidders' representatives at 11.00am on Wednesday, 8<sup>th</sup> November, 2023, at the Kilimo House, ASCU, Boardroom, Ministry of Agriculture and Livestock Development Head Office, Cathedral Road, Nairobi, Kenya.

**Head, Supply Chain Management Unit State Department for Crop Development** 

For: **PRINCIPAL SECRETARY** 

#### PART 1 – BIDDING PROCEDURES

#### **Section I.** Instructions to Bidders (ITB)

This Section provides relevant information to help Bidders prepare their bids. Information is also provided on the submission, opening, and evaluation of bids and on the award of Contracts.

#### Section II. Bid Data Sheet (BDS)

This Section consists of provisions that are specific to each procurement and that supplement the information or requirements included in Section I, **Instructions to Bidders**.

#### **Section III. Evaluation and Qualification Criteria**

This Section contains the criteria for evaluation of the bids and the qualifications of the Bidder to perform the contract.

#### **Section IV. Bidding Forms**

This Section contains the forms which are to be completed by the Bidder and submitted as part of the Bid

# **PART 2 - EMPLOYER'S REQUIREMENTS**

# Section V. Requirements

This Section contains the Specification, the Drawings, and supplementary information that describe the Works to be procured.

# PART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS

# **Section VI. General Conditions (GC)**

This Section contains the general clauses to be applied in the contract.

# Section VII. Particular Conditions (PC)

This Section consists of Contract Data and Specific Provisions which

contains clauses specific to each contract. The contents of this Section supplement the General Conditions and shall be prepared by the Employer.

#### Section VIII. Contract Forms

This Section contains forms which, once completed, will form part of the Contract. The forms for **Performance Security** when required, shall only be completed by the successful Bidder after contract award.

# **Table of Contents**

PART 1 - BIDDING PROCEDURES	8
Section I. Instructions to Bidders	8
Section I. Instructions to Bidders	10
Section II. Bid Data Sheet	35
Section III. Evaluation and Qualification Criteria	51
1Section IV. Bidding Forms	51
PART 2 - EMPLOYER'S REQUIREMENTS	123
Section V. Requirements	
Section v. Requirements	123
PART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS	174
Section VI. General Conditions (GC)	174
Section VII. Particular Conditions	214
Section VIII. Contract Forms.	216

# 1.0 PART 1 - BIDDING PROCEDURES

# **Section I. Instructions to Bidders**

# **Table of Clauses**

1.1.1 Ger	neral	10
1.1.1.1	Scope of Bid	10
1.1.1.2	Source of Funds	10
1.1.1.3	Fraud and Corruption	10
1.1.1.4	Eligible Bidders	12
1.1.1.5	Eligible Goods and Related Services	14
1.1.2 Cor	ntents of Bidding Document	14
1.1.2.1	Sections of Bidding Document	14
1.1.2.2	Clarification of Bidding Document, Site Visit, Pre-Bid Meeting	15
1.1.2.3	Amendment of Bidding Document	16
1.1.3 Pre	paration of Bids	17
1.1.3.1	Cost of Bidding	17
1.1.3.2	Language of Bid	17
1.1.3.3	Documents Comprising the Bid	17
1.1.3.4	Letter of Bid and Price Schedules	18
1.1.3.5	Alternative Bids	18
1.1.3.6	Bid Prices and Discounts	19
1.1.3.7	Currencies of Bid and Payment	20
1.1.3.8	Documents Establishing the Qualifications of the Bidder	20
1.1.3.9	Documents Establishing the Eligibility of the Goods and Related Services	20

1.1.3.10	Period of Validity of Bids	21
1.1.3.11	Bid Security	21
1.1.3.12	Pormat and Signing of Bid	23
1.1.4 Sul	omission and Opening of Bids	24
1.1.4.1	Submission, Sealing and Marking of Bids	24
1.1.4.2	Deadline for Submission of Bids	25
1.1.4.3	Late Bids	25
1.1.4.4	Withdrawal, Substitution, and Modification of Bids	25
1.1.4.5	Bid Opening	26
1.1.5 Exa	ımination of Bids	27
1.1.5.1	Confidentiality	27
1.1.5.2	Clarification of Bids	28
1.1.5.3	Determination of Responsiveness	28
1.1.6 Bid	Evaluation and Comparison	30
1.1.6.1	Correction of Arithmetical Errors	30
1.1.6.2	Conversion to Single Currency	30
1.1.6.3	Bid Adjustments	30
1.1.6.4	Qualification of the Bidder	31
1.1.6.5	Comparison of Bid	32
1.1.6.6	Employer's Right to Accept Any Bid, and to Reject Any or All Bids	32
1.1.7 Aw	ard of Contract	32
1.1.7.1	Award Criteria	32
1.1.7.2	Notification of Award	32
1.1.7.3	Signing of Contract	33
1174	Performance Security	33

#### 1.1 Section I. Instructions to Bidders

#### 1.1.1 General

#### **1.1.1.1** Scope of Bid

- 1.1.1.1.1 The Employer indicated in Section II, **Bid Data Sheet (BDS)** issues this Bidding Document for the procurement of Works, as specified in Section VI, Requirements. The name, identification, and number of tenders are provided in the **BDS**.
- 1.1.1.1.2 Unless otherwise stated, throughout this Bidding Document definitions and interpretations shall be as prescribed in Section VII, General Conditions.

#### 1.1.1.2 Source of Funds

1.1.1.2.1 The Government of Kenya (GoK) through the **Development Of Agriculture Technology Innovation Centers (Grain Drying And Storage Facilities)** Project intends to use a portion of the funds for 2023/2024 Financial Year on contract(s) for which this Bidding Document is issued.

#### 1.1.1.3 Fraud and Corruption

- 1.1.1.3.1 It is the Government of Kenya (GoK) Policy as enshrined in the Public Procurement and Asset Disposal Act 2015 to require that all bidders, suppliers, and contractors, and their agents (whether declared or not), subcontractors, sub-consultants, service providers or suppliers, and any personnel thereof, observe the highest standard of ethics during the procurement and execution of such contracts<sup>1</sup>.
  - (a) defines, for the purposes of this provision, the terms set forth below as follows:
    - (i) "Corrupt Practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly

<sup>&</sup>lt;sup>1</sup> The specific financing institution shall be as stipulated in the **BDS**.

the actions of another party<sup>2</sup>;

- (ii) "Fraudulent Practice" any act or omission, including a misrepresentation that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
- (iii) "Collusive Practice" is an arrangement between two or more parties<sup>3</sup>, designed to achieve an improper purpose, including to influence improperly the actions of another party; and
- (iv) "Coercive Practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party<sup>4</sup>;
- (v) "Obstructive practice" is
  - (v.1) deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede Government Agencies in investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation
- (b) will reject a proposal for award if it determines that the bidder recommended for award, or any of its personnel, or its agents, or its sub- consultants, sub-contractors, service providers, suppliers and/or their employees has, directly or indirectly, engaged in Corrupt,

<sup>&</sup>lt;sup>2</sup> For the purpose of this sub-paragraph, "another party" refers to a public official acting in relation to the procurement process or contract execution.

<sup>&</sup>lt;sup>3</sup> For the purpose of this sub-paragraph, "parties" refers to participants in the procurement process (including public officials) attempting either themselves, or through another person or entity not participating in the procurement or selection process, to simulate competition or to establish bid prices at artificial, non-competitive levels, or are privy to each other's bid prices or other conditions.

<sup>&</sup>lt;sup>4</sup> For the purpose of this sub-paragraph, "party" refers to a participant in the procurement process or contract execution.

- Fraudulent, Collusive, Coercive, or Obstructive Practices in competing for the contract in question;
- (c) will declare mis procurement and cancel the contract if it determines at any time that representatives of the client or any party engaged in Corrupt, Fraudulent, Collusive, Coercive or Obstructive Practices during the procurement or the implementation of that contract.
- (d) will sanction a firm or individual, at any time, in accordance with the prevailing Government sanctions procedures including by publicly declaring such firm or individual ineligible to bid for, or to be awarded contracts either indefinitely or for a stated period of time,
   (i) to be awarded a contract; (ii) to be a nominated for subcontractor, consultant, supplier, or service provider.
- (e) will require that a clause be included in bidding documents and in contracts financed by the Government of Kenya, requiring bidders, suppliers and contractors and their sub-contractors, agents, personnel, consultants, service providers, or suppliers, to permit the Government investigative Agencies to inspect all accounts and records and other documents relating to the submission of bids and contract performance and to have them audited by Office of Auditor General.

# 1.1.3.2 Furthermore, Bidders shall be aware of the provisions stated in Section VII, **General Conditions**

#### 1.1.1.4 Eligible Bidders

1.1.1.4.1 A Bidder may be a natural person, private entity, government-owned entity -subject to ITB 4.5 - or any combination of such entities supported by a letter of intent to enter into an agreement or under an existing agreement in the form of a joint venture, consortium, or association (JVCA). In the case of a joint venture, consortium, or association:

- (a) unless otherwise specified in the **BDS**, all partners shall be jointly and severally liable, and
- (b) the JVCA shall nominate a Representative who shall have the authority to conduct all businesses for and on behalf of any and all the partners of the JVCA during the bidding process and, in the event the JVCA is awarded the Contract, during contract execution.
- 1.1.1.4.2 A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to have a conflict of interest with one or more parties in this bidding process, if:
  - (a). they have controlling partners in common; or
  - (b). they receive or have received any direct or indirect subsidy from any of them; or
  - (c). they have the same legal representative for purposes of this bid; or
  - (d). they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder, or influence the decisions of the Employer regarding this bidding process; or
  - (e). a Bidder participates in more than one bid in this bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which it is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one bid; or

- (f). a Bidder participated as a consultant in the preparation of Section VI, Requirements that are the subject of the bid.
- (g). a Bidder or any of its affiliates has been hired, or is proposed to be hired, by the Employer or the Borrower for the supervision of the contract.

#### 1.1.1.5 Eligible Goods and Related Services

1.1.1.5.1 All Goods and Related Services to be supplied under the Contract will ne in accordance with the PPADA 2015. For purposes of this Clause, the term "Goods" includes commodities, raw material, machinery, equipment, and industrial plants; and "Related Services" includes services such as insurance, transportation, installation, and commissioning, training, and initial maintenance.

#### 1.1.2 Contents of Bidding Document

#### 1.1.2.1 Sections of Bidding Document

1.1.2.1.1 The Bidding Document consist of Parts 1, 2, and 3, which include all the Sections indicated below, and should be read in conjunction with any Addenda issued in accordance with **ITB** 8.

# **PART 1 Bidding Procedures**

- Section I. Instructions to Bidders (ITB)
- Section II. Bid Data Sheet (**BDS**)
- Section III. Evaluation and Qualification Criteria
- Section IV. Bidding Forms

## **PART 2 Employer's Requirements**

Section V. Requirements

#### **PART 3 Conditions of Contract and Contract Forms**

- Section VI. General Conditions (**GC**)
- Section VII. Particular Conditions (**PC**)
- Section VIII. Contract Forms

The Invitation for Bids issued by the Employer is not part of the

Bidding Document.

The Bidder shall obtain the Bidding Document from the source stated by the Employer in the Invitation for Bids; otherwise, the Employer is not responsible for the completeness of the Bidding Document.

The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Document. Failure to furnish all information or documentation required by the Bidding Document may result in the rejection of the bid.

#### 1.1.2.2 Clarification of Bidding Document, Site Visit, Pre-Bid Meeting

1.1.2.2.1 A prospective Bidder requiring any clarification of the Bidding Document shall contact the Employer in writing at the Employer's address indicated in the **BDS** or raise his enquiries during the pre-bid meeting if provided for in accordance with **ITB** 7.4. The Employer will respond to any request for clarification, provided that such request is received prior to the deadline for submission of bids, within the number of days specified in the **BDS**. The Employer response shall be in writing with copies to all Bidders who have acquired the Bidding Document in accordance with **ITB** 6.3, including a description of the inquiry but without identifying its source. Should the Employer deem it necessary to amend the Bidding Document as a result of a request for clarification, it shall do so following the procedure under **ITB** 8 and **ITB** 22.2.

Where applicable, the Bidder is advised to visit and examine the project site and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for the provision of the Requirements. The costs of visiting the site shall be at the Bidder's own expense.

Pursuant to **ITB** 7.2, where the Bidder and any of its personnel or agents have been granted permission by the Employer to enter upon its premises and lands for the purpose of such visit, the Bidder, its personnel, and agents will release and indemnify the Employer and its

personnel and agents from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the visit.

The Bidder's designated representative is invited to attend a pre-bid meeting, if provided for in the **BDS**. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage. If so provided for in the **BDS**, the Employer will organize a site visit

The Bidder is requested, as far as possible, to submit any questions in writing, to reach the Employer not later than one week before the meeting.

Minutes of the pre-bid meeting, including the text of the questions raised without identifying the source, and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Bidders who have acquired the Bidding Document in accordance with **ITB** 6.3. Any modification to the Bidding Document that may become necessary as a result of the pre- bid meeting shall be made by the Employer exclusively through the issue of an Addendum pursuant to **ITB** 8 and not through the minutes of the pre-bid meeting.

Non-attendance at the pre-bid meeting will not be a cause for disqualification of a Bidder

# 1.1.2.3 Amendment of Bidding Document

1.1.2.3.1 At any time prior to the deadline for submission of bids, the Employer may amend the Bidding Document by issuing addenda.

Any addendum issued shall be part of the Bidding Document and shall be communicated in writing to all who have obtained the Bidding Document from the Employer in accordance with **ITB** 6.3.

To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer may, at its

discretion, extend the deadline for the submission of bids, pursuant to **ITB** 22.2

#### 1.1.3 Preparation of Bids

#### 1.1.3.1 Cost of Bidding

1.1.3.1.1 The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Employer shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

#### 1.1.3.2 Language of Bid

1.1.3.2.1 The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Employer, shall be written in the language specified in the **BDS**. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in that language, in which case, for purposes of interpretation of the Bid, such translation shall govern

### 1.1.3.3 Documents Comprising the Bid

- 1.1.3.3.1 The Bid shall comprise the following:
  - (a) Letter of Bid
  - (b) Completed Schedules as provided in Section IV, Bidding Forms;
  - (c) Bid Security or Bid-Securing Declaration, in accordance with **ITB** 19;
  - (d) at the Bidder's option, alternative proposals, if permissible, in accordance with **ITB** 13;
  - (e) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with **ITB** 20.2;
  - (f) documentary evidence establishing the eligibility of the Goods and Related Services offered by the Bidder, in accordance with **ITB** 17.1;

- (g) documentary evidence establishing the Bidder's qualifications in accordance with the requirements of Section III, Evaluation and Qualification Criteria, using the relevant forms furnished in Section IV, Bidding Forms;
- (h) documentary evidence as specified in the **BDS**, establishing the conformity of the Technical Proposal offered by the Bidder with the Bidding Document, using the relevant forms furnished in Section IV, Bidding Forms;
- in the case of a bid submitted by a JVCA, JVCA agreement, or letter of intent to enter into a JVCA including a draft agreement, indicating at least the parts of the Requirements to be executed by the respective partners;
- (j) any other document required in the **BDS**.

#### 1.1.3.4 Letter of Bid and Price Schedules

1.1.3.4.1 The Bidder shall submit the Letter of Bid using the form furnished in Section IV, Bidding Forms. This form must be completed without any alterations to its format, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested

#### 1.1.3.5 Alternative Bids

1.1.3.5.1 Unless otherwise indicated in the **BDS**, alternative proposals shall not be considered. If alternative proposals are permitted, their method of evaluation shall be as stipulated in Section III, Evaluation and Qualification Criteria.

When alternative times for completion are explicitly invited, a statement to that effect will be included in the **BDS**, as well as the method of evaluating different times for completion.

Except as provided under **ITB** 13.4 below, Bidders wishing to offer technical alternatives to the requirements of the bidding document must first price the Employer's requirements as described in the bidding document and shall further provide all information necessary for

a complete evaluation of the alternative by the Employer, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the lowest evaluated Bidder conforming to the basic technical requirements shall be considered by the Employer.

When specified in the **BDS**, Bidders are permitted to submit alternative technical solutions for specified parts of the requirements, and such parts shall be identified in the **BDS**, as will the method for their evaluation, and described in Section VI, Requirements

#### 1.1.3.6 Bid Prices and Discounts

1.1.3.6.1 The prices and discounts quoted by the Bidder in the Letter of Bid and in the Price Schedules shall conform to the requirements specified in **ITB** 14.2.

Unless otherwise provided in the **BDS** and the **General Conditions** (**GC**), the prices quoted by the Bidder shall be fixed.

The Bidder shall submit a bid for the whole of the works described in **ITB** 1.1 by filling in prices for all items of the Works, as identified in Section IV, Bidding Forms. In case of admeasurement contracts, the Bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates for other items and prices in the Bill of Quantities.

The price to be quoted in the Letter of Bid shall be the total price of the Bid, excluding any discounts offered.

Unconditional discounts, if any, and the methodology for their application shall be quoted in the Letter of Bid, in accordance with **ITB** 12.1.

If, pursuant to **ITB** 14.2, prices are adjustable, the Bidder shall furnish the indices and weightings for the price adjustment formula in the

Schedule of Adjustment Data in Section IV (Bidding Forms) and the Employer may require the Bidder to justify its proposed indices and weightings.

If so, indicated in **ITB** 1.1, bids are invited for individual contracts or for any combination of contracts (packages). Bidders wishing to offer any price reduction for the award of more than one Contract shall specify in their bid the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Price reductions or discounts shall be submitted in accordance with **ITB** 14.5, provided the bids for all contracts are submitted and opened at the same time.

All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 28 days prior to the deadline for submission of bids, shall be included in the rates and prices and the total bid price submitted by the Bidder

#### 1.1.3.7 Currencies of Bid and Payment

1.1.3.7.1 The currency(ies) of the bid and the currency(ies) for payment shall be as specified in the **BDS** 

#### 1.1.3.8 Documents Establishing the Qualifications of the Bidder

1.1.3.8.1 To establish its qualifications to perform the Contract in accordance with Section III, Evaluation and Qualification Criteria, the Bidder shall provide the information requested in Section IV, Bidding Forms.

Bidders, individually or in joint ventures, applying for eligibility for margin of preference, if such margin applies pursuant to **ITB** 31.2, shall supply all information required to satisfy the criteria for eligibility as described in **ITB** 31.2

#### 1.1.3.9 Documents Establishing the Eligibility of the Goods and Related Services

1.1.3.9.1 To establish the eligibility of the Goods and Related Services in accordance with **ITB** Clause 5, Bidders shall complete the forms,

included in Section IV, Bidding Forms

#### 1.1.3.10 Period of Validity of Bids

1.1.3.10.1 Bids shall remain valid for the period specified in the **BDS** after the bid submission deadline date prescribed by the Employer. A bid valid for a shorter period shall be rejected by the Employer as non- responsive.

In exceptional circumstances, prior to the expiration of the bid validity period, the Employer may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. If a bid security is requested in accordance with **ITB** 19, the Bidder granting the request shall also extend the bid security for twenty-eight (28) days beyond the deadline of the extended validity period. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request shall not be required or permitted to modify its bid, except as provided in **ITB** 18.3.

In the case of fixed price contracts, if the award is delayed by a period exceeding fifty-six (56) days beyond the expiry of the initial bid validity, the Contract price shall be adjusted as specified in the request for extension. Bid evaluation shall be based on the Bid Price without taking into consideration the above correction

#### **1.1.3.11** Bid Security

1.1.3.11.1 The Bidder shall furnish as part of its bid, at the option of the Employer, and as stipulated in the **BDS**, the original of either a Bid-Securing Declaration or a bid security using the relevant form included in Section IV, Bidding Forms. In the case of a bid security, the bid security amount and currency shall be as specified in the **BDS**.

A Bid-Securing Declaration shall use the form included in Section IV, Bidding Forms.

If a bid security is specified pursuant to **ITB** 19.1, the bid security shall be a demand guarantee in any of the following forms at the

#### Bidder's option:

- (a). an unconditional guarantee issued by a bank or surety;
- (b). an irrevocable letter of credit; or
- (c). a cashier's or certified check;

from a reputable source from an eligible country. If the unconditional guarantee is issued by an insurance company or a bonding company located outside the Employer's Country, the issuer shall have a correspondent financial institution located in the Employer's Country to make it enforceable. In the case of a bank guarantee, the bid security shall be submitted either using the Bid Security Form included in Section IV, Bidding Forms or in another substantially similar format approved by the Employer prior to bid submission. In either case, the form must include the complete name of the Bidder. The bid security shall be valid for twenty-eight days (28) beyond the original validity period of the bid, or beyond any period of extension if requested under **ITB** 18.2.

Pursuant to the option stipulated at **ITB** 19.1, any bid not accompanied by a substantially responsive bid security or Bid-Securing Declaration shall be rejected by the Employer as non-responsive.

If a bid security is specified pursuant to **ITB** 19.1, the bid security of unsuccessful Bidders shall be returned as promptly as possible upon the successful Bidder's furnishing of the performance security pursuant to **ITB** 38.

The bid security of the successful Bidder shall be returned as promptly as possible once the successful Bidder has signed the Contract and furnished the required performance security.

The bid security may be forfeited or the Bid-Securing Declaration executed:

(a). if a Bidder withdraws its bid during the period of bid

validity specified by the Bidder in the Letter of Bid or

- (b). if the successful Bidder fails to:
  - (i) sign the Contract in accordance with **ITB** 37; or
  - (ii) furnish a performance security in accordance with **ITB** 38.

The Bid Security or the Bid Securing Declaration of a JVCA shall be in the name of the JVCA that submits the bid. If the JVCA has not been legally constituted into a legally enforceable JVCA at the time of bidding, the Bid Security or the Bid Securing Declaration shall be in the names of all future partners as named in the letter of intent referred to in **ITB** 4.1.

If a Bid-Securing Declaration is executed in accordance with **ITB** 19.7, the Employer will declare the Bidder ineligible to be awarded a contract by the Employer for the period of time stated in the Form of Bid-Securing Declaration

### 1.1.3.12 Format and Signing of Bid

1.1.3.12.1 The Bidder shall prepare one original of the documents comprising the bid as described in ITB 11 and clearly mark it "ORIGINAL." In addition, the Bidder shall submit copies of the bid, in the number specified in the BDS and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.

The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified in the **BDS** and shall be attached to the bid. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the bid where entries have been made shall be signed or initialed by the person signing the bid.

A bid submitted by a JVCA shall comply with the following requirements:

- (a). Unless not required in accordance with **ITB** 4.1 (a), be signed so as to be legally binding on all partners and
- (b). Include the Representative's authorization referred to in **ITB** 4.1 (b), consisting of a power of attorney signed by those legally authorized to sign on behalf of the JVCA.

Any amendments, interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the bid.

#### 1.1.4 Submission and Opening of Bids

### 1.1.4.1 Submission, Sealing and Marking of Bids

- 1.1.4.1.1 Bidders may always submit their bids by mail or by hand. If so, specified in the **BDS**, bidders shall have the option of submitting their bids electronically. Procedures for submission, sealing and marking are as follows:
  - (a). Bidders submitting bids by mail or by hand shall enclose the original and copies of the Bid in separate sealed envelopes. If so, permitted in accordance with **ITB** 13, alternative proposals, and copies thereof, shall also be placed in separate envelopes. The envelopes shall be duly marked as "ORIGINAL," "ALTERNATIVE," "ORIGINAL COPY," and "ALTERNATIVE COPY" These envelopes shall then be enclosed in one single package. The rest of the procedure shall be in accordance with **ITB** 21.2 and 21.3.
  - (b). Bidders submitting bids electronically shall follow the electronic bid submission procedures specified in the **BDS**.

The inner and outer envelopes shall:

- (a). bear the name and address of the Bidder;
- (b). be addressed to the Employer in accordance with **ITB** 22.1;
- (c). bear the specific identification of this bidding process pursuant to **ITB** 1.1; and

(d). bear a warning not to open before the time and date for bid opening

If envelopes and packages are not sealed and marked as required, the Employer will assume no responsibility for the misplacement or premature opening of the bid.

#### 1.1.4.2 Deadline for Submission of Bids

1.1.4.2.1 Bids must be received by the Employer at the address and no later than the date and time indicated in the **BDS**.

The Employer may, at its discretion, extend the deadline for the submission of bids by amending the Bidding Document in accordance with **ITB** 8, in which case all rights and obligations of the Employer and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.

#### 1.1.4.3 Late Bids

1.1.4.3.1 The Employer shall not consider any bid that arrives after the deadline for submission of bids, in accordance with **ITB** 22. Any bid received by the Employer after the deadline for submission of bids shall be declared late, rejected, and returned unopened to the Bidder

## 1.1.4.4 Withdrawal, Substitution, and Modification of Bids

- 1.1.4.4.1 A Bidder may withdraw, substitute, or modify its bid after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with **ITB** 20.2., (except that withdrawal notices do not require copies). The corresponding substitution or modification of the bid must accompany the respective written notice. All notices must be:
  - (a). prepared and submitted in accordance with ITB 20 and ITB21 (except that withdrawals notices do not require copies),and in addition, the respective envelopes shall be clearly

marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and

(b). received by the Employer prior to the deadline prescribed for submission of bids, in accordance with **ITB** 22.

Bids requested to be withdrawn in accordance with **ITB** 24.1 shall be returned unopened to the Bidders.

No bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Letter of Bid or any extension thereof.

## 1.1.4.5 Bid Opening

1.1.4.5.1 The Employer shall conduct the bid opening in public, in the presence of Bidders` designated representatives and anyone who choose to attend, and at the address, date and time specified in the **BDS**. Any specific electronic bid opening procedures required if electronic bidding is permitted in accordance with **ITB** 21.1, shall be as specified in the **BDS**.

First, envelopes marked "Withdrawal" shall be opened and read out and the envelope with the corresponding bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening. Next, envelopes marked "Substitution" shall be opened and read out and exchanged with the corresponding bid being substituted, and the substituted bid shall not be opened, but returned to the Bidder. No bid substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at bid opening. Envelopes marked "Modification" shall be permitted unless the corresponding bid. No bid modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at bid opening. Only bids that

are opened and read out at bid opening shall be considered further.

The Employer shall open all other envelopes one at a time and read out: the name of the Bidder, the Bid Price(s), any discounts and their application methodology, alternative bids, the presence or absence of a bid security or Bid-Securing Declaration; and any other details as the Employer may consider appropriate. Only discounts and alternative bids read out at bid opening shall be considered for evaluation. No bid shall be rejected at bid opening except for late bids, in accordance with **ITB** 23.1.

The Employer shall prepare a record of the bid opening that shall include, as a minimum: the name of the Bidder and whether there is a withdrawal, substitution, or modification; the Bid Price, per lot if applicable, including any discounts and alternative proposals; and the presence or absence of a bid security or a Bid-Securing Declaration. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. A copy of the record shall be distributed to all Bidders who submitted bids in time, and posted online when electronic bidding is permitted.

#### 1.1.5 Examination of Bids

## 1.1.5.1 Confidentiality

1.1.5.1.1 Information relating to the evaluation of bids shall not be disclosed to Bidders or any other persons not officially concerned with such process until information on Contract award is communicated to all Bidders.

Any attempt by a Bidder to influence improperly the Employer in the evaluation of the bids or Contract award decisions may result in the rejection of its bid.

Notwithstanding **ITB** 26.1, from the time of bid opening to the time of Contract award, if any Bidder wishes to contact the Employer on any matter related to the bidding process, it should do so in writing

#### 1.1.5.2 Clarification of Bids

1.1.5.2.1 To assist in the examination, evaluation, and comparison of the bids, and qualification of the Bidders, the Employer may, at its discretion, ask any Bidder for a clarification of its bid, allowing a reasonable time for response. Any clarification submitted by a Bidder that is not in response to a request by the Employer shall not be considered. The Employer's request for clarification and the response shall be in writing. No change in the prices or substance of the bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the bids, in accordance with **ITB** 29.

If a Bidder does not provide clarifications of its bid by the date and time set in the Employer's request for clarification, its bid may be rejected.

#### **1.1.5.3** Determination of Responsiveness

1.1.5.3.1 The Employer's determination of a bid's responsiveness is to be based on the contents of the bid itself, as defined in **ITB**11.

A substantially responsive bid is one that meets the requirements of the Bidding Document without material deviation, reservation, or omission.

- (a). "Deviation" is a departure from the requirements specified in the Bidding Document;
- (b). "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document; and
- (c). "Omission" is the failure to submit part or all of the information or documentation required in the Bidding Document.

A material deviation, reservation, or omission is one that,

- (a). if accepted, would:
  - (i) affect in any substantial way the scope, quality, or performance of the Schedule of Requirements as

specified in Section VI; or

- (ii) limit in any substantial way, inconsistent with the Bidding Document, the Employer]'s rights or the Bidder's obligations under the proposed Contract; or
- (b). if rectified, would unfairly affect the competitive position of other Bidders presenting substantially responsive bids.

The Employer shall examine the technical aspects of the bid in particular, to confirm that all requirements of Section VI have been met without any material deviation, reservation, or omission.

If a bid is not substantially responsive to the requirements of the Bidding Document, it shall be rejected by the Employer and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

Provided that a bid is substantially responsive, the Employer may waive any quantifiable nonconformity in the bid that does not constitute a material deviation, reservation or omission.

Provided that a bid is substantially responsive, the Employer may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities in the bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any aspect of the price of the bid. Failure of the Bidder to comply with the request may result in the rejection of its bid.

Provided that a bid is substantially responsive, the Employer shall rectify quantifiable nonmaterial nonconformities related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of the non-conforming item or component. The adjustment shall be made using the methodology indicated in Section III, Evaluation and Qualification Criteria

#### 1.1.6 Bid Evaluation and Comparison

#### **1.1.6.1** Correction of Arithmetical Errors

1.1.6.1.1 The Employer shall use the criteria and methodologies indicated in Section III, Evaluation and Qualification Criteria. No other evaluation criteria or methodologies shall be permitted

Provided that the bid is substantially responsive, the Employer shall correct arithmetical errors as indicated in Section III, Evaluation and Qualification Criteria

If a Bidder does not accept the correction of errors, its bid shall be declared non-responsive and its Bid Security shall be forfeited or the Bid-Securing Declaration executed

## 1.1.6.2 Conversion to Single Currency

1.1.6.2.1 For evaluation and comparison purposes, the currency(ies) of the bid shall be converted into a single currency as specified in Section III, Evaluation and Qualification Criteria.

# 1.1.6.3 Bid Adjustments

1.1.6.3.1 For evaluation and comparison purposes the Employer shall adjust the bid prices using the criteria and methodology specified in Section III, Evaluation and Qualification Criteria.

Unless otherwise specified in the **BDS**, no margin of domestic or regional preference shall apply. If a margin of preference applies, the application methodology shall be as specified in Section III, Evaluation and Qualification Criteria, and in accordance with the provisions stipulated in the **Rules and Procedures for Procurement of Goods and Works**.

If in the opinion of the Employer the bid which results in the lowest Evaluated Bid, is seriously unbalanced or front loaded or substantially below the Employer's estimates, the Employer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the methods and schedule proposed. After evaluation of the price analyses, taking into consideration the schedule of estimated Contract payments, the Employer may require that the amount of the performance security be increased at the expense of the Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract.

### 1.1.6.4 Qualification of the Bidder

1.1.6.4.1 The Employer shall determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated and substantially responsive bid meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.

The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to **ITB** 16.

An affirmative determination shall be a prerequisite for award of the Contract to the Bidder. A negative determination shall result in disqualification of the bid, in which event the Employer shall proceed to the next lowest evaluated bid to make a similar determination of that Bidder's qualifications to perform satisfactorily.

The capabilities of the manufacturers and subcontractors proposed in its Bid to be used by the lowest evaluated Bidder for identified major items of the Requirements will also be evaluated for acceptability in accordance with the criteria and methodologies defined in Section III, Evaluation and Qualification Criteria. Their participation should be confirmed with a letter of intent between the parties, as needed. Should a manufacturer or subcontractor be determined to be unacceptable, the Bid will not be rejected, but the Bidder will be required to substitute an acceptable manufacturer or subcontractor

without any change to the bid price

### 1.1.6.5 Comparison of Bid

1.1.6.5.1 Subject to **ITB** 29, 30 and 31, the Employer shall compare all substantially responsive bids to determine the lowest evaluated bid.

#### 1.1.6.6 Employer's Right to Accept Any Bid, and to Reject Any or All Bids

1.1.6.6.1 The Employer reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award, without thereby incurring any liability to Bidders. In case of annulment, all bids submitted and specifically, bid securities, shall be promptly returned to the Bidders

#### 1.1.7 Award of Contract

#### 1.1.7.1 Award Criteria

1.1.7.1.1 Subject to **ITB** 34.1, the Employer shall award the Contract to the Bidder whose offer has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily

#### 1.1.7.2 Notification of Award

1.1.7.2.1 Prior to the expiration of the period of bid validity, the Employer shall notify the successful Bidder, in writing, that its bid has been accepted. The notification letter (hereinafter and in the Conditions of Contract and Contract Forms called the "Letter of Acceptance") shall specify the sum that the Employer will pay the Contractor in consideration of the execution and completion of the Works (hereinafter and in the Contract Forms called "the Contract Price").

Until a formal contract is prepared and executed, the notification of award shall constitute a binding Contract.

At the same time, the Employer shall also notify all other Bidders of the results of the bidding process, and shall publish in the Ministry website (<a href="www.kilimo.go.ke">www.kilimo.go.ke</a>) or send via mail , the results identifying the bid and tender numbers and the following information: (i) name of each Bidder who submitted a Bid; (ii) bid prices as read out at bid opening; name and evaluated prices of each Bid that was evaluated; (iv) name of bidders whose bids were rejected and the reasons for their rejection; and (v) name of the winning Bidder, and the price it offered, as well as the duration and summary scope of the contract awarded. After publication of the award, unsuccessful bidders may request in writing to the Employer for a debriefing seeking explanation on the grounds on which their bids were not selected. The Employer shall promptly respond in writing to any unsuccessful Bidder who, after Publication of contract award, requests a debriefing

### **1.1.7.3** Signing of Contract

1.1.7.3.1 Promptly upon notification, the Employer shall send the successful Bidder the Contract Agreement.

Within twenty-eight (28) days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Employer.

Upon the successful Bidder's furnishing of the signed Contract Agreement and Performance Security pursuant to **ITB** 38, the Employer will discharge its Bid Security, pursuant to **ITB** 19.

# 1.1.7.4 Performance Security

1.1.7.4.1 Within twenty-eight (28) days of the receipt of notification of award from the Employer, the successful Bidder shall furnish the performance security in accordance with the conditions of contract, subject to ITB 31.3, using for that purpose the Performance Security Form included in Section IX, Contract Forms, or another form acceptable to the Employer.

If the performance security furnished by the successful Bidder is in the form of a bond, it shall be issued by a bonding or insurance company that has been determined by the successful Bidder to be acceptable to the Employer. A foreign institution providing a bond shall have a correspondent financial institution located in the Employer's Country.

Failure of the successful Bidder to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, or execution of the Bid-Securing Declaration. In that event the Employer may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by the Employer to be qualified to perform the Contract satisfactorily

# 1.2 Section II. Bid Data Sheet

A. General		
ITB 1.1	The number of the Invitation for Bids is: MOALD/SDCD/ENG/GDSF/04/2023-2024	
ITB 1.1	The Employer is:  Principal Secretary,  State Department for Crop Development,  Ministry of Agriculture and Livestock Development	
ITB 1.1	The name of the bidding process is: National Competitive Bidding  The identification number of the bidding process is: MOALD/SDCD/ENG/ GDSF/04/2023-2024	
ITB 2.1	The Client is: MINISTRY OF AGRICULTURE AND LIVESTOCK DEVELOPMENT, STATE DEPARTMENT FOR CROP DEVELOPMENT	
ITB 2.1	The specific financing institution is: <b>GoK</b>	
ITB 2.1	The name of the Project is: <b>DEVELOPMENT OF AGRICULTURE TECHNOLOGY INNOVATION CENTERS (GRAIN DRYING AND STORAGE FACILITIES)</b>	
ITB 4.1(a)	The individuals or firms in a joint venture, consortium or association "shall be" jointly and severally liable.	
B. Contents of Bidding Document		
ITB 7.1	Attention: Engineering Secretary State Department for Crop Development Kilimo House, Cathedral Road, Nairobi P.O. Box 30028-00100 Nairobi, Kenya	
	Floor Number: 5 <sup>th</sup> Floor City: Nairobi	

ITB 7.4 C. Prepara	ZIP Code: N/A Country: KENYA Electronic mail address: N/A Requests for clarifications should be received by the Employer no later than ten (10) days, prior to the deadline for submission of Bids.  A Pre-Bid meeting "shall not" take place.  tion of Bids
ITB 10.1	The language of the bid is: <b>English</b>
ITB 11.1 (h)	The Bidder must provide the following Documentary Evidence to establish the conformity of the Technical Proposal with the Bidding Document:
	<ul> <li>Evidence of similar works undertaken in the past two years</li> <li>List of equipment proposed for the works (provide proof of ownership, lease or hire)</li> <li>List of proposed personnel, signed CV's and clear proposed positions/tasks for each</li> <li>Audited financial statements for the last three years</li> <li>Clear work program/plan</li> </ul>
ITB 11.1 (j)	The Bidder shall submit with its bid the following mandatory additional documents:  • Certificate of registration/incorporation  • Copy of the Bidder's VAT registration certificate or equivalent  • A valid tax compliance certificate  • Written authorization for the person signing the documents from the company/Power of Attorney  • Joint venture agreement, in the required format, for

	<ul> <li>those submitting bids as joint ventures</li> <li>A bid guarantee from a Bank in the format given/attached and shall be valid for twenty-eight days (28) beyond the original validity period of the bid</li> <li>Duly filled and signed letter of bid in the company</li> </ul>	
	letterhead and in the format attached.	
ITB 13.1	Alternative bids are not permitted.	
ITB 13.2	Alternatives to the Times for Completion "shall not be" permitted.  If alternatives to the Times for Completion are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.	
ITB 13.4	Alternative technical solutions shall be permitted for the following parts of the Works, as further detailed in the Specification: "none".	
ITB 14.2	Prices <b>"shall be"</b> fixed.	
ITB 14.6	The prices quoted by the Bidder <b>"shall not be"</b> subject to adjustment during the performance of the Contract.	
ITB 15.1	The currency of the bid and payment shall be: <b>Kenya Shilling</b> ( <b>KES</b> )	
ITB 18.1	The bid validity period shall be: <b>120 days.</b>	
ITB 19.1	The Bidder shall furnish a bid security, in the amount of <b>KES</b> 1,050,000.00 Bank Guarantee	
ITB 20.1	In addition to the original of the Bid, the number of copies is: <b>1 copy</b>	
ITB 20.2	The written confirmation of authorization to sign on behalf of the	

	Bidder shall indicate:	
	<ul> <li>(a). The name and description of the documentation required to demonstrate the authority of the signatory to sign the Bid such as a Power of Attorney, authorization letter in company stationery; and</li> <li>(b). In the case of Bids submitted by an existing or intended JVCA an undertaking signed by all parties (i) stating that all parties shall be jointly and severally liable, if so, required in accordance with ITB 4.1(a), and (ii) nominating a Representative who shall have the authority to conduct all business for and on behalf of any and all the parties of the JVCA during the bidding process and, in the event the JV is awarded the Contract, during contract execution."]</li> </ul>	
	or is arranged and contained, daming contained exceeding in	
D. Submiss	sion and Opening of Bids	
ITB 21.1	Bidders <b>"shall not"</b> have the option of submitting their bids electronically.	
ITB 21.1 (b)	The electronic bidding submission procedures shall be: <b>None</b>	
ITB 22.1	For bid submission purposes only, the Employer's address is: Attention: Principal Secretary, State Department for Crop Development Street Address: Cathedral Road Floor/Room number: Ground Floor, State Department of Agriculture Tender Box City: Nairobi ZIP Code: P.O. Box 30028-00100, Nairobi, Kenya Country: KENYA The deadline for bid submission is: Date: 08/11/2023 Time: 11.00am	
ITB 25.1	Time: 11.00am  The bid opening shall take place at: Street Address: Cathedral Road, State Department for Crop Development, Floor/Room number: ASCU Boardroom, Kilimo House	

City: Nairobi Country: Kenya Date: 08/11/2023 Time: 11.00am			
ITB 25.1	The electronic bid opening procedures shall be: <b>None</b>		
E. Bid Eval	E. Bid Evaluation and Comparison		
ITB 31.2	A margin of domestic or regional preference "shall not" apply.		

# 1.3 Section III. Evaluation and Qualification Criteria

## 1.3.1 Evaluation Criteria and Methodology

#### 1.3.1.1 General Provisions

Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:

- a) For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
- b) Value of single contract Exchange rate prevailing on the date of the contract signature.
- c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity should use **the Standard Tender Evaluation Document for Goods and Works** for evaluating Tenders.

#### **Evaluation and contract award Criteria**

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that (i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.


#### 1.3.1.2 Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements of "Part 2 – Procuring Entity's Works Requirements", including checking for tenders with unacceptable errors, abnormally low tenders, abnormally high tenders and tenders that are front loaded. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered irresponsive and will not be considered further.

[The Procuring Entity will provide the preliminary evaluation criteria. To facilitate, a template may be attached or clearly described all information and list of documentation to be submitted by Tenderers to enable preliminary evaluation of the Tender]

# 1.3.1.3 Tender Evaluation (ITT 35) Price evaluation: in addition to the criteria listed in ITT 35.2 (a) – (c) the following criteria shall apply:

i) Alternative Completion Times, if permitted under ITT 13.2, will be



## 1.3.1.4 Multiple Contracts

Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and the lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

#### **OPTION 1**

- (i.) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.
- (ii.) If a tenderer wins more than one Lot, the tender will be awarded contracts for all won Lots, provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the Lots. The tenderer will be awarded the combination of Lots for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

#### **OPTION 2**

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combinations with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combinations provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

#### 1.3.1.5 Alternative Tenders (ITT 13.1)

An alternative if permitted under ITT 13.1, will be evaluated as follows:

The Procuring Entity shall consider Tenders offered for alternatives as specified in Part 2- Works Requirements. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

#### 1.3.1.6 Margin of Preference is not applicable

#### 1.3.1.7 Post qualification and Contract ward (ITT 39), more specifically,

a) In case the tender <u>was subject to post-qualification</u>, the contract shall be awarded to the lowest evaluated tenderer, subject to confirmation of prequalification data, if so required.

- b) In case the tender <u>was not subject to post-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to meeting each of the following conditions.
  - i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow of Kenya Shillings
  - ii) Minimum <u>average</u> annual construction turnover of Kenya Shillings \_\_\_\_\_ [insert amount], equivalent calculated as total certified payments received for contracts in progress and/or completed within the last \_\_\_\_\_ [insert of year]years.
  - iii) At least\_\_\_\_\_(insert number) of contract(s) of a similar nature executed within Kenya, or the East African Community or abroad, that have been satisfactorily and substantially completed as a prime contractor, or joint venture member or sub-contractor each of minimum value Kenya shillings\_\_\_\_\_\_ equivalent.
  - iv) Contractor's Representative and Key Personnel, which are specified as
  - v) Contractors key equipment listed on the table "Contractor's Equipment" below and more specifically listed as *[specify requirements for each lot as applicable]*
  - vi) Other conditions depending on their seriousness.

## (a). History of non-performing contracts:

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that non-performance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the last \_\_\_\_\_\_\_\_\_(specify years). The required information shall be furnished in the appropriate form.

#### (b). Pending Litigation

Financial position and prospective long-term profitability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above if all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

## (c). Litigation History

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the last (*specify years*). All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender

# 1.4 Section IV. Bidding Forms

# **Table of Forms**

	on Iv. Bidding FormsError! Bookma Qualification Form Summary	
	Qualification Forms	_
56	Form Equ: Equipment	1.4.2.1
57	Form Per -1	1.4.3 F
57	Contractor's Representative And Key Personnel Schedule	1.4.3.1
57	Contractor' Representative And Key Personnel	1.4.3.2
59	Form Per-2:	1.4.4 F
60	Declaration	1.4.4.1
61	Tenderer's QualificationWithout Pre-Qualification	1.4.5 T
61	Form ELI -1.1	1.4.5.1
62	Form ELI -1.2	1.4.5.2
63	Form CON – 2	1.4.5.3
64	Form FIN – 3.1:	1.4.5.4
67	Form FIN – 3.2:	1.4.5.5
67	Form FIN – 3.3:	1.4.5.6
68	Form FIN – 3.4:	1.4.5.7
69	8 Form Exp - 4.1	1.4.5.8
70	Form Exp - 4.2(A)	1.4.5.9
70	Form Exp - 4.2 (A) (Cont.)	1.4.5.10
71	11 Form Exp - 4.2(B)	1.4.5.11
73	Other Forms	1.4.6 0
73	Form Of Tender	1.4.6.1
77	Tenderer's Eligibility-Confidential Business Questionnaire	1.4.6.2
79	Disclosure Of Interest-Interest Of The Firm In The Procuring Entity	1.4.6.3
81	Certificate Of Independent Tender Determination	1.4.6.4
83	Self - Declaration Forms	1.4.6.5
84	Form SD2	1.4.6.6
85	Declaration And Commitment To The Code Of Ethics	1.4.6.7
86	Appendix 1- Fraud And Corruption	1.4.6.8
89	Form Of Tender Security-[Option 1–Demand Bank Guarantee]	1.4.6.9
90	Format Of Tender Security [Option 2—Insurance Guarantee]	1.4.6.10

# Section IV. Bidding Forms

1.4.6.1	11 Tender-Securing Declaration Form	93
1.4.7	Appendix To Tender	94
1.4.8	Schedule Of Currency Requirements	94

# **1.4.1 Qualification Form Summary**

1	2	3	4
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer
1	Nationality	Nationality in accordance with ITT 3.6	Forms ELI – 1.1 and 1.2, with attachments
2	Tax Obligations for Kenyan Tenderers	Has produced a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority in accordance with ITT 3.14.	Form of Tender
3	Conflict of Interest	No conflicts of interest in accordance with ITT 3.3	Form of Tender
4	PPRA Eligibility	Not having been declared ineligible by the PPRA as described in ITT 3.8	Form of Tender
5	State- owned Enterprise	Meets conditions of ITT 3.7	Forms ELI – 1.1 and 1.2, with attachments
6	Goods, equipment and services to be supplied under the contract	To have their origin in any country that is not determined ineligible under ITT 4.1	Forms ELI – 1.1 and 1.2, with attachments
7	History of Non-Performing Contracts	Non-performance of a contract did not occur as a result of contractor default since 1 <sup>st</sup> January [].	Form CON-2
8	Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity	Not under suspension based on-execution of a Tender/Proposal Securing Declaration pursuant to ITT 19.9	Form of Tender
9	Pending Litigation	Tender's financial position and prospective long- term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer.	Form CON – 2
10	Litigation History	No consistent history of court/arbitral award decisions against the Tenderer since 1 <sup>st</sup> January [insert year]	
11	Financial Capabilities	(i) The Tenderer shall demonstrate that it has	Form FIN – 3.1, with attachments

1	2	3	4
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer
		access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as Kenya Shillings [insert amount] equivalent for the subject contract(s) net of the Tenderer's other commitments.	
		(ii) The Tenderers shall also demonstrate, to the satisfaction of the Procuring Entity, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.	
		(iii) The audited balance sheets or, if not required by the laws of the Tenderer's country, other financial statements acceptable to the Procuring Entity, for the last <i>[insert number of years]</i> years shall be submitted and must demonstrate the current soundness of the Tenderer's financial position and indicate its prospective long-term profitability.	
12	Average Annual Construction Turnover	Minimum average annual construction turnover of Kenya Shillings [insert amount], equivalent calculated as total certified payments received for contracts in progress and/or completed within the last [insert of year] years, divided by [insert number of years] years	
13	General Construction Experience	4. Form EXP – 4.1 Experience	

1	2	3	4
Item No.	Qualification Subject	Document To be Completed by Tenderer	
		number of years] years, starting 1 <sup>st</sup> January [insert year].	
	Specific Construction & Contract Management Experience	A minimum number of [state the number] similar contracts specified below that have been satisfactorily and substantially completed as a prime contractor, joint venture member, management contractor or sub-contractor between 1st January [insert year] and tender submission deadline i.e (number) contracts, each of minimum value Kenya shillings equivalent.  [In case the Works are to be tender as individual contracts under multiple contract procedure, the minimum number of contracts required for purposes of evaluating qualification shall be selected from the options mentioned in ITT 35.4]  The similarity of the contracts shall be based on the following: [Based on Section VII, Scope of Works, specify the minimum key requirements in terms of physical size, complexity, construction method, technology and/or other characteristics including part of the requirements that may be met by specialized subcontractors, if permitted in accordance with ITT 34.3]	Form EXP 4.2(a)

# 1.4.2 QUALIFICATION FORMS

# 1.4.2.1 FORM EQU: EQUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or for alternative equipment proposed by the Tenderer.

Item of equipm	ent			
Equipment information	Name of manufacturer			Model and power rating
	Capacity			Year of manufacture
Current status	Current location			
	Details of current of	commitments		
Source	Indicate source of the equipment ☐ Owned ☐ Rented ☐ Leased ☐ Specially manufactured			
Omit the	following information	on for equipm	nent owned by	y the Tenderer.
Owner	Name of owner			
	Address of owner			
	Telephone			Contact name and title
	Fax Telex		Telex	
Agreements	Details of rental / lease / manufacture agreements specific to the project			

## 1.4.3 FORM PER -1

# **1.4.3.1** Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Representative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

# 1.4.3.2 Contractor' Representative and Key Personnel

1.	Title of position: Contractor's Representative			
	Name of candidate			
	<b>Duration</b> of	[insert the whole period (start and end dates) for which this		
	appointment:	position will be engaged]		
	Time	[insert the number of days/week/months/ that has been		
	commitment: for	scheduled for this position]		
	this position:			
		[insert the expected time schedule for this position (e.g. attach		
	schedule for this	high level Gantt chart		
	position:			
2.	Title of position: [_	J		
	Name of candidate	i e e e e e e e e e e e e e e e e e e e		
	<b>Duration</b> of	[insert the whole period (start and end dates) for which this		
	appointment:	position will be engaged]		
	Time	[insert the number of days/week/months/ that has been		
		scheduled for this position]		
	this position:			
		[insert the expected time schedule for this position (e.g. attach		
		high level Gantt chart]		
	position:			
3.	Title of position: [_	J		
	Name of candidate			
		[insert the whole period (start and end dates) for which this position will be engaged]		
	appointment:			
	Time	[insert the number of days/week/months/ that has been		
		scheduled for this position]		
	this position:			
		[insert the expected time schedule for this position (e.g. attach		
		high level Gantt chart		
_	position:			
4.	•	itle of position: []		
	Name of candidate:			
		of [insert the whole period (start and end dates) for which this		
	appointment: position will be engaged]			
	Time	, -		
	commitment: for			
	this position:			
	Expected time schedule for this	[insert the expected time schedule for this position (e.g. attach		
	position:	high level Gantt chart]		
5.	Title of position: [iii	ocert title?		
J.	Title of bosition: [//	ואכו ג עווכן		

Name of candidate			
Duration of appointment:	[insert the whole period (start and end dates) for which this position will be engaged]		
Time commitment: for this position:	[insert the number of days/week/months/ that has been scheduled for this position]		
	[insert the expected time schedule for this position (e.g. attach high level Gantt chart]		

#### 1.4.4 FORM PER-2:

Resume and Declaration - Contractor's Representative and Key Personnel.

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Name of Tenderer				
Position [#1]:	[title of position from Form PE	<i>R-1</i> ]		
Personnel information	Name:	Date of birth:		
	Address:	E-mail:		
	Professional qualifications:			
	Academic qualifications:			
	Language proficiency: [language	uage and levels of speaking, reading and writing skills]		
Details				
	Address of Procuring Entity:			
	Telephone:	Contact (manager / personnel officer):		
	Fax:			
	Job title:	Years with present Procuring Entity:		

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience		
[main project details]	[role and responsibilities on the project]	[time in role]	[describe the experience relevant to the position]		

#### 1.4.4.1 Declaration

I, the undersigned [insert either "Contractor's Representative" or "Key Personnel" as applicable], certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

Commitment	Details
Commitment to duration of contract:	[insert period (start and end dates) for which this
	Contractor's Representative or Key Personnel is available
	to work on this contract]
Time commitment:	[insert period (start and end dates) for which this
	Contractor's Representative or Key Personnel is available
	to work on this contract]

I understand that any misrepresentation or omission in this Form may:

Name of Contractor's Representative or Key Personnel: [insert name]

- a) be taken into consideration during Tender evaluation;
- b) result in my disqualification from participating in the Tender;
- c) result in my dismissal from the contract.

Signature:
Date: (day month year):
Countersignature of authorized representative of the Tenderer:
Signature:
Date: (day month year):

# 1.4.5 TENDERER'S QUALIFICATION WITHOUT PRE-QUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

## 1.4.5.1 FORM ELI -1.1

<b>Tend</b> Date:	erer Information	Form		-		
ITT	No.	and	title:	_		
	rer's name					
In case	e of Joint Venture (JV)	, name of each me	mber:			
	er's actual or intended of	, –	ion:			
	ate country of Consti	_				
lender	rer's actual or intended y	ear of incorporation	on:			
Tende	rer's legal address [in o	country of registra	ation]:			
	rer's authorized repres					
Name:						
Addres						
-	one/Fax numbers:					
	address:					
1. Atta	ched are copies of orig	-				
	Articles of Incorporat					ı), and/or
docum	ents of registration of					
	In case of JV, letter of					
Ш	In case of state-own	ed enterprise or	institution, in acco	ordance w	ith 111 3.8, do	ocuments
establi	_					
•	Legal and financial au	-				
•	Operation under com			6.1		i
• Incl	Establishing that the				Procuring Entit	ЗУ
Z. ITICII	uded are the organizat	lional Chart and a	iist of doard of Di	rectors.		

# 1.4.5.2 FORM ELI -1.2

Tendere (to be condition Date:		JV each member o	Information of Tenderer's JV)	Form
ITT	No.	and	title:	
Tendere	r's JV name:			
JV meml	ber's name:			
JV meml	ber's country of re	gistration:		
JV meml	ber's year of const	itution:		
JV memb	per's legal address	n country of consti	tution:	
	per's authorized rep			
Address:				
Telephor	ne/Fax numbers: .		· · · · · · · · · · · · · · · · · · ·	
E-mail ac	ddress:			
☐ Article registrati☐ In casa	ion documents of se of a state-own ny, operation in a	on (or equivalent the legal entity nar ed enterprise or in accordance with o	documents of constituted above, in accordance astitution, documents es	ution or association), and/or e with ITT 3.6. stablishing legal and financial hat they are not under the
2. Includ	led are the organi	zational chart and	a list of Board of Direct	tors.

# **1.4.5.3** FORM CON – 2

# Historical Contract Non-Performance, Pending Litigation and Litigation History

Tenderer's Date:	3	N	lame:				
JV	1	Member's		Name			
ITT	No.	and	title:				
Non-Perfo	rmed Contracts i	n accordance v	vith Section III,	Evaluation and	Qualificat	tion Criteria	<b>a</b>
	ntract non-perfor and Qualification			January <i>[insert y</i>	<i>rear]</i> spec	ified in Sed	ction III,
	ntract(s) not pe ication Criteria, r			<i>ert year]</i> specifie	ed in Sect	tion III, Ev	aluation
Year	Non- performed portion of contract	Contract Ide	ntification			Total C Amount (current currency, exchange and Shilling equivaler	rate Kenya
[insert year]	percentage]	name/ number Name of Procu Address of Pro	<i>, and any other</i> ring Entity: <i>[ins</i> curing Entity: <i>[i</i>	identification]	contract (country]		-
	tigation, in accord		•				
Sub-Facto □ Pe	pending litigation r 2.3. nding litigation in as indicated belo	n accordance w		•	•		•
i actui 2.3	as illulcated Deli	UVV.					

Year dispute	of	Amount dispute (currency)	in	Contract Identification	Total Contract Amount (currency), Kenya Shilling Fauivalent
					Equivalent
					(exchange rate)

		Contract Identification: Name of Procuring Entity:	
		Marile of Frocuring Littity.	
		Address of Procuring Entity:	
		Matter in dispute:	
		Status of dispute:	
		Contract Identification:	
		Name of Procuring Entity:	
		Address of Procuring Entity: Matter in dispute:	
		Party who initiated the dispute:	
		Status of dispute:	
		with Section III, Evaluation and Qualifica	
Criteria, Sul	b-Factor 2.4.	accordance with Section III, Evaluation	•
_	jation History in acco 2.4 as indicated belov	ordance with Section III, Evaluation and ( v.	Qualification Criteria,
Year of		Contract Identification	<b>Total Contract</b>
award	percentage of		Amount
	Net Worth		(currency),
			Kenya Shilling
			Equivalent (exchange rate)
[insert	[insert	Contract Identification: [indicate	(exchange rate) [insert amount]
[insert year]	[insert percentage]	Contract Identification: [indicate complete contract name, number,	(exchange rate)
-	-	complete contract name, number, and any other identification]	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name]	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country]	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main]	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute:	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"]	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"]	(exchange rate)
-	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award	(exchange rate)
year]	-	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award	(exchange rate)
year]	percentage]	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award	(exchange rate)
year]	percentage]	complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award decision [indicate main reason(s)]	(exchange rate)

title:

Name\_\_

Member's

and

No.

Date: JV

ITT

## 4.4.1. Financial Data

Type of Financial information	Historic ir	nformation	for previous		years,
in	(amount equivaler	rate*, USD			
	Year 1	Year 2	Year 3	Year 4	Year 5
Statement of Financial Position	(Informatio	on from Bala	nce Sheet)		
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Stater	ment				
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

## **4.4.2 Sources of Finance**

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		

<sup>\*</sup>Refer to ITT 15 for the exchange rate

2	
3	

#### 4.4.3 Financial documents

The Tenderer and its parties shall provide copies of financial statements for \_\_\_\_\_\_\_years pursuant Section III, Evaluation and Qualifications Criteria, Sub-factor 3.1. The financial statements shall:

- (a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).
- (b) be independently audited or certified in accordance with local legislation.
- (c) be complete, including all notes to the financial statements.
- (d) correspond to accounting periods already completed and audited.
- Attached are copies of financial statements<sup>5</sup> for the \_\_\_\_\_\_years required above; and complying with the requirements

<sup>&</sup>lt;sup>5</sup> If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

## **1.4.5.5 FORM FIN – 3.2**:

# **Average Annual Construction Turnover**

Tenderer's			Name:		
Date:					
JV		Member's		Name	
ITT	No.	and	title:		

	Annual turnover data (construction only)						
Year	Amount Currency	Exchange rate	Kenya Shilling equivalent				
[indicate year]	[insert amount and indicate currency]						
Average Annual Construction Turnover *							

<sup>\*</sup> See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

## 1.4.5.6 FORM FIN - 3.3:

#### **Financial Resources**

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

Fina	ncial Resources	
No.	Source of financing	Amount (Kenya Shilling equivalent)
1		
2		
3		

## **1.4.5.7 FORM FIN – 3.4**:

# **Current Contract Commitments / Works in Progress**

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

## **Current Contract Commitments**

No.	Name of Contract	Procuring Entity's Contact Address, Tel,	Value of Outstanding Work [Current Kenya Shilling /month Equivalent]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month)]
1					
2					
3					
4					
5					

# 1.4.5.8 FORM EXP - 4.1

# **General Construction Experience**

Tenderer's Date:			Name	e:		-	· · · · · · · · · · · · · · · · · · ·	
JV		Member's			Name			
ΙΤΤ	No.	and		title:				
Page		of	pa	ages				
Starting Year	Ending Year	Contract Ide	ntificatio	n			Role of Tenderer	
		Tenderer: Amount of co Name of Pro	tion of the ontract: _ curing En	ne Works	performed by			
		Contract name Brief Descript Tenderer: Amount of contract Name of Processing	e: tion of th ontract: _ curing En	ne Works	performed by	the		
		Brief Descrip Tenderer: Amount of co	e: tion of th ontract: _ curing En	ne Works	performed by	the		

# 1.4.5.9 FORM EXP - 4.2(a)

# **Specific Construction and Contract Management Experience**

Tenderer's			Name:			
Date:						
JV	1	Member's		Name	e	
ITT	No.	and	title:	_		
Similar Co	ntract No.		Information	1		
Contract Ide	ntification					
Award date						
Completion	date					
Role in Cont	ract		Prime Contractor □	Member JV □	in Management Contractor □	Sub- contractor □
Total Contrac	t Amount				Kenya Shill	ing
contractor, total Contra	ntity's Name:	or sub- cipation in				
E-mail:	TOX HOMBE					

# 1.4.5.10 FORM EXP - 4.2 (a) (cont.)

# **Specific Construction and Contract Management Experience (cont.)**

Similar Contract No.	Information
Description of the similarity in accordance with Sub-Factor 4.2(a) of Section III:	
1. Amount	
2. Physical size of required works	
items	
3. Complexity	
4. Methods/Technology	
5. Construction rate for key	
activities	
6. Other Characteristics	

# 1.4.5.11 FORM EXP - 4.2(b)

# **Construction Experience in Key Activities**

Tenderer's		Name:			
Date: Tenderer's Sub-contractor's ITT No. and title: _	JV Name <sup>6</sup>	Member (as per	Name: ITT 3	34):	
All Sub-contracto ITT 34 and Sectio  1. Key Activit	•	ition and Qualific	•		•
		Informa	tion		
Contract Identification	on				
Award date					
Completion date					
Role in Contract		Prime Contractor □	Member JV □	in Managen Contracto □	
Total Contract Amou	nt		1	Kenya S	Shilling
Quantity (Volume, production, as an under the contraction the year	oplicable) pe	rformed the contra		cipation	Actual Quantity Performed (i) x (ii)
Year 1					
Year 2					
Year 3					
Year 4					
Procuring Entity's N	lame:				,
Address: Telephone/fax num E-mail:	ıber				
		Informa	tion		
		I			

Page **71** of **229** 

<sup>&</sup>lt;sup>6</sup> If applicable

Description of the key activities in accordance with Sub-Factor 4.2(b) of Section III:	

2.	Activity	√No. ˈ	Two
	,		

3. .....

## 1.4.6 OTHER FORMS

## 1.4.6.1 FORM OF TENDER

1.4.6.1.1 (Amended **and** issued pursuant to PPRA CIRCULAR No. 02/2022)

#### **INSTRUCTIONS TO TENDERERS**

- i) All italicized text is to help the Tenderer in preparing this form.
- ii) The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address. Tenderers are reminded that this is a mandatory requirement.

	address. Tenderers are reminded that this is a mandatory requirement.	
iii)	Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION FORMS OF THE TENDERER as listed under (s) below.	
Date	of this Tender submission:[insert date (as day, month and year)	
of Te	ender submission] Tender Name and	
	Identification: [insert identification] Alternative	
No.:.	[insert identification No if this is a Tender for an	
alterr	pative]	
To:	[Insert complete name of Procuring Entity]	
	Dear Sirs,	
1.	In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above-named Works, we, the undersigned offer to construct and complete the Works and remedy any defects therein for the sum of Kenya Shillings [[Amount in figures]	Kenya S
	The above amount includes foreign currency amount (s) of [state figure or a percentage and currency] [figures] [words].	
	The percentage or amount quoted above does not include provisional sums, and only allows not more than two foreign currencies.	
2.	We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Project Manager's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Special Conditions of Contract.	
3.	We agree to adhere by this tender until[Insert date], and it shall remain binding upon us and may be accepted at any time before that date.	
4.	Unless and until a formal Agreement is prepared and executed this tender together with your written acceptance thereof, shall constitute a binding Contract between us.	

We further understand that you are not bound to accept the lowest or any tender you

may receive.

- 5. We, the undersigned, further declare that:
  - i) <u>No reservations:</u> We have examined and have no reservations to the tender document, including Addenda issued in accordance with ITT 28;
  - ii) <u>Eligibility:</u> We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3 and 4;
  - iii) <u>Tender-Securing Declaration</u>: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;
  - iv) <u>Conformity</u>: We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: [insert a brief description of the Works];
  - v) <u>Tender Price:</u> The total price of our Tender, excluding any discounts offered in item 1 above is: [Insert one of the options below as appropriate]
  - vi Option 1, in case of one lot: Total price is: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]; Or

#### Option 2, in case of multiple lots:

- a) <u>Total price of each lot</u> [*insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies*]; and
- b) <u>Total price of all lots</u> (sum of all lots) [*insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies*];
- vii) *Discounts:* The discounts offered and the methodology for their application are:
- viii) The discounts offered are: [Specify in detail each discount offered.]
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];
- x) <u>Tender Validity Period</u>: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) <u>Performance Security:</u> If our Tender is accepted, we commit to obtain a Performance Security in accordance with the Tendering document;
- xii) <u>One Tender Per Tender</u>: We are not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a subcontractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) <u>Suspension and Debarment</u>: We, along with any of our subcontractors, suppliers, Project Manager, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.

- xiv) <u>State-owned enterprise or institution:</u> [select the appropriate option and delete the other] [We are not a state-owned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITT 3.8];
- commissions, gratuities, fees: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity].

Name Recipient	of	Address	Reason	Amount
		_		

(If none has been paid or is to be paid, indicate "none.")

- xvi) <u>Binding Contract</u>: We understand that this Tender, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xvii) Not Bound to Accept: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;
- xviii) <u>Fraud and Corruption:</u> We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption;
- xix) <u>Collusive practices</u>: We hereby certify and confirm that the tender is genuine, noncollusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from\_(*specify website*) during the procurement process and the execution of any resulting contract.
- xxi) **Beneficial Ownership Information:** We commit to provide to the procuring entity the Beneficial Ownership Information in conformity with the Beneficial Ownership Disclosure Form upon receipt of notification of intention to enter into a contract in the event we are the successful tenderer in this subject procurement proceeding.
- xxii) We, the Tenderer, have duly completed, signed and stamped the following Forms as part of our Tender:
  - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are not in any conflict to interest.
  - b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers.
  - c) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.

d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "Appendix 1- Fraud and Corruption" attached to the Form of Tender.

Name of the Tenderer: \*[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: \*\*[insert complete name of person duly authorized to sign the Tender]

**Title of the person signing the Tender**: [insert complete title of the person signing the Tender]

Signature of the person named above: [insert signature of person whose name and capacity are shown above] Date signed [insert date of signing] day of [insert month], [insert year]

Date signed	day of ,	

#### **Notes**

<sup>\*</sup> In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer

<sup>\*\*</sup> Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.

# 1.4.6.2 TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE

#### 1.4.6.2.1 Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, *one form for each entity if Tender is a JV.* Tenderer is further reminded that it is an offence to give false information on this Form.

#### 1.4.6.2.2 (a) Tenderer's details

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	<ol> <li>Country</li> <li>City</li> <li>Location</li> <li>Building</li> <li>Floor</li> <li>Postal Address</li> <li>Name and email of contact person.</li> </ol>
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address ( <i>postal</i> and physical addresses, email, and telephone number) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock exchange, give name and full address (postal and physical addresses, email, and telephone number) of state which stock exchange	

# **General and Specific Details**

	<b>Sole Proprietor,</b> provide the following details.					
	Nar	ne in full		Age		_ Nationality
	<b>c</b> )	Partnership, provi	de the following de	etails.		
	Name	s of Partners	Nationality	Citizenship	% Shares owned	]
1						_
3						_
3						
	d) Registered Company, provide the following details.					
	i) Private or public Company					
	ii) State the nominal and issued capital of the Company				1	
	iii) Give details of Directors as follows.					
	Name	s of Director	Nationality	Citizenship	% Shares owned	]

	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

# **1.4.6.3** DISCLOSURE OF INTEREST- Interest of the Firm in the Procuring Entity.

i)	Are there any person/persons in	( <i>Name of Procuring Entity)</i> who
	has/have an interest or relationship in this firm? Ye	es/No

If yes, provide details as follows.

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

## ii) Conflict of interest disclosure

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
1	Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non- consulting services or consulting services during implementation of the contract specified in this Tender Document.		
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.		
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the such Contract.		

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.		

# f) Certification

On b	oehalf	of the	Tenderer,	I certify	that th	ne info	ormation	given	above	is c	omplete,
curre	ent an	d accur	ate as at tl	he date o	of subm	ission.					

Full Name_			Title c
	(Signature)	(Date)	

#### 1.4.6.4 CERTIFICATE OF INDEPENDENTIENDER DETERMINATION

I, the undersigned, in submitting the accompanying Letter of Tender to the									
to be true and complete in every respect:									
I certify, on behalf of	[Name	of							
Tenderer] that:									

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
- 4. For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
  - a) has been requested to submit a Tender in response to this request for tenders;
  - b) could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;
- 5. The Tenderer discloses that [check one of the following, as applicable:
  - a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;
  - b) the Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
- 6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - a) prices;
  - b) methods, factors or formulas used to calculate prices;
  - c) the intention or decision to submit, or not to submit, a tender; or
  - d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph (5)(b) above;
- 7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;
- 8. the terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.

Name	_Title_ Date
	-
[Name, title and signature of authorized agent of Tenderer and Date	e].

## 1.4.6.5 SELF - DECLARATION FORMS

## FORM SD1

SELF	DECL	ARATION	THAT	THE	PERSON/T	ENDERER	<b>IS NOT</b>	DEB	ARRED
IN	THE	<b>MATTER</b>	OF	THE	<b>PUBLIC</b>	<b>PROCUR</b>	EMENTA	ND	<b>ASSET</b>
DISP	OSAL	ACT 2015.							

I, .	, of ident of	Post	Office	Box				being	a
	in the tatement as follows: -	Republ	ic of			(	do here	by mak	e
1.	THAT I am the Company Seconficer/Director of	(inser (ins	t name sert tend	of the der title/	Compai (descript	<i>ny)</i> wh <i>tion)</i> fo	o is a	Bidder i	n 
2.	THAT the aforesaid Bidder, its from participating in procureme						ot been	debarre	d
3.	THAT what is deponed to herein and belief.	above	is true to	the bes	st of my	knowl	edge, in	formatio	n
	(Title)	(Signa				(Date)			
	Bidder Official Stamp								

#### 1.4.6.6 FORM SD2

Bidder's Official Stamp

	OR FRAUDULENT PRACTICE
	of P. O. Box being sident of in the Republic of do hereby make a ement as follows: -
1.	THAT I am the Chief Executive/Managing Director/Principal Officer/Director of
2.	THAT the aforesaid Bidder, its servants and/or agents /subcontractors will not engage in any corrupt or fraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (insert name of the Procuring entity) which is the procuring entity.
3.	THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (name of the procuring entity)
4.	THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender
5.	THAT what is deponed to herein above is true to the best of my knowledge information and belief.

1.4.6.6.1 SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT

Page **84** of **229** 

## 1.4.6.7 DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

	(person) on behalf of <i>(Na</i>	
Disposal Act, 2015, Regulations and th	contents of the Public Procurement & Asset Code of Ethics for persons participating and my responsibilities under the Code.	
I do hereby commit to abide by the participating in Public Procurement and	provisions of the Code of Ethics for pers Asset Disposal.	ons
Name of Authorized signatory Sign		
Position		
Office	address	<b>.</b>
Telephone		E-
mail		
Name Firm/Company	of	the
Date		
(Company Seal/ Rubber Stamp where a	applicable)	
Witness		
Name		
Sign	. Date	

#### 1.4.6.8 APPENDIX 1- FRAUD AND CORRUPTION

(Appendix 1 shall not be modified)

#### (1). Purpose

The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act *(no. 33 of 2015)* and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

#### (2). Requirements

The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Subcontractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.

Kenya's public procurement and asset disposal act *(no. 33 of 2015)* under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior: -

- a person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or asset disposal proceeding;
- 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
- 3) Without limiting the generality of the subsection (1) and (2), the person shall be:
  - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
  - b) if a contract has already been entered into with the person, the contract shall be voidable;
- 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
- 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement: -
  - a) shall not take part in the procurement proceedings;
  - b) shall not, after a procurement contract has been entered into, take part in any decision relating to the procurement or contract; and
- c) shall not be a subcontractor for the bidder to whom was awarded contract, or a member of the group of bidders to whom the contract was awarded, but the

- subcontractor appointed shall meet all the requirements of this Act.
- An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
- 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.

In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
  - "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
  - ii) "fraudulent practice" is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
  - iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
  - iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
  - v) "obstructive practice" is:
    - deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
    - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:

"fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.

- c) Rejects a proposal for award¹ of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may sanction or recommend to appropriate authority (ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
- e) Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect<sup>2</sup> all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

<sup>&</sup>lt;sup>1</sup>For the avoidance of doubt, a party's ineligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

# **1.4.6.9** FORM OF TENDER SECURITY-[Option 1—Demand Bank Guarantee]

	eficiary: Request for Tenders No:Date:	TENDER
	ARANTEE No.:	
Gu	uarantor:	
1.	We have been informed that(here inafter Applicant") has submitted or will submit to the Beneficiary its Tencalled" the Tender") for the execution of under Request	r called "the der (here inafter t for Tenders No
2.	Furthermore, we understand that, according to the Beneficiary's comust be supported by a Tender guarantee.	nditions, Tenders
3.	At the request of the Applicant, we, as Guarantor, hereby irrevocably the Beneficiary any sum or sums not exceeding in total an amount of upon receipt by us of the Beneficiary's complying demand, so Beneficiary's statement, whether in the demand itself or a separate accompanying or identifying the demand, stating that either the Appli	() upported by the signed document
(a)	) has withdrawn its Tender during the period of Tender validity Applicant's Letter of Tender ("the Tender Validity Period"), o thereto provided by the Applicant; or	
b)	having been notified of the acceptance of its Tender by the Be the Tender Validity Period or any extension there to provided b (i) has failed to execute the contract agreement, or (ii) has faile Performance.	y the Applicant,
4.	This guarantee will expire: (a) if the Applicant is the successful Tereceipt of copies of the contract agreement signed by the Apperformance Security and, or (b) if the Applicant is not the successful the earlier of (i) our receipt of a copy of the Beneficiary's notification of the results of the Tendering process; or (ii) thirty days after the evaluation validity Period.	oplicant and the ul Tenderer, upon to the Applicant
5.	Consequently, any demand for payment under this guarantee must lat the office indicated above onor before that date.	pe received by us
	[signature(s)]	

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

#### **1.4.6.10** FORMAT OF TENDER SECURITY [Option 2—Insurance Guarantee]

ΓEND	ER GUARANTEE No.:
1.	Whereas [Name of the tenderer] (hereinafter called "the tenderer") has submitted its tender dated [Date of submission of tender] for the
2.	KNOW ALL PEOPLE by these presents that WE

- 3. NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that if the Applicant:
  - a) has withdrawn its Tender during the period of Tender validity set forth in the Principal's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Principal; or
  - b) having been notified of the acceptance of its Tender by the Procuring Entity during the Tender Validity Period or any extension thereto provided by the Principal; (i) failed to execute the Contract agreement; or (ii) has failed to furnish the Performance Security, in accordance with the Instructions to tenderers ("ITT") of the Procuring Entity's Tendering document.

then the guarantee undertakes to immediately pay to the Procuring Entity up to the above amount upon receipt of the Procuring Entity's first written demand, without the Procuring Entity having to substantiate its demand, provided that in its demand the Procuring Entity shall state that the demand arises from the occurrence of any of the above events, specifying which event(s) has occurred.

- 4. This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii)twenty-eight days after the end of the Tender Validity Period.
- 5. Consequently, any demand for payment under this guarantee must be

received	υу	us	al	uie	onice	muicateu	above	OH	OI	Delore	uiat	uate.	
	Date	<i>.</i>					[Sig	natu	ire (	of the G	uaran	ntor]	
	Witn	ness	:7						Sea	a/7	<del>, , , , , , , , , , , , , , , , , , , </del>		

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

## 1.4.6.11 TENDER-SECURING DECLARATION FORM

[ I he	Bidder shall complete this Form in accordance with the instructions indicated]
Tend	:
decla	re that:
1.	I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.
2.	I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of [insert number of months or years] starting on [insert date], if we are in breach of our obligation(s) under the bid conditions, because we – (a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
3.	I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of: a) our receipt of a copy of your notification of the name of the successful Tenderer; or b) thirty days after the expiration of our Tender.
4.	I/We understand that if I am/we are/in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.
	Signed: Capacity /
	title (director or partner or sole proprietor, etc.)
	sign the bid for and on behalf of: [insert complete name of Tenderer]
	Dated on day of [Insert date of signing] Seal or stamp

# 1.4.7 Appendix to Tender

# **1.4.8 Schedule of Currency requirements**

Summary of currencies of the Tender for	 [insert	name	of S	Section	of	the
Works]						

Name of currency	Amounts payable
Local currency:	
Foreign currency #1:	
Foreign currency #2:	
Foreign currency #3:	
Provisional sums expressed in local currency	[To be entered by the Procuring Entity]

# 1.4.9 Bill of Quantities/Schedules of Prices

# Construction of Mogogosiek Grain Drying and Storage Facility in Bomet County

					Amount
Item	Description	Unit	Qty	Rate	(kshs)
	BILL NO. 01- (PRELIMINARIES)				
Α	Provide, erect and maintain sign boards at locations shown by the Program Engineer at site of works	No.	2		
В	Allow provisional sum for supervision to be expended as directed by the Project Manager	Lsum	1	2,000,0	2,000,000
С	Environmental Impact Assessment Reports	Lumpsu m	1	250,00 0	250,000
D	Mobilization and demobilization	item	1		
Е	Allow a provisional sum for material testing	Lsum	1	150,000	150,000
F	Allow a percentage for Contractors Overheads and Profits for items (B to E) above	%			
	TOTAL FOR BILL NO. 01- (PRELIMINARIES)				
Item	Description	Unit	Quan tity	Rate	Amount (kshs)
	BILL NO. 2 -STANDARD GRAIN STORE				
	ELEMENT NO. 1:				
	(All Provisional)				
	SITE CLEARANCE, EXCAVATIONS AND EARTHWORKS				
	<u>Clearance</u>				
A	Clear the site of all grass, roots and debris and vegetation	SM	2,500		
В	Excavate oversite (150mm deep)	SM	1,512		

	foundation walling using approved quarry stones	SM	350		
	Columns pad foundation excavations (28 NO)				
С	Excavate for R.C column padsnotexceeding 2.0 meters deep from reduced level	СМ	126		
	Strip foundation excavations				
D	600mmwide strip foundations	CM	190		
	Keeping excavations free from water:				
Е	Allow for keeping excavations free from water and mud by pumping, bailing or other approved method	Lsum	1		
	Planking and Strutting:				
F	Allow for maintaining and supporting sides of all excavations and keeping same free from fallen material	Lsum	1		
	Carried to collection				
Item	Description	Unit	Qty	Rate	Amount (kshs)
Item	Description  Filling:	Unit	Qty	Rate	
Item A	_	Unit	Qty 63	Rate	
	Filling:  Return, fill in and rams elected excavated materials and making sure levels are well			Rate	
A	Filling:  Return, fill in and rams elected excavated materials and making sure levels are well attained as per technical drawings  300mmthickapproved hardcore filling well watered, rolled and compacted in layers not exceeding150 mm thick to	СМ	63	Rate	
A B	Filling:  Return, fill in and rams elected excavated materials and making sure levels are well attained as per technical drawings  300mmthickapproved hardcore filling well watered, rolled and compacted in layers not exceeding150 mm thick to levels as per technical drawings  50 mm thick layer murram blinding or other approved blinding to surface of hardcore; rolled smooth to receive	СМ	63	Rate	
A B	Filling:  Return, fill in and rams elected excavated materials and making sure levels are well attained as per technical drawings  300mmthickapproved hardcore filling well watered, rolled and compacted in layers not exceeding150 mm thick to levels as per technical drawings  50 mm thick layer murram blinding or other approved blinding to surface of hardcore; rolled smooth to receive water-proof sheeting (m.s)	СМ	63	Rate	

E	Chemical anti-termite treatment, executed complete by an approved specialist under a ten- year guarantee to surfaces of hardcore	SM	1,350		
	Carried to collection				
	Collection(ELEMENT01)				
	Collection S/1				
	Collection S/2				
	Total amount element 01				
Item	Description	Unit	Qty	Rate	AMOUN T KSH
	ELEMENT NO. 2:-CONCRETE				1 KSII
	WORKS				
	CONCRETE				
	100mm thick Blinding concrete class 10 (1:4:8)				
	to B.S 8110 as described in:				
A	Column Bases	CM	6		
В	Strip foundations	CM	9		
	Vibrated reinforced concrete class 20/20 to B.S				
	8110 as described in:				
С	(1500x1500x300mm)Column Bases	CM	19		
D	600mmx 250mmStrip foundation	CM	24		
Е	(500x300mm)Columns 20.NO	CM	8		
F	(350x200mm)Columns 8.NO	CM	1.4		
G	150mmthickSlab bed including expansion joints as shown in technical drawings	CM	218		
	REINFORCEMENT STEEL:				
	Supply and fix reinforcement bars including				
	bending, hooks, tying wires, cutting spacers				
	and				
	supporting all in position as described:				
	Column Bases	**~			
Е	12mm	KG	761		
	R.C Columns				
F	8 mm bars	KG	639		
G	10 mm ditto	KG	343		
Н	12 mm ditto	KG	870		

	Slab BRC				
I	BRC Mesh (A142)	SM	1350		
	Walling				
	Medium quarry dressed stone walling in cement and 1.3 mortor 20 gauge × 200mm hoop iron reinforcement and colunm wall ties in alternate courses :to 200mm	SM	250		
	Carried to collection				
Item	Description	Unit	Qty	Rate	AMOUN T KSH
	<b>HDBOLTS</b>				
A	M20 x 500mmlongbolts with 2 head nuts and 2 washers	NO	168		
	<u>FORMWORK</u>				
	Sawn form work including cutting off				
	fins and filling up any small voids as				
	described				
	to:				
A	300mmthickcolumn bases	SM	50		
В	Vertical sides of columns	SM	112		
	Carried to collection				
	Collection(ELEMENT02)				
	Collection S/3				
	Collection S/4				
	Total Amount element 02				
Item	Description	Unit	Qty	Rate	Amount
	ELEMENT NO. 3:				
	SUPERSTRUCTURE				
	MASONRYWALLING				
	Machine cut dressed stonewalling in				
	cement and sand(1:3)mortar:20 gauge				
	25mmwidehoopiron reinforcement and				
	column-wall ties in every alternate				
	course:				
	<u>to</u>				
A	200mmwalling	SM	664		
	CONCRETE				
	Vibrated reinforced concrete class 20/20 to B.S				
	8110 as described in:				

В	450mmx 200mmRingBeams	CM	28		
	REINFORCEMENT STEEL:				
	Supply and fix reinforcement bars				
	including				
	bending, hooks, tying wires, cutting				
	spacers and				
	Supporting all in position as described:				
С	R.C Ring Beam 12mmbars	KGS	1122		
D	8mm bars	KGS	753		
	VENT BLOCKS				
Б	250x200x200mmprecast concrete	CM	0.0		
Е	ventilation blocks	SM	98		
	<u>FORMWORK</u>				
	Sawn form work including cutting off				
	projecting				
	fins and filling up any small voids as				
	described				
	to:				
F	Ring Beams	SM	284		
	Total Amount element 03				
Item	Description	Unit	Qty	Rate	AMOUN T
	ELEMENT NO. 4:				
	DOORS				
	STEEL DOORS				
	Supply and fix the following purpose-				
	made steel doors complete with stiles,				
	rails, mullions, panel, fastenings, hinges,				
	ironmongery, with one coat of red oxide				
	primer, pointing with mastic oiling,				
	easing and adjusting to fit in position; all				
	welds ground smooth to approval: as				
	<u>described in:</u>				
A	<u>described in:</u> Double leaf STEEL door overall size 5,000	NO	6		
A	described in:  Double leaf STEEL door overall size 5,000 mm x 4,050 mm high	NO	6		
	described in:  Double leaf STEEL door overall size 5,000 mm x 4,050 mm high  Carried to collection			Data	Amorrid
A	described in:  Double leaf STEEL door overall size 5,000 mm x 4,050 mm high	NO Unit	6 Qty	Rate	Amount
	described in:  Double leaf STEEL door overall size 5,000 mm x 4,050 mm high  Carried to collection			Rate	Amount

	Grade 43 Structural Steelwork to BS 449:				
	Thoroughly clean all steel with wire brush And prime with one coat of lead oxide primer; All before installation.  After installation apply one undercoat and two coats of super gloss oil Paint allowing 24 hours drying period between coats; all to Crown Paints' written instructions or other equal and approved:  STEEL COLUMNS				
	Universal columns welded and bolted in accordance with the fabricators shop drawings to Engineer's approval				
A	305x165x40.3kg/m UC(6000mmhigh)	NO	20		
В	254x146x31.1kg/ (High Varies)	LM	62		
С	75x75x6mmANGLE BRACINGS	LM	60		
	FITTINGS to columns				
	12mmthick350x200mmMS Base PLATE				
D	welded at bottom of columns each with 6 holes drilled to receive M20 HD bolts	NO	20		
Е	12mmthick305x165mmMS CAP PLATES	NO	20		
F	Drill8 holes as specified in the drawings to receive M16 bolts from eave haunch into Rafters	NO	160		
G	M16x250mmbolts with two nuts and two	NO	160		
Н	12mmthickplatesasstiffersatbase plates and at eave haunch as described in the drawings	KG	292		
	Carried to collection				
Item	Description	Unit	Qty	Rate	Amount
	ROOFING RAFTERS				
	All trusses welded and bolted in accordance with fabricators shop drawing to Engineer's approval				
A	254x146x31.1kg/m UB	LM	260		

В	75x75x6mmANGLE BRACINGS	LM	100		
			180		
С	100x6mmMS FLAT(For purling cleats)	LM	20		
D	63x63x6mmANGLE, Rain gutter brackets	LM	15		
Е	127x50x22, 2mmZ-Purlins	LM	1,100		
F	D12mmsagrods	LM	260		
G	40x40x2mm@canopytrusses	LM	224		
Н	127x50x22, 2mmZ-Purlins @canopies	LM	108		
	FITTINGS to Trusses				
I	M16x250mmbolts with 2 head nuts and 2 washers	NO	80		
J	Drill8 holes as specified in the drawings to receive M16 bolts in; Haunch plates and Apex plates as shown in technical drawings	NO	320		
K	254x146x31.1kg/m UB cut and welded at Rafters ENDs to fora haunch. Details as per assembly drawings, all details to be approved by R.E Engineer.	KG	1,244		
L	254x146x31.1kg/m UB cut and welded at Rafters APEX to for man APEX haunch with two connecting12mmthickMS plates. Details as per assembly drawings, all details to be approved by R.E Engineer.	KG	933		
	Carried to collection				
	Collection(ELEMENT05)				
	Collection S/7				
	Collection S/8				
	Total Amount Carried to bill Summary				
Item	Description	Unit	Qty	Rate	Amount
	ELEMENT NO. 6:-ROOFCOVERING				
	AND WATER DISPOSAL				
	Roof Covering 28 Gauge Box profile Sheeting				
	and Accessories.				
	and Accessories.				

A	Supply and install pre-painted 28G box profile roofing sheets fitted to steel purlins with and including approved self drilling screws	SM	1,430		
В	22G570mmRidge Caps with and including approved self drilling screws	LM	55		
С	26Ggable end flashing with and including approved self drilling screws	LM	26		
	WATER DISPOSAL				
D	Supply and install920mmgirth 1.5mmthickrain gutter sheet bent/folded as shown in technical drawings	LM	110		
E	Supply and install22G100mmDIA  Downpipes with brackets at 300c/c as shown in technical drawings	LM	12		
	<u>DRAINAGES</u>				
F	Excavation for Drain channels measuring 350mmx 450mmdeep	CM	4		
G	Supply and lay 300mm DIA precast Pipe Culvert without surround	LM	110		
Н	Construct 500mmx 500mm masonry Manholes with 450x450mm square rectangular C.I manhole cover frame at each downpipe terminal to drainage culvert as shown in the technical drawings	LM	12		
	Total Amount Carried to bill Summary				
Item	Description	Unit	Qty	Rate	Amount
	ELEMENT NO. 7:-FINISHINGS				
	Floors:- Cement :sand(1:4 )in:-				
A	Prepare clean floor surface to receive terrazzo	SM	1,350		
В	38mmthick (24mmC &Sbacking&15mm thick terrazzo layer)	SM	1,350		
	Walls				
С	15 mm thick cement and sand (1:4) plaster to walls internally.	SM	664		
D	External Keying	SM	664		

	<b>Painting</b>				
E	Prepare and apply three coats of first grade plastic emulsion paint to internal wall and beam surfaces as directed by Resident Engineer	SM	664		
	Total Amount Carried to bill Summary				
Item	Description	Unit	Qty	Rate	Amount Kshs
	ELEMENT 8:-PRIME COST				
	ANDPROVISIONAL SUMS				
	<b>Electrical Installation</b>				
A	Provide a Prime Cost Sum of Kenya Shillings Four hundred and fifty thousand (Kshs.450,000.00) only for Electrical connection and Installation in the store( single phase) as directed by program Engineer	Lsum	450,0 00	1	450,000
В	Allow for contractor's overheads and profits	%			
	TOTALFOR ELEMENT 10 ELECTRICAL				
Item	Description	Qty	Unit	Rate	Amoun
	BILL NO. 2 -STANDARD GRAIN STORE  ELEMENT NO. 1:  1. Collection (ELEMENT01)  2. Collection (ELEMENT02)				
	3. Collection (ELEMENT03)				
	4. Collection (ELEMENT04)				
	5. Collection (ELEMENT05)				
	6. Collection (ELEMENT06)				
	7. Collection (ELEMENT07)				
	8. Collection (ELEMENT08)				
	Total Amount Carried to Main Summary				
Item	Description	Unit	Qty	Rate	Amoun (kshs)
	BILL NO. 3 -GRAIN DRYER HOUSING				

	BILL NO. 3 - MOBILE GRAIN DRYER HOUSING			
	SECTION1 - CONSTRUCTION OF EQUIPMENT PARKINGSHED			
A	ELEMENT 1- SUBSTRUCTURE			
	Excavate oversite to remove vegetable soil average 150 mmdeep; wheel and deposit on site n.e. 100 M away in permanent spoils Heaps	SM	32	
В	Excavate for strip footing not exceeding 1.50m deep.	CM	22	
	<u>Disposal</u>			
С	Back filling selected excavated materials around foundation.	CM	11	
	<u>Hardcore</u>			
D	300mmthick filling: deposit, spread, level and compact into 150mm layers to receive	СМ	14	
	blinding			
	50mmmurram blinding to surface of hardcore.	SM	32	
	Anti-Termite Treatment			
	Chemical anti-termite treatment executed by Rentokil Laboratories Limited or equal and approved pest control firm under a ten year	SM	32	
	guarantee, applied to surface of excavation and floor			
	<u>Damp-Proof Membrane</u>			
	1000mmGaugepolythenedamp-proof membrane laid on blinded hardcore with 100mmfolded side and end laps (measured Net-allow for laps)	SM	32	
	PlainConcrete1:4:8 mix in:			
	50 mm blinding bed under strip footing ReinforcedConcrete1:2:4-20mmgauge	CM	1	
	150 mm floor slab	CM	5	
	250 mm thick Strip Footing  Carried to collection	CM	4	

ITEM	DESCRIPTION	UNIT	QTY	RATE	Amount Kshs
	CONTI' ReinforcedConcrete1:2:4				
A	1200x1200x300mmbasepads (10.NO)	CM	3		
В	200x200mmcolumns (10.NO)	CM	1		
	<u>Reinforcement</u>				
	HighTensileSteel Reinforcement to B.S.				
	<u>8110</u>				
С	D12	KG	158		
D	D10	KG	54		
Е	D8	KG	46		
F	Mesh Fabric Reinforcement to B.S.8110 A142 BRC Mesh (Measured net allow for laps)	SM	32		
	MASONRY  Medium quarry dressed stone walling in cement and sand (1:3)mortar:20 gauge 25mmwidehoop iron reinforcement and column-wall ties in every al ternate course: to				
G	200mmwallingin Foundation	SM	48		
	FORMWORK				
Н	Sawn formwork to column bases	SM	9		
I	Sawn formwork to columns	SM	10		
	Carried to collection				
	Collection(ELEMENT01)				
	Collection D/1				
	Collection D/2				
	Total Amount Carried to bill Summary				
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUN T
	ELEMENT NO. 2:-STEEL STRUCTURE				
	SUPERSTRUCTURE				
	Grade 43A Structural Steelwork to BS 449:				
	Thoroughly clean all steel with wire brush				
	And prime with one coat of lead oxide primer;				
	All before installation. After installation				

	apply				
	one undercoat and two coats of super gloss				
	oil				
	Paint allowing 24 hours drying period				
	between coats; all to Crown Paints 'written				
	instructions or other equalandapproved:				
	STEEL COLUMNS				
	100mmdiameterx 4mmCHS steel columns welded and bolted in accordance with the fabricators shop drawing to Engineer's				
Λ	approval	6	NO		
A	5000mmhigh	0	NO		
	FITTINGS to columns				
	8mmthick200x200mmMS Base PLATE				
В	welded at bottom of columns each with 4 holes drilled to receive M18 HD bolts	6	NO		
С	1.5mmthick200x200mmMS PLATE welded at	6	NO		
	top of columns to serve as cap				
D	8mmthickMS plate stiffeners welded between base plates and columns (4 no. per column)	6	NO		
Е	M18x450mmhigh with 2nuts and 2 washers each	24	NO		
	Carried to collection				
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUN T
	ROOFINGTRUSSES				
	All trusses welded and bolted in accordance with fabricators shop drawing to Engineer's approval				
A	100x50x3mmWallplate	48	LM		
В	50x50x3mmRafters	37	LM		
С	50x50x3mmHorizontalbars	28	LM		
D	50x50x3mmStructand Ties	5	LM		
Е	127x50x22, 2mmZ-Purlins	54	LM		
	Carried to collection				
	Collection(ELEMENT02)				
	Collection D/3				
	Collection D/4				
	Carried to collection				

Item	Description	Unit	Qty	Rate	AMOUN T
	ELEMENT NO. 3:-ROOFCOVERING AND WATER DISPOSAL				
	Roof Covering 28 Gauge Box profile Sheeting and Accessories.				
A	Supply and install pre-painted 28G box profile roofing sheets fitted to steel purlins with and including approved self drillings crews	SM	60		
В	Supply and install pre-painted 28G box profile roofing sheets fitted to gables as shown in the drawings	SM	29		
	WATER DISPOSAL				
C	Supply and install 600mmgirth 1.5mmthickrain gutter sheet bent/folded as shown in technical drawings	LM	6		
Е	Supply and install26G100mmDIA Downpipes with brackets at300c/c as shown in technical drawings	LM	6		
	Carried to collection				
	SECTIONONE CARRIED TO				
	COLLECTION SUMMARY				
	ELEMENT1				
	ELEMENT2				
	ELEMENT3				
Item	Description	Unit	Qty	Rate	Amount (kshs)
	BILL NO. 4 -OFFICE				
	ELEMENT NO. 01 -				
	SUBSTRUCTURE (ALL				
	PROVISIONAL)  Excavate oversite to remove vegetables				
4	oil average 150mmdeep; wheel and	G3.5	0.4		
A	deposit on site n.e. 100M Away in	SM	SM 84		
	permanent spoils heaps				
В	Excavate for strip footing not exceeding 1.50m deep.	CM	44		
-	<u>Disposal</u>				
C	Back filling selected excavated materials	CM	25		

	around				
	<u>Hardcore</u>				
	foundation.				
D	450mmthick filling: deposit, spread, level and compact into 150mm layers to receive blinding	СМ	28		
Е	50mmmurram blinding to surface of hardcore.	SM	63		
	Anti-Termite Treatment				
F	Chemical anti-termite treatment executed by Rentokil Labor atories Limited or equal and approved pest control firm under a ten year guarantee, applied to surface of excavation and floor	SM	63		
	Damp-Proof Membrane				
	1000mm Gaugepolythenedamp-proof membrane laid on blinded hardcore with 100mm folded side and end laps (measured net-allow for laps)	SM	63		
	PlainConcrete1:4:8 mix in:				
G	50 mm blinding bed under strip footing	CM	2		
	ReinforcedConcrete1:2:4-				
	20mmgaugemix in				
Н	150 mm floor slab	CM	10		
I	300 mm thick Strip Footing	CM	6		
J	600 x150mmthick pavement round the perimeter walling	CM	3		
	Carried to collection				
Item	Description	Unit	Qty	Rate	Amount (kshs)
	HighTensile Steel Reinforcement to B.S. 8110				
A	D10	KG	90		
В	D8	KG	68		
	Mesh Fabric Reinforcement to B.S.8110				
С	Mesh reinforcement reference 142 weighing and end laps2.22kg per square meter laid in bed with 300mm side (Measured net allow for laps)	SM	63		

Medium quarry dressed stone walling in cement and sand (1:3)mortar:20 gaugex25mm widehoop iron reinforcement and column-wall ties in every alternate course: to 200mm walling in Foundation  Hessian Based Bituminous Felt Damp-Proof course to B.S.743 type4A and setting increment And sand mortar  E under 200mmwalls  Carried to collection  Collection Off/I  Collection Off/I		MASONRY				
E under 200mmwalls L.M 50  Carried to collection  Collection (ELEMENTO1)  Collection Off/1  Collection Off/2  Total Amount Carried to bill Summary  Item Description Unit Qty Rate Amount  ELEMENT NO-02  CONCRETE WORK AND WALLING Reinforced Concrete1:2:4-20mm gauge mix in  A Rings Beams; 300x200 CM 3  Sawn form work to  B sides and soffits of beams  Reinforcement  High TensileSteel Reinforcement to B.S. 8110  C D 8 mm Bars KG 92  D D 12mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement and sand (1:3) mortar: 20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting 200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling	D	cement and sand (1:3)mortar:20 gaugex25mm widehoop iron reinforcement and column-wall ties in every alternate course: to 200mm walling	SM	50		
Carried to collection  Collection(ELEMENTO1)  Collection Off/1  Collection Off/2  Total Amount Carried to bill Summary  Item Description Unit Qty Rate Amount  ELEMENT NO-02  CONCRETE WORK AND WALLING Reinforced Concrete1:2:4-20mm gauge mix in  A Rings Beams;300x200 CM 3  Sawn form work to  B sides and soffits of beams  Reinforcement  HighTensileSteel Reinforcement to B.S. 8110  C D 8mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement ands and (1:3) mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling		Proof course to B.S.743 type4A and				
Collection Off/1  Collection Off/2  Total Amount Carried to bill Summary  Item Description Unit Qty Rate Amount  ELEMENT NO-02  CONCRETE WORK AND WALLING Reinforced Concrete1:2:4-20mm gauge mix in  A Rings Beams; 300x200 CM 3  Sawn form work to  B sides and soffits of beams SM 30  Reinforcement  HighTensileSteel Reinforcement to B.S. 8110  C D 8mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement ands and (1:3) mortar: 20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting 200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling	Е	under 200mmwalls	L.M	50		
Collection Off/1   Collection Off/2   Total Amount Carried to bill Summary		Carried to collection				
Collection Off/2   Total Amount Carried to bill Summary		Collection(ELEMENT01)				
Collection Off/2   Total Amount Carried to bill Summary		Collection Off/1				
Total Amount Carried to bill Summary		-				
ELEMENT NO-02  CONCRETE WORK AND WALLING Reinforced Concrete1:2:4-20mm gauge mix in  A Rings Beams;300x200 CM 3  Sawn form work to  B sides and soffits of beams SM 30  Reinforcement  HighTensileSteel Reinforcement to B.S. 8110  C D 8mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement ands and (1:3) mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling						
ELEMENT NO-02  CONCRETE WORK AND WALLING Reinforced Concrete1:2:4-20mm gauge mix in  A Rings Beams;300x200 CM 3  Sawn form work to  B sides and soffits of beams SM 30  Reinforcement HighTensileSteel Reinforcement to B.S. 8110  C D 8mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement ands and (1:3) mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling	Item	+	Unit	Qty	Rate	Amount
Reinforced Concrete1:2:4-20mm gauge mix in  A Rings Beams;300x200 CM 3  Sawn form work to  B sides and soffits of beams SM 30  Reinforcement  HighTensileSteel Reinforcement to B.S. 8110  C D 8mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement ands and(1:3)mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting200mm walls  G 200X200mm High cement and sand (1:4) mortar in eaves filling		-				
Sawn form work to  B sides and soffits of beams  Reinforcement  High TensileSteel Reinforcement to B.S. 8110  C D 8mm Bars  KG 92  D D 12mm Bars  KG 172  Walling  Medium quarry dressed stonewalling in cement ands and (1:3) mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling  F Fair raking cutting 200mm walls  G 200X200mm High cement and sand (1:4) mortar in eaves filling		Reinforced Concrete1:2:4-20mm gauge				
B sides and soffits of beams  Reinforcement  High TensileSteel Reinforcement to B.S. 8110  C D 8mm Bars  D D 12mm Bars  KG 92  Walling  Medium quarry dressed stonewalling in cement ands and(1:3)mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling  F Fair raking cutting200mm walls  G 200X200mm High cement and sand (1:4) mortar in eaves filling	A	Rings Beams;300x200	CM	3		
Reinforcement   High TensileSteel Reinforcement to B.S. 8110		Sawn form work to				
HighTensileSteel Reinforcement to B.S. 8110  C D 8mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement ands and (1:3)mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling	В	sides and soffits of beams	SM	30		
B110  C D 8mm Bars KG 92  D D 12mm Bars KG 172  Walling  Medium quarry dressed stonewalling in cement ands and (1:3) mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting 200mm walls LM 43  G 200X 200mm High cement and sand (1:4) mortar in eaves filling  LM 43		Reinforcement				
D D 12mm Bars  Walling  Medium quarry dressed stonewalling in cement ands and (1:3)mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150  F Fair raking cutting 200mm walls LM 43  G 200X 200mm High cement and sand (1:4) mortar in eaves filling  KG 172  KG 172  LM 43						
Walling  Medium quarry dressed stonewalling in cement ands and(1:3)mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150 F Fair raking cutting200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling LM 43	C	D 8mm Bars	KG	92		
Medium quarry dressed stonewalling in cement ands and(1:3)mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200mm walling SM 150 F Fair raking cutting200mm walls LM 43  G 200X200mm High cement and sand (1:4) mortar in eaves filling LM 43	D		KG	172		
in cement ands and (1:3) mortar: 20 gaugex 25 mmwidehoopiron reinforcement and columnwall ties in every alternate course: to  E 200 mm walling SM 150  F Fair raking cutting 200 mm walls LM 43  G 200 X 200 mm High cement and sand (1:4) mortar in eaves filling LM 43						
F Fair raking cutting200mm walls LM 43  G 200X200mm High cement and sand (1:4) LM 43  mortar in eaves filling		in cement ands and(1:3)mortar:20 gaugex 25mmwidehoopiron reinforcement and columnwall ties in				
G 200X200mm High cement and sand (1:4) LM 43 mortar in eaves filling	E	200mm walling	SM	150		
mortar in eaves filling	F	Fair raking cutting200mm walls	LM	43		
Total Amount Carried to bill Summary	G	_	LM	43		
		Total Amount Carried to bill Summary				

Item	Description	Unit	Qty	Rate	Amount Kshs
	ELEMENT NO-03				
	ROOFING AND RAINWATER				
	<u>DISPOSAL</u>				
	Concrete and walling sundries				
	Mortice in concrete 100mm deep				
A	for12mmdiameter bolt and grout in	NO.	22		
	cement and sand (1:4) mortar				
В	Cut or leave hole through wall for end	NO.	4		
	of100x50mm timber	110.			
	The following in8No. Roof Trusses				
	<b>Spanning 6metres and hoisting and</b>				
	building 3.0 meters above ground				
	SawnTreatedCypress				
~	100mmx50mmBraces, ties, strut, and		•		
C	posts	LM	200		
D	75mmx50mm Purlins	LM	100		
E	100 x50mm wallplate	LM	20		
	Wrought Treated Cypress	2111			
F	200mmx25mm Fascia or barge board	LM	40		
	Roofing	LIVI	10		
	Roof Covering 28 Gauge Corrugated 'Resincot' Iron Sheeting and				
	Accessories as Manufactured by Gal				
	sheet K Ltd or equal and approved				
	Roofing Covering with 1 ½ Corrugation				
	side laps nailed to timber Purlins with				
G	galvanized roofing nails with rubber	SM	120		
	washers (Measured out and allow for				
	laps)				
Н	Ridge caps		12		
т	Plastic gutters;180mm diameter half	T 3 #	22		
I	round	LM	22		
Ţ	Plastic gutters; support brackets spaced at	NO	16		
J	500mm c/c	NO	46		
K	Plastic downpipes;75mm diameter	LM	6		
	Total Amount Carried to bill Summary				
Item	Description	Unit	Qty	Rate	Amount kshs
	ELEMENT NO. 04				
	FINISHINGS				

	Cement and Sand(1:4) Screed and				
	Paving				
A	30mmscreedingand Paving Finished with a steel trowel	SM	200		
В	20mmskirting150mmhigh with rounded top edge and cove to junction with paving	LM	60		
	12mmTwo Coats Lime Plaster with steel Trowel Finished to:				
С	Stone work	SM	180		
	Ceiling				
D	600mmc/c 50x50mm sawn cypress brandering	LM	260		
Е	9mmchipboards at ceiling	SM	70		
F	100mmx12mm wrought cypress cornice with 1 labour plugged	LM	70		
G	Extra over ceiling lining for forming removable trap doorsize 600x600mm with 100x38mm treated sawn cypress trimming foists between beams 120x25mm wrought cypress frame all round and 12 mm panel Set loose on top of framing.	NO	2		
	Total Amount Carried to bill Summary				
	ELEMENT NO 5				
	STEEL DOORS				
A	900X2700mm steel casement door comprising of stiles, bottom & top rail, & 4No intermediate rails all primed with red oxide complete with hinges, stays, fasteners, locks permanent vent with mosquito gauze and sheet metal hood Assembled and fixed to opening including cutting and pinning lugs to walls surround and bedding frame in cement and sand mortar (1:4) as directed by	NO	2		
	program Engineer.  Total Amount Carried to bill Summary	NO	3		
	Total Amount Carried to bin Summary				
Item	Description	Unit	Qty	Rate	Amount
	ELEMENT NO.6 WINDOWS		<b>Q-</b> J	21410	· · · · · · · · · · · · · · · · · · ·
	Sundries				
L		l			

A	12 mm Quarry tile cill 100mm wide bedded and jointed in cement and sand (1:4) mortar including pointing in colored cement mortar.  Purpose made metal casement windows with heavy duty sections to comply with B.S. 990factory primed with red oxide primer complete with lugs and fitted and bedding and pointing frame in non citting mostice.	LM	12		
В	in non-sitting mastic.  Window size1500x1200mmhigh with two panting lights and one fixed light divided in 12 NO. Equal panes.	NO	6		
	5mmClearsheet glass and glazing to metal with putty in:				
С	Panes over 0.10 but not exceeding 0.50 square meters	SM	11		
	Total Amount Carried to bill Summary				
Item	Description	Unit	Qty	Rate	Amount Kshs
	ELEMENT NO.07				
	PAINTINGAND DECORATING				
	Prepare and apply three coats plastic emulsion paint to:Internally				
A.	Plastered walls	SM	200		
В.	Ceiling	SM	70		
<b>D</b> .	Prepare and apply two under coats and one hard Gloss finishing coat on metal work	5111	70		
С	General surface of glazed windows (both sides measured flat overall)	SM	11		
D	surfaces of small bars	LM	144		
Е	surfaces over 100mmbut notexceeding200mm girth	LM	30		
	Prepare and prime wood work				
	One coat at fascia board	LM	45		
	Total Amount Carried to bill Summary				
	ELEMENT NO.08				
	ROOFWATER HARVESTING				
	Supply and install one(1) 5,000 liters				
1	plastic water container as manufactured	NO	1	1	l

	by KENTANK (K) LTD or equally approved by the P.M on masonry constructed stand 500 mm above the ground level as				
	directed by the P.M				
	Construct a 3000mmx6000mmx3200mm shed with75mmx3mm steel columns roofed with timber trusses and covered				
	with 28 Gauge Roof Covering Corrugated				
	'Resincot' Iron Sheeting and Accessories	NO	1		
	Total Amount Carried to bill Summary				
Item	Description	Unit	Qty	Rate	Amount Kshs
	BILL NO.4 -OFFICES				
	SUMMARY				
	1. SUBSTRUCTURE				
	2. CONCRETEWORK ANDWALLING				
	3. ROOFINGAND RAINWATER				
	DISPOSAL				
	4. FINISHING 5. DOORS				
	6. WIDOWS				
	7. PAINTINGAND DECORATION				
	8. ROOFWATER HARVESTING				
	TOTAL BILL 04 (OFFICE)				
T4	Description	TT !4	04	D-4-	17 ala a
Item	Description BILL NO.05 -PITLATRINES	Unit	Qty	Rate	Kshs
	ELEMENT NO. 01-SUB STRUCTURE (ALL PROVISIONAL)				
	Excavation, including maintaining and supporting sides and keeping bottoms free				
	from water and mud or other fallen material				
A	Excavate oversite to remove vegetable soil average 150mm deep; wheel and deposit on site n.e. 100M away in permanent spoils heaps	SM	35		
В	Excavate for strip footing not exceeding 1.50m deep.	CM	50		

	PITLATRINE (3.5mx 1.5m)				
С	Excavate for pit latrine not exceeding1.50m deep.	СМ	8		
D	Ditto 1.50m-3.0m deep	CM	8		
Е	Ditto 3.0m-4.5m deep	CM	8		
F	Extra over excavation for excavating in rock Class 1;notexceeding1.5 m	CM	8		
	<u>Disposal</u>				
G	Back filling selected excavated materials around foundation.	CM	32		
Н	200mm thick filling: deposit, spread, level and compact: to receive blinding	CM	21		
I	50mm murram blinding to surface of hardcore.	SM	21		
J	Polythene sheet damp proofing; 1000 gauge	SM	35		
	Anti-Termite Treatment				
K	Chemical anti-termite treatment executed by Rentokil Laboratories Limited or equal and approved pest control firm under a ten year guarantee, applied to surface of excavation and floor	SM	21		
	Element 01 Carried to collection				
Item	Description	Unit	Qty	Rate	Amount Kshs
	Plain Concrete1:4:8 mix in:				
L	50 mm blinding bed under strip footing	CM	1		
	Reinforced Concrete1:2:4-20mm gauge mix in				
M	150 mm floor slab	CM	5		
N	Strip Footing	CM	6		
O	Ground floor beams:	CM	2		
	Reinforcement				
	HighTensileSteel Reinforcement to B.S. 8110				
P	D8mm Bars	KG	25		
Q	D12mm Bars	KG	75		
	Sawn formwork to				
	sides and soffits of beams				
R	Horizontal soffits of suspended slab	SM	12		

S	Medium quarry dressed stonewalling in cement	SM	7		
	and sand (1:3)mortar:20				
	gaugex25mmwide hoop iron				
	reinforcement and column-wallties in				
	every alternate course: to	CNA	70		
T	200mmwallingin Foundation	SM	70		
U	200 mm walling	SM	65		
V	150mmwalling	SM	10		
	Carried to collection				
	Collection(ELEMENT01)				
	Sub total 1				
	Sub total 2				
	Total Element 01 Carried to bill				
	Summary				
Item	Description	Unit	Qty	Rate	Amount Kshs
	ELEMENT NO-02				
	<u>SUPERSTRUCTURE</u>				
	ReinforcedConcrete1:2:4-				
	20mmgaugemix in				
A	Rings Beams;300x200	CM	2		
	Sawn formwork to				
В	sides and soffits of beams	SM	4		
	Reinforcement				
	HighTensileSteel Reinforcement to B.S.				
	<u>8110</u>				
С	200	KG	25		
D	D12mm Bars	KG	43		
	<b>SawnTreatedCypress</b>				
Е	75mmx50mmBraces, ties, strut, and posts	LM	55		
F	100 x50mmwallplate	LM	20		
	Wrought Treated Cypress				
G	200mmx25mmFascia or bargeboard	LM	24		
	Roof Covering 28 Gauge Corrugated				
	'Resincot' Iron Sheeting and				
	Accessories as Manufactured by Gal				
	sheet KLtd or equal and approved		1		

Н	Roofing Covering with 1 ½ Corrugation side laps nailed to timber Purlins with galvanized roofing nails with rubber washers (Measured out and allow for laps)	SM	40		
	<u>VENT PIPES</u>				
I	100 mm Diameter Upvc Pipes	L.M	18		
	Total Amount Carried to bill Summary				
Item	Description	Unit	Qty	Rate	Amount Kshs
	ELEMENT NO.03				
	<u>FINISHES</u>				
	<u>DOORS</u>				
A	Single door; 50 mm thick; 900 x2100 mm	NO	5		
	high inclusive of door frame made of				
	100x50mmhard wood timber				
	WINDOWS (Vent blocks)				
В	250x200x200mmprecast concrete ventilation blocks	SM	3		
	FLOOR				
	Cement and sand(1:4)paving: steel troweled: on concrete				
С	50mmthick floors to receive tiles	SM	35		
D	12mmthick white hexagonal tiles sizes 300x300mm	SM	35		
	WALL				
	12mmlimeplaster:steeltrowelledfinish:o n blockwork: to				
Е	Walls(internals)	SM	80		
	Prepare and apply three coats approved emulsion paint to:				
F	Plastered walls	SM	80		
G	Extra over walling for medium chisel dressing	SM	50		
	Aluminum strip borders				
Н	200mm Stainless steel edging bent to shape for urinal groove	LM	3		
	Total Amount Carried to bill Summary				

T4	Denodedien	¥1\$4	04		Amount
Item	Description	Unit	Qty	Rate	Kshs
	BILL NO.5- PIT LATRINES				
	SUMMARY				
	1. SUBSTRUCTURE				
	1. SUPERSTRUCTURE				
	3. FINISHING				
	TOTAL BILL 05 (PITLATRINES)				
ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUN T Kshs
	BILL NO. 06 -FARM TRACTOR, TRAILER, DIGITAL WEIGHING MACHINE, DIGITAL MOISTURE METER AND RAPID AFFLATOXIN TESTING KIT				
A	Supply and test 80 hp farm tractor as approved by project Engineer (Minimum warranty of 1 year)	No	1		
В	Supply a 10 tonnes trailer compatible with the tractor specified in item (A) as approved by Project Engineer.	No	1		
С	Supply, install and test digital stainnless steel platform weighing scale of 300 kg capacity as approved by project Engineer	No	1		
D	Supply and test Portable digital Grain Moisture meter (Including training of benerficiaries)	No	1		
E	Supply and test Portable Afflatoxin rapid testing kit (Including training of beneficiaries)	No	1		
	Total for Bill 06 Carried to main summary				
	_				
	BILL NO. 07 -EXTERNAL WORKS				
	Fencing and Gates(1 ACRE AREA)				
	ChainlinkFencing(442MPerimeter)				

	<b>Entrance Gates</b>				
			1		
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T KSHS
В	Back filling with suitable materials and levelling the ground as necessary all to the approval of the DR  2700mm high; measured overallExtra over for straining pre-cast post size including 100x100x2890mmto fence with and 12mmdia galvanized steel bolt and bottom of post set in and including plain concrete 1:3:6 (40) base size 600x600x650mmincludingexcavation 750mmdeep and post fitted with 6No. 160x6mmgalvanized hook bolts for straining	NO	48		
A	Provide materials and erect chain link fence consisting of 125x125mm vertical pre-cast concrete fencing posts-cranked at 3000mm Centres; reinforced with 4No. 12mm diameter mild steel bar sand 6mmstirrups @ 300mm centres; with 25mmthick concrete cover; bottom end of post set in and including plain concrete 1:3:6 base size 300x300x700mmdeep including excavation 800mm deep. include for 10No. strands of No.12 gauge galvanized steel line-wires threaded through the post; 16gaugepattern chain link fixed to line-wires with No.18 SMG annealed iron wire all to a height of 2600mmand the whole stretched tight;	LM	500		

	<del></del>		1	т	т
	Comprising 50 x 50 x 4 mmthick hollow section top, bottom and intermediate rails and stiles; ends capped; 25 x 25 x 4 mmthick hollow section vertical bars with capped ends welded top, bottom and intermediate rails at 150 mmcentre; one and a half pairs per leaf Of purposemade hinges welded to gate leaf And gate post (m/s) 2No. purpose Purpose made slide bolts complete with padlock hasp welded to gate; all welding				
A	Gate overallsize5000mmwidex2400mm high; all constructed as per P.E's instructions complete with all locking and hanging accessories	NO	2		
	Reinforced concrete columns				
	Concrete class 20/20 (1:2:4)to:-				
В	Column bases	CM	2		
С	Columns	CM	4.48		
	HighTensileSteel Reinforcement to B.S. 8110				
D	D12mm Bars to Column bases	KG	70		
Е	D12mm Bars to columns	KG	100		
	D8mm Bars to columns rings	KG	60		
F	Excavation, including maintaining and to Column bases	СМ	6		
	Prepare, prime and undercoats and two gloss finishing coat of oil paint on general surfaces of metalwork				
G	Gate	SM	48		
	TOTAL FOR EXTERNAL WORKS				
				.1	

SUMMARY				
Bill No	Description	Amount		
1	Preliminaries			
2	Standard grain store			
3	Grain dryer housing			
4	Office			
5	Pit latrine			
6	Farm tractor, trailer, digital weighing machine, digital moisture meter and rapid afflatoxin testing kit			
7	External works			
	SUB-TOTAL 1			
	10% Contingency			
	SUB-TOTAL 2			
	16% VAT			
	GRAND TOTAL			

# 2.0 PART 2 - EMPLOYER'S REQUIREMENTS

# 2.1 Section V. Requirements

# **Table of Contents**

Drawings	172
Supplementary Information	173

#### **TECHNICAL SPECIFICATION**

# **Specifications**

Wherever reference is made in the Contract to specific standards and codes to be met by the goods—and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Project Manager's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Project Manager at least 28 days prior to the date when the Contractor desires the Project Manager's consent. In the event the Project Manager determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

#### **TECHNICAL SPECIFICATION GENERAL**

# **Description of the Works:**

The contract works include:

- Construction of Standard grain store
- Construction of Grain dryer housing
- ♦ Construction of Office
- ♦ Construction of Pit latrine
- Supply of Farm tractor, trailer, digital weighing machine, digital moisture meter and rapid afflatoxin testing kit
- External works fencing

# **Provision of Equipment Material and Labour:**

The contractor shall provide all equipment, transport consumable materials and labour necessary for the satisfactory completion of the works in compliance with the specifications herein. The Project Manager reserves the right to inspect plant and materials prior to contractor selection, and may reject plant or material that in his/her opinion is substandard or inappropriate. The contractor shall provide full descriptions of all plants to be deployed for these works. The contactor shall present method statements describing in detail the proposed approach to work.

The contactor shall provide summary detail of the experience of key personnel to be deployed for these works.

# **Occupation Of Site:**

The employer will provide land on which the works shall be constructed. The contractor shall be given possession of such parts of the site that he requires for activities related to construction works including storage of raw materials, equipment and setting up of camp during the period of contract provided his operation does not interfere with the daily activities of the employer.

The Contractor shall not enter upon or occupy with men, tools, equipment and materials any land other than the land or right of way provided by the employer

#### **Diligent Performance:**

The contractor shall at all times perform the Works diligently and in accordance with sound professional practice. He/she shall not proceed from one stage of works to another without the express permission of the Project Manager

Decisions regarding Temporary halt, discontinuing of any element or part of any element of these works, or abandonment of these works, shall be discussed jointly between the contractor and the Project Manager before any further actions are authorized by the Engineer. The Project Manager's decision shall be final.

The Engineer will require a written submission justifying any steps taken by the successful bidder taken without the Project Manager's approval. An unsatisfactory explanation shall lead to non -payment for works undertaken without prior agreement, and may be included for consideration as liquidated Damages.

# **Drawings:**

The project drawings shall comprise:

- (a) The drawings attached to tender documents
- (b) Such other drawings and/or sketches as are issued from time to time by the Project Manager to deal with design modifications in response to on-site conditions.

# **Record Drawing:**

As the work proceeds the Contractor shall markup 'As Built' details on a set of prints of the contract Drawings modified to portray the works as actually constructed and issue to the Project Manager for approval within 7 days of completion of the works covered by each drawing.

#### **Level Datum:**

The Project Manager will establish on site temporary benchmark and will assign a value to it. The Contractor shall establish and maintain such additional benchmarks as are necessary; the form of such benchmarks shall be approved by the Project Manager.

# Contractor's Staff, Communication, Offices etc.:

#### **General**

The contractor shall advice the Project Manager at which of his offices any notices may be served in accordance with the conditions of contract.

# **Language of Correspondence and Records:**

All communication from contractor to the Project Manager and the Project Manager shall be in English language.

All site books, time sheets, records, notes drawings, documents, specifications etc. shall be in English language

# **Contractor's Duty Staff & Offices:**

At least one responsible senior representative of the contractor shall be immediately available at all times and he shall be on site during normal working hours.

To such representative shall be delegated full authority to confer with Project Manager and to take all steps and to issue all those instructions which may be required in an emergency to ensure the safety of all personnel of the works and of all the Employer's and other property on the site and in the immediate vicinity thereof. The Project Manager may from time to time at his discretion after taking into consideration all the prevailing conditions allow some relaxation of this clause but such relaxation shall be made only with his written permission and subject to any special conditions which he may then require.

The contractor shall provide and maintain at the site, offices for the use of representative and to which written instructions by the Project Manager can be delivered. Any instructions delivered to such offices shall be deemed to have been delivered to the contractor.

#### **Public Relations:**

The contractor shall designate within his site organization competent staff whose responsibility shall be to ensure good relations.

The location of all yards, stores, workshops, offices, etc. shall be agreed beforehand with the Project Manager and shall be such as to avoid obstruction and nuisance to public and/or the client.

The contractor shall provide and maintain at or near the site suitable and sufficient shelters, mess rooms, washrooms, latrines etc. as are necessary and customary, to the satisfaction of the Project Manager Project Manager and in accordance with the law and regulations of the relevant authorities.

#### **Accommodation for Workmen:**

Where the contractor wishes to construct camp to accommodate his labour, the following requirements shall be adhered to and shall also be subject to the requirement made by the District or Provincial Administration or any local Authority.

# **Demolition of Contractor's Temporary Structures**

The Project Manager may at any time before the end of the period of maintenance give the contractor notice in writing to demolish and remove

those buildings and works which are no longer required, whereupon the title to such buildings and works and materials connected therewith shall revert to the contractor. After the demolition and removal of building and works as required by the Project Manager and contractor shall level, clear, restore and make good the sites and surrounding ground and fill in and compact all latrines, drains, pits and similar works leaving the satisfaction of the Project Manager.

#### **First Aid Outfits:**

The contractors shall provide and maintain in an easily accessible place at the site of the works adequate first aid outfits for the whole duration of the contract, to the satisfaction of the Project Manager. The contractor shall have available at all times a suitable vehicle for conveyance of the sick or injured people to hospital.

# **Protective Clothing:**

The contractor shall provide all protective or any other special clothing or equipment for his employees that may be necessary.

# **Inspection by Project Manager during Period of Defects Liability:**

The Project Manager will give the contractor due notice of his intention to carry out any inspection during the period of Defects Liability and the contractor shall hereupon arrange for a responsible representative to be present at the times and dates named by the Project Manager. This representative shall render all necessary assistance and take note all matters and things to which his attention is directed by the Project Manager.

#### **Advertisement:**

No advertisements shall be placed on any boarding or scaffolding erected for any purpose connected with the contract without the written permission of the Project Manager.

# Site investigations:

- (a). Ground levels shown on the drawings are believed to be correct. Should the contractor consider the levels shown to be inaccurate he must draw the attention of the Project Manager to the discrepancy before interfering with the existing ground.
- (b). The Contractor must make such site investigations as he thinks fit and satisfy him/her as to the nature of the ground and availability of materials.

# **Work Programme:**

The contractor shall submit a work programme showing the sequence and timing of the various stages in the execution of the works as per the conditions of contract.

# **Facilities for the Project Manager:**

The Contractor shall provide for the Project Manager or his representative:

- (a). Such instruments as are necessary to enable the Project Manager to check the setting out and make such inspections as he may deem necessary.
- (b). Such labour and assistance as may be required.
- (c). Any facilities necessary to enable the Engineer to take samples
- (d). Provide a temporary site office during the contract period.

# **Testing Facilities:**

- (a). The Contractor shall provide laboratory facilities on site suitable for carrying out tests as shown: -
  - (i.) Concrete

- ♦ Slump
- Crushing strength
- (ii.) Aggregates
  - ♦ Particle Size
  - Impurities
- (b). Should the contractor so wish he may make arrangements for the necessary tests to be carried out by a Laboratory to be approved by the Project Manager.

# **Water Supply:**

The contractor will arrange to provide water for use in the camps and on the works. The Contractor must provide any treatment necessary to ensure it is suitable for use as in accordance to health regulations.

# **Electrical Supply:**

The Contractor must provide his own source of electricity if he so requires.

# **Security:**

The Contractor will be responsible for the security of the Works and of site installations during the Contract period. He must provide such fencing, watching & lighting as he deems necessary.

#### **Description of the Materials and Workmanship:**

The following apply to all sections hereafter.

#### (a). Materials

Materials, commodities, components and equipment are to be new and unused unless otherwise specified. Handle, store, fix and protect all commodities with care to ensure that they are in perfect condition when incorporated into the work and handed over on completion.

# (b). Manufacturer's recommendation

Handle, store and fix every commodity strictly in accordance with the printed or written recommendations of the manufacturer and/or supplier. Supply the Project Manager with copies of the manufacturer's recommendations. Inform the Project Manager if the manufacturer's recommendations conflict with any other specified requirements, and obtain his instructions before proceeding.

### (c). Standards

Where commodities or workmanship are specified by reference to Kenya Bureau of Standards (K.S.), or British Standards (B.S.) or Codes of Practice (C.P.) or International (I.S.O.), or other standards, such standards are deemed to be the latest published at the time of tendering. The Contractor will be deemed to have read and understood the standards specified, and no claim for want of knowledge will be allowed. The substitution of commodities or standards of workmanship complying with other standards may be allowed at the discretion of the Project Manager, but application for permission for such substitution must be made in writing in sufficient time to allow adequate investigation. Obtain Certificates of Compliance with standards and supply to the Project Manager on request.

### (d). Local conditions

All materials, commodities, components and equipment must be suitable for use in tropical climates.

# **Samples:**

The Contractor shall submit to the Project Manager samples of materials to be used in the works; the samples must be fairly representative of the bulk to be supplied. Samples should be subject to relevant tests before submission and Test Certificates should accompany the samples.

#### **Clearing Site on Completion:**

The site, including borrow pits and spoil dumps shall be carefully tidied up on completion, and shaped to avoid ponding, holes, and dangerous slopes. The borrow pits and spoil dumps must be covered with topsoil neatly trimmed and the whole site left in a tidy and satisfactory condition.

#### **EARTHWORKS**

# **Clearing in General:**

Clear the area of the permanent works, and borrow pits of all vegetation and destroy by burning or otherwise.

# **Stripping Top Soil:**

N/A

#### **Excavation and Classification:**

Excavation shall be carried out to the lines and levels shown on the drawings or to such other lines and levels as the Engineer may direct.

Excavation in excess of the lines and levels shown on the drawings or without the approval of the Engineer will be rectified by the Contractor at his expense in a manner approved by the Engineer.

Any patches of unsuitable ground in the bottom of the excavations shall be excavated to such additional depth as the Engineer may direct.

Excavated material shall be taken to embankment fill or to spoil tip as the Engineer may direct.

Excavation must be kept dry and the sides supported as necessary. Excavation classification shall be as in the Ministry of Works Standard Specification (MOWSS) Section 5.

Class 1 "Rock" or "Hard Material" shall include all materials which in the opinion of the Project Manager requires blasting or the use of metal wedges or the use of compressed air drilling for its removal or cannot be extracted by ripping with a tractor of less than 180 hp. and rear mounted heavy ripper. Individual boulders greater than 0.2 m³ in volume shall be included in this class when their nature and size are such that they cannot be removed without recourse to one of these methods.

When a portion of excavation contains 75% or more by volume of boulders of this order such portion shall be considered as class 1 material throughout.

<u>Class 2 "Normal" or "Soft Material"</u> shall include all material, which, in the opinion of the Engineer, does not require blasting and metal wedges and sledge hammers, or compressed air drilling or rooting or ripping.

It shall include <u>wearing</u> course gravel stones and boulders less than 0.2 m<sup>3</sup> in volume that can be removed without recourse to these methods.

<u>Class 3 "Compacted Gravel" or "Decomposed Rock"</u> shall include all material such as consolidated murram and decomposed stratified rock, stones or boulders less than 0.2 m³ in volume which are harder than "soft" or "normal" material in that they may be extracted by ripping as defined in Class 1, or in confined spaces by hand excavation using compressor tools, provided all other reasonable steps to the satisfaction of the Project Manager have been taken to facilitate the removal by other methods.

"<u>Waterlogged Material</u>" material (Class 2 and Class 3) that is excavated in a waterlogged condition and necessitates de-watering and pumping operations, provided all reasonable precautions have been taken by the contractor to dewater the material to the satisfaction of the Project Manager.

# **Blasting:**

The prior approval of the Project Manager must be obtained and the methods approved if the Contractor wishes to remove rock by Blasting. The handling and use of explosives must comply with the explosives act or the department of mines and geology regulations. All necessary precautions to prevent injury or Damage to person or property must be taken. Generally blasting on the Weir site is to be avoided.

#### **Borrow Areas:**

N/A

### **Spoil Tips:**

Surplus or unsuitable materials are to be disposed of in spoil tips to be approved by the Project Manager. Spoil tips must be neatly graded, properly drained, and have stable slopes and a tidy appearance.

#### **Earthfill:**

The embankment is to be built of selected soil as specified and shown on the drawings. The earthfill shall be of cohesive material of low permeability, with negligible organic matter.

Specially selected material free from stones shall be used in the cut off and central zone; the upstream zone shall also be free of stones; the downstream zone may have small quantities of stone not exceeding 25 mm.

# **Compaction of Earthfill:**

Earth fill shall be placed and mechanically compacted in layers, approximately horizontal, to give a finished thickness of not more than

150 mm after compaction to 95% of Proctor Maximum Dry Density. Each layer shall be scarified to ensure a satisfactory bond with the next overlying layer, and water shall be added if necessary to ensure uniform moisture content. Subsequent layers will be placed only after the previous layer has been ratified by the Project Manager.

Heavy rollers of a type and weight to be approved by the Project Manager shall be used for compaction. In the cut off trench and other confined spaces compaction in area which the rollers cannot serve shall be by means of approved pneumatic tampers.

#### CONSTRUCTION OF DRYING AND GRAIN STORAGE FACILITY

#### CONSTRUCTION OF DRYING AND GRAIN STORAGE FACILITY GENERAL:

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Project Manager's prior review and written consent.

This contract comprises the Construction of Standard grain store, Grain dryer housing, Office, Pit latrine and Supply of Farm tractor, trailer, digital weighing machine, digital moisture meter and rapid afflatoxin testing kit as well as External works – fencing

#### **REGULATIONS AND STANDARDS:**

The construction will take place at the proposed project site identified by the beneficiaries.

# MOBILIZATION, DEMOBILIZATION AND RESTITUTION:

- (a). The Contractor shall mobilize to the site in accordance with the Agreed Programme. The sum for mobilization/demobilization shall include transportation of machinery, erection, dismantling and preparation of temporary camp as the Contractor deems necessary.
- (b). The Contractor shall minimize disturbance to neighbouring plots. This shall particularly include ensuring that bailed fines and pumped test water are discharged in a manner that does not create a nuisance either to the public or private property.
- (c). Site re-instatement under the conditions of contract shall include the removal of all hydrocarbons spilled, leaked or otherwise released and associated packaging and cotton waste. Site re-instatement is deemed

an integral part of mobilization. This activity shall be costed taking into account the items above and expressed as a lump sum.

#### **CONCRETE WORKS**

#### **General:**

# (a). Code of practice

All workmanship, materials, tests and performances in connection with the reinforced concrete work are to be in conformity with the latest edition of British Standard Code of Practice (B.S. 8110 for "Structural Use of Concrete") where not inconsistent with these specifications.

# (b). Contractor's plant

Not less than 30 days prior to the installation of the Contractor's plant and equipment for processing, handling, transporting, storing and proportioning ingredients, and for mixing, transporting and placing concrete, the Contractor shall submit drawings for approval by the Project Manager, showing proposed general plant arrangements, together with a general description of the equipment he proposes to use.

After completion of installation, the operation of the plant and equipment shall be subject to the approval of the Project Manager.

#### **Materials:**

#### Cement

Cement, unless otherwise specified, shall be Portland cement of the Blue Triangle brand, or Bamburi Portland Cement brand, Mombasa cement brand or any other brand which comply with the requirements of B.S.12 and is approved by the Project Manager. The cement Shall not contain reactive volcanic ash (of not more than 10% of total weight) and the quantity of insoluble residue permitted in B.S. 12 may be exceeded. A manufacturer's Certificate of Test in accordance with B.S. shall be supplied for each consignment delivered to site.

Should the Contractor require using cement of the rapid hardening variety, he shall obtain the approval of the Project Manager and also obtain any instructions regarding the modifications to the preambles caused thereby. Any additional cost that may be caused by the use of the rapid hardening cement shall be at the Contractor's expense.

Cement may be delivered to site either in bags or in bulk. If delivered in bags, each bag shall be properly sealed and marked with the manufacturer's name and on the site is to be stored in a weather-proof shed of adequate dimensions with a raised floor. Each consignment shall be kept separate and marked so that it may be used in the sequence in which it was received. Any bag found to contain cement

which has set or partly set shall be completely discarded and not used in the Works. Bags shall not be stored more than 1500 mm in height.

If delivered in bulk the cement shall be stored in a weather-proof silo either provided by the cement supplier or by the Contractor, but in either case the silo shall be to the approval of the Engineer.

# **Aggregates**

The aggregates shall conform to the requirements of B.S. 882 and the sources and all types of all aggregates are to be approved in all respects by the Project Manager before work commences.

The grading of aggregates shall be one within the limits set out in B.S. 882 and as later specified and the grading, once approved, shall be adhered to throughout the Works and not varied without the approval of the Project Manager. Fine aggregate shall be clean, coarse, siliceous sand of good, sharp, hard quality and shall be free from lumps of stone, earth, loam, dust, salt, organic matter and any other deleterious substances. It shall be graded within the limits set out in zone 1 or 2 of B.S. 882.

Coarse aggregate shall be good, hard, clean approved black trap or similar stone, free from dust, decomposed stone, clay, earthy matter, foreign substances or friable thin elongated or laminated pieces. It shall be graded within the limits of Table 1 of B.S. 882 for its respective nominal size.

If in the opinion of the Project Manager the aggregate meets the above requirements, but is dirty or adulterated in any manner it shall be screened and/or washed with clean water if he so directs at the Contractor's expense.

Aggregates shall be delivered to the site in their prescribed sizes or grading and shall be stockpiled on paved areas or boarded platforms in separate units to avoid intermixing.

# Fine aggregate

Fine aggregate shall be sand free from impurities and complying with British Standard No. 882. Grading zone 2 of Table 2.

# Coarse aggregate

Coarse aggregate shall be hard crushed rock free from impurities and complying with British Standard No. 882 "graded aggregate" 20 mm to 5 mm nominal size.

#### Water

Water for concrete shall be free from impurities, complying with BS 3148

#### **Hardcore**

Hardcore for filling under floors shall be good, hard stone ballast or quarry waste, to the approval of the the Project Manager, broken to pass through not greater than a 150 mm ring or to be 75% of the finished thickness of the layers being compacted, whichever is the lesser. Hardcore shall be free from all weeds, roots, vegetable soil, clay, black cotton soil or other unstable materials.

It shall be graded with smaller stones and fine materials to give a dense compact mass after consolidation. Sufficient fine material shall be added to each layer to give gradation of material as necessary to obtain a solid compact mass after rolling. Hardcore filling is to be laid in layers each of a consolidated thickness not exceeding 250 mm. Each layer shall be compacted by at least 8 passes of a 10-tonne smooth-wheeled roller or a 2-tonne vibrating roller until all movement ceases. Sufficient water is to be added to obtain maximum compaction to the Project Manager's approval. To each layer a 25 mm thick layer of sand complying with the specification of fine aggregate for concrete shall be spread over the surface and forced into the hardcore by the use of a vibrating roller weighing not less than 2 tones. This operation should be carried out when the materials are dry and repeated whilst the sand is well watered. Should all the sand be absorbed the the Project Manager may require a further layer to be applied and the process repeated.

The top surface of the hardcore shall be leveled or graded to fall as required, and shall then be blinded with a layer of similar material broken to 25 mm gauge and finished with a 10-tonne smooth-wheeled roller. The surface so obtained shall be to the Engineer's approval.

# **Compacted hardcore**

The sub-grade shall be compacted by a smooth-wheeled roller of 8 to 10 tonnes weight or the vibrating roller of minimum 1300 Kg., or other approved plant. The number of coverage shall be at least 10 and there shall be a 50% overlap of successive coverage. If so instructed by the Engineer, water shall be added during compaction to obtain optimum water content. Filling shall be compacted as above but in maximum 200 mm deep layers.

#### Sand

The sand shall be as described for fine aggregate but that for plastering shall be light in colour and well graded to a suitable fineness in accordance with the nature of work in order to obtain the finish directed.

#### **Finishes General**

The Contractor will be required from an early stage in the contract to prepare samples, for the approval of the the Project Manager, of the various concrete finishes specified hereafter. Samples are to be prepared using the same materials and the same methods of construction, compaction, curing, etc. as the Contractor proposes to use for executing the full quantity of the work. A record of the mix, water content, method of compaction, any additives used, etc., is to be kept for each sample prepared. When the Project Manager has approved a sample it will be kept on site in an approved location. The finishes in construction will be expected to be up to a standard equal to the approved sample. Consistency in cement colour, and the colour, grading and quality of aggregates must be maintained in all finished concrete work.

#### **Mortars**

Cement mortar shall consist of one part of Portland cement to three parts sand by volume. The cement/lime mortar shall consist of one part of Portland cement, one part of lime and six parts of sand by volume.

The ingredients of mortar shall be measured in proper gauge boxes on a boarded platform, the ingredients being thoroughly mixed dry, and again whilst adding water. In the case of cement/lime mortar, sand and lime shall be mixed first and then the cement added.

All mortar is to be thoroughly mixed to a uniform consistency with only sufficient water to obtain a plastic condition suitable for toweling. No mortar that has commenced to set is to be used or re-mixed for use.

### **Tamped finish**

Areas so specified shall be finished at the time of casting with a tamped finish to the Engineer's approval produced by an edge board. Board marks are to be made to a true pattern and will generally be at right angles to the traffic flow. Haphazard or diagonal tamping will not be accepted.

#### Fair face

Fair face surfaces shall be clean, smooth, even, true to form, line and level, and free from all board marks, joint marks, honeycombing, pitting, and other blemishes. Forms are to be provided with a smooth lining of plywood, steel, or other approved material which will achieve the required finish without any general rubbing down. Rubbing down will only be permitted to remove any projecting fins at corners or joints.

#### Fine face

Fine face surfaces shall be for Fair face above, but to a higher standard obtained from forms provided with an impervious sheet lining of metal or plastics faced plywood in large panels arranged in an approved pattern. Rubbing down shall only be permitted after an inspection by the Project Manager. The finished surfaces shall be capable of receiving a painted finish.

#### **Chisel-dressed finish**

Chisel-dressed finish is to be carried out on any grade of concrete but not until it is at least 30 days old. The surfaces are to be fully chisel- dressed to remove a maximum of 12 mm (average 9 mm) of the surface by shearing and exposing the aggregate without excessive cracking of the surrounding matrix. Arises of columns, beams, etc., are pre-formed fair face with timber fillets set in the formwork and care must be taken in working up to these to

preserve a clean line.

For vertical surfaces of walls and columns particular care must be taken to remove all sharp projections. For beam soffits this requirement is not necessary. All surfaces requiring this treatment are to have margins chiseldressed by hand for a minimum width of 75 mm commencing from the fillet edge. Thereafter, mechanical chisel-dressing may be used, but the Contractor must ensure that a uniform texture and even plane surface is achieved. The use of sharply pointed steel tools for both hand and mechanical chisel-dressing is essential. Upon completion the surfaces are to be thoroughly wire brushed and washed down.

#### **Protection of finishes**

Wherever possible, in-situ exposed concrete finishes should be commenced at the highest level and worked progressively down the building. Precaution shall be taken to avoid staining or discoloration of previously finished concrete faces by leakage of grout from newly placed concrete. The Contractor shall, during all stages of construction, adequately protect all concrete finishes from Damage by leaking grout, knocking, paint stains, falling plaster, etc. In cases of balustrade walls to staircases and members where Damage is otherwise likely, concrete finishes shall be protected by cladding with timber, Celotex, or other approved sheeting. All Subcontractors shall be informed accordingly on the precautions to be taken.

#### **Blinding**

All blinding concrete to be 1:3:6, or as otherwise instructed by the Project Manager in writing.

#### **Formwork**

The method and system of formwork which the Contractor proposes to use shall be approved of by the Project Manager before construction commences. Formwork shall be substantially and rigidly constructed of timber or steel or pre-cast concrete or other approved material.

All timber for formwork shall be good, sound, clean, sawn, well-seasoned timber, free from warps and loose knots and of scantings sufficiently strong for their purpose.

#### **Construction of formwork**

All formwork shall be of sufficient thickness and with joints close enough to prevent undue leakage of liquid from the concrete and fixed to proper alignment, level and plumb and supported on sufficiently strong bearers, shores, braces, plates etc. properly held together by bolts or other fastenings to prevent displacement, vibration or movement by the weight of materials, men and plant on same and so wedged and clamped as to permit easing and removal of the formwork without jarring the concrete. Where formwork is supported on previously constructed portions of the reinforced concrete structural frame, the Contractor shall by consultation with the Project Manager ensure that the supporting concrete is capable of carrying the load and/or sufficiently propped from lower floors or portions of the frame to permit the load to be temporarily carried during construction.

Soffits shall be erected with an upward camber of 5 mm for each 5 meters of horizontal span or as directed by the Project Manager.

Great care shall be taken to make and maintain all joints in the formwork as tight as possible, to prevent the leakage of grout during vibration. All faulty joints shall be caulked to the Project Manager's approval before concreting. The formwork shall be sufficiently rigid to ensure that no distortion or bulging occurs under the effects of vibration. If at any time the formwork is insufficiently rigid or in any way defective the Contractor shall strengthen or improve such formwork as the Project Manager may direct.

The Contractor's attention is drawn to the various surface textures and applied finishes required and the faces of formwork next to the concrete must be of such material and construction and be sufficiently true to provide a concrete surface which will in each particular case permit the specified surface treatment or applied finish.

All surfaces which will be in contact with concrete shall be oiled or greased to prevent adhesion of mortar. Oil or grease shall be of a non- staining mineral type applied as a thin film before the reinforcement is placed. Surplus moisture shall be removed from the forms prior to placing of the concrete.

Temporary openings shall be provided at the base of columns, wall and beam

forms and at any other points where necessary to facilitate cleaning and inspection immediately before the pouring of concrete. Before the concrete is placed the shuttering shall be trued-up and any water accumulated therein shall be removed. All sawdust, nails, chips and other debris shall be washed out or otherwise removed from within the formwork. The reinforcement shall then be inspected for accuracy of fixing. Immediately before placing the concrete the formwork shall be well wetted and inspection openings shall be closed. The erection, easing, striking and removing of all formwork must be done under the personal supervision of a competent foreman, and any Damage occurring through faulty formwork or its incorrect removal shall be made good by the Contractor at his own expense.

After removal of formwork, all projections, fins etc., on the concrete surface shall be chipped off, and made good to the requirements of the Project Manager. Any voids or honeycombing shall be treated as described in "Faulty Concrete".

# **Stripping formwork**

All formwork shall be removed without undue vibration or shock and without Damage to the concrete. No formwork shall be removed without the prior consent of the Engineer and the minimum periods that shall elapse between the placing of the concrete and the striking of the formwork will be as follows:

Beam sides, wall and columns	2 days
Slab Soffits (props left under)	3 days
Beam Soffits	7 days

Removal of props (partly subject to 7 days Concrete cube strength being satisfactory) to:

Slabs	10 days
Beams	14 days
Cantilevered Beams and Slabs	28 days

If the Contractor wishes to take advantage of the shorter stripping times permitted for beams and slab soffits when props are left in place, he must so design his formwork that sufficient props are agreed with the Project Manager can remain in their original positions without being moved in any way until the expiry of the minimum time for removal of props. Stripping and re-propping will not be permitted.

The above times may be reduced in certain circumstances, at the discretion of the Engineer provided an approved method is adopted at the Contractor's expense to ensure that the required concrete strength is attained before the forms are stripped.

Solid strips in composite slabs shall be considered as beams. The tops of retaining walls shall be adequately supported with stout raking props at intervals required by the Engineer. These props are not to be removed until 7 days after casting of the floor slab is over.

# Supporting props to wall and beam soffits

When directed by the Project Manager, supporting props to wall and beam soffits are to be left in position until the completion of the whole of the reinforced concrete structure. The props are to be to the approval of the Engineer and the Contractor must submit the suggested method of propping to the Engineer prior to removal of formwork to the relevant surfaces.

# **Concrete mixes**

Concrete to be used shall be of the classes specified in "Ministry of Works standard Specification" Section 17.

Class Nominal mix		Trial Strength N/mm <sup>2</sup>		Where used in
Class	NOTHINAT THIX	7 days	28 days	this Contract
15	1:3:6	13	19.5	Surround
				pipes
25	1:2:4	25	32.5	Spillway walls

# **Concrete mixing and placing**

The concrete shall be mixed only in approved power-driven mixers of a type and capacity suitable for the work, and in any event not smaller than 0.04/0.28 c.u.m. capacity. The mixer shall be equipped with an accurate water measuring device. All materials shall be thoroughly mixed dry before water is added and the mixing of each batch shall continue for a period of not less than two minutes after the water has been added and until there is

a uniform distribution of the materials and the mass is uniform in colour.

The entire contents of the mixed drum shall be discharged before recharging. The volume of mixed material shall not exceed the rated capacity of the mixer. Whenever the mixer is started, 10% extra cement shall be added to the first batch and no extra payment will be made on this account.

As a check on concrete consistency slump tests may be carried out and shall be in accordance with B.S. 1881. The Contractor shall provide the necessary apparatus and carry out such tests as are required. The slump of the concrete made with the specified water content, using dry materials, shall be determined and the water to be added under wet conditions shall be so reduced as to give approximately the same slump.

The concrete shall be mixed as near to the place where it is required as is practicable, and only as much as is required for a specified section of the work shall be mixed at one time, such sections being commenced and finished in one operation without delay. All concrete must be efficiently handled and used in the Works within twenty (20) minutes of mixing. It shall be discarded from the mixer direct either into receptacles or barrows and shall be distributed by approved means which do not cause separation or otherwise impair the quality of the concrete. Approved mechanical means of handling will be encouraged, but the use of chutes for placing concrete is subject to prior approval of the Project Manager.

Concrete shall be placed from a height not exceeding 1,500 mm directly into its permanent position and shall not be worked along the shutters to that position. Unless otherwise approved, concrete shall be placed in a single operation to the full thickness of slabs, beams, and similar members, and shall be placed in horizontal layers not exceeding 1,500 mm deep in the walls and similar members.

Concrete in columns may be placed to a height of 4 meters with careful placing and vibration and satisfactory results. Where the height of the column exceeds 4 meters suitable openings must be left in the shutters so that this maximum lift is not exceeded.

Concrete shall be placed continuously until completion of the part of the work between construction joints as specified hereinafter or of a part of the approved extent. At the completion of a specified or approved part a construction joint of the form and in the positions hereinafter specified shall be made. If stopping of concrete be unavoidable elsewhere, a construction joint shall be made where the work is stopped. A record of all such joints shall be made by the Contractor and a copy supplied to the Project Manager.

Any accumulation of set concrete on the reinforcement shall be removed by wire brushing before further concrete is placed. The Contractor shall provide runways for concreting to the satisfaction of the Project Manager. Under no circumstances will the runways be allowed to rest on the reinforcement. Care shall be taken that the concrete is not disturbed or subjected to vibrations and shocks during the setting period. Mixing machines, platforms and barrows shall be clean before commencing mixing and be cleaned on every cessation of work. Where concrete is laid on hardcore or other absorbent materials, the base shall be suitable and sufficiently wetted before the concrete is deposited.

#### Works cube tests

Work cubes are to be made at intervals as required by the Project Manager in accordance with C.P. 114, and the Contractor shall provide a continuous record of the concrete work. The cubes shall be made in approved 150 mm moulds in strict accordance with the Code of Practice. Three cubes shall be made on each occasion. Each cube shall be marked with a distinguishing number (numbers) to run consecutively and the date, and a record shall be kept o site giving the following particulars: -

- (a). Cube No.
- (b). Date made
- (c). Location in work
- (d). 7-Day Test, Date, Strength
- (e). 28-Day Test, Date, Strength

Cubes shall be forwarded, carriage paid, to an approved Testing Authority, in time to be tested two at 7 days and the remaining one at the discretion of the Project Manager. No cube shall be dispatched within three days of casting. Copies of all Works Cube Tests shall be forwarded to the Project Manager and one shall be retained on site. If the strengths required above

are not attained and maintained during the carrying out of the contract, the Contractor will be required to increase the proportion of cement and/or substitute better aggregates so as to give concrete which does comply with the requirements of the contract. The Contractor may be required to remove and replace at his own cost any concrete which fails to attain the required strength as ascertained by Works Cube Tests.

# **Compaction**

At all times during which the concrete is being placed, the Contractor shall provide adequately trained and experienced labour to ensure that the concrete is compacted in the forms to the satisfaction of the Project Manager. Concrete shall not be placed at a rate greater than will permit satisfactory compaction or to a depth greater than 400 mm before it is compacted.

During and immediately after placing, the concrete shall be thoroughly compacted by means of continuous tamping, spading, slicing and vibration. Vibration is required for all concrete of classes 40, 35, 25, and 20. Care shall be taken to fill every part of the forms, to work the concrete under and around the reinforcement without displacing it to avoid disturbing recently placed concrete which has begun to set. Any water accumulating on the surface of newly placed concrete shall be removed and no further concrete shall be placed thereon until such water is removed.

Internal vibrators shall be of a frequency not less than 7000 cycles per minute and shall have a rotating eccentric weight of at least 0.05 Kg. with an eccentricity of not more than 12 mm. Such vibrators shall visibly affect the concrete within a radius of 250 mm from the vibrator. Internal vibrators shall not be inserted between layers of reinforcement less than one- and one-half times the diameter of the vibrators apart. Contact between the vibrators and reinforcement, and vibrators and formwork shall be avoided. Internal vibrators shall be inserted vertically into the concrete at not more than 500 mm centers and shall be moved constantly from place to place. No internal vibrator shall be permitted to remain in any one position for more than ten seconds and it shall be withdrawn very slowly from the concrete.

In consolidating each layer of concrete the vibrating head shall be allowed to penetrate and re-vibrate the concrete in the upper portion of the

underlying layer. In the area where newly placed concrete in each layer joins previously placed concrete more than usual vibration shall be performed, the vibrator penetrating deeply at close intervals along these contacts. Layers of concrete shall not be placed until layers previously placed have been vibrated thoroughly as specified. Vibrators shall not be used to move concrete from place to place in the formwork.

At least one internal vibrator shall be of the high frequency, low amplitude type applied with the principal direction of vibration in the horizontal plane. They shall be attached directly to the forms at no more than 1200 mm centers. In addition to internal and external vibration the upper surface of suspended floor slabs shall be leveled by tamping or vibrating to receive finishes. Vibrating elements shall be of the low frequency high amplitude type operating at a speed of not less than 3000 r.p.m.

# **Curing and protection**

Care must be taken that no concrete is allowed to become prematurely dry and the fresh concrete must be carefully protected, within two hours of placing, from rain, sun and wind by means of Hessian sacking, polythene sheeting, or other approved means. This protective layer and the concrete itself must be kept continuously wet for at least 7 days after the concrete has been placed. The contractor will be required to provide complete coverage of all fresh concrete for a period of 7 days. Hessian or polythene sheeting shall be in the maximum widths obtainable and shall be secured against wind. The Contractor will not be permitted to use old cement bags, Hessian or other materials in small pieces.

Concrete in foundations and other underground work shall be protected from admixture with falling earth during and after placing. Traffic or loading must not be allowed on the concrete until the concrete is sufficiently matured, and in no case shall traffic or loading be of such magnitude as to cause deflection or other movement in the formwork or Damage to the concrete members. Where directed by the Project Manager props may be required to be left in position under slabs and other members for greater periods than those specified hereafter.

#### **Faulty concrete**

Any concrete which fails to comply with these specifications, or which shows signs of setting before it is placed shall be taken out and removed from site. Where concrete is found to be defective after it has set, the concrete shall be cut out and replaced in accordance with the Project Manager's instructions. On no account shall any faulty, honeycombed, or otherwise defective concrete be repaired or patched until the Project Manager has made an inspection and issued instructions for the repair. The whole cost whatsoever, which might be occasioned by the need to remove faulty concrete, shall be borne by the Contractor.

# **Pre-cast units**

Pre-cast reinforced concrete slabs to be made to sizes as shown in the Drawings. Slabs to be cast with Grade 25 concrete in approved formwork, suitably vibrated and cured for 28 days before use.

#### REINFORCEMENT

#### **Material:**

Reinforcement shall be as specified by the Project Manager.

# **Bending and placing reinforcement**

Reinforcement shall be cleaned before placing and secured with space blocks in the correct position. It shall be bound with suitable wire and have such cover as shown on the drawings.

# **Strength of reinforcement:**

Characteristic strengths of reinforcement are as given in B.S. 4449, 4461, and 4483. Refer to 503.

#### **Rod reinforcement:**

The steel reinforcement shall comply with the latest requirements of the following British Standards: -

- ☐ Hot Rolled bars for the Reinforcement of concrete to B.S. 4449 (metric units)
- □ Cold worked steel for the reinforcement of concrete to B.S. 4461 (metric

units)

The Contractor will be required to submit a test certificate of the rolling. Reinforcement shall be stored on racks above ground level. All reinforcement shall be free from loose mill scale or rust, grease, paint or other substances likely to reduce the bond between the steel and the concrete.

#### **BRC:**

The BRC should be electrically cross-welded steel wire mesh reinforcement to B.S. 4483: 1969, or as directed by the Project Manager, and of the size and weight specified in the Drawings.

The fabric shall be free from scale, dust, rust, grease or other substance likely to reduce the bond between the steel and the concrete and shall be laid with a minimum 300 mm laps and bound with No. 18 S.W.G. annealed iron wire.

# **Fixing reinforcement:**

Reinforcement shall be accurately bent to the shapes and dimensions shown on the Drawings and in accordance with B.S. 4466 (1969). Reinforcement must be cut and bent cold and no welded joints will be permitted, unless so detailed. Reinforcement shall be accurately placed as shown on the Drawings, and before and during concreting, shall be secured against displacement by using No. 18 S.W.G. annealed binding wire or suitable clips at intersections, and shall be supported by concrete or metal supports, spacers or metal hangers to ensure the correct position. No concreting shall be commenced until the Project Manager has inspected the reinforcement in position and until his approval has been obtained and Contractor has given two clear days' notice of intention to concrete.

The Contractor is responsible for maintaining the reinforcement in its correct position, according to the drawings, before and during concreting. During concreting, a competent steel fixer must be in attendance to adjust and correct the position of any reinforcement which may be displaced. The vibrators are not to come into contact with the reinforcement.

#### Position and correctness of reinforcement:

Irrespective of whether any inspection and/or approval of the fixing of the reinforcement has been carried out as in C above, it shall be the Contractor's sole responsibility to ensure that the reinforcement

complies with the details on the Drawings and is fixed exactly in the positions shown therein and, in the positions, to give the prescribed cover. The Contractor will be held entirely responsible for any failure or defect in any portion of the reinforced concrete structure and including any consequent delay, claims, third party claims. etc., where it is shown that the reinforcement has been incorrectly positioned or is incorrect in size or quantity with respect to the detailed Drawings.

#### **Concrete cover to reinforcement:**

Unless otherwise directed,	the concrete cover	to rod reinforce	ement over main
bars in any face shall be: -			

Foundations against blinding	50 mm
Strip foundations	40 mm

□ Columns/Floor slab 40 mm
□ Beams 25 mm

# **Projecting reinforcement:**

Where reinforcement projects from a concreted section of the structure and this reinforcement is expected to remain exposed for some time, it is to be coated with a cement grout to prevent rust staining on the finished concrete. This grout is to be brushed off the reinforcement prior to the continuation of concreting.

#### **Fixtures:**

No openings, chases, holes or other voids shall be formed in the concrete without the prior approval of the Project Manager. Details of any fixtures to be permanently built into the concrete including the proposed position of all electrical conduits 25 mm and over in diameter shall be submitted to the Project Manager for his approval before being placed.

# Chases, holes, etc., in concrete:

The Contractor shall be responsible for the co-ordination with the Electrical and other Sub-Contractors for incorporating electrical conduits, pipes, fixing blocks, chases and holes in concrete members as required and must ensure that adequate notice is given to such Sub- Contractors informing them when concrete members incorporating the above are to be poured. The Contractor shall submit full details of these items to the Engineer for approval before the work is put in hand. All fixing blocks, chases, holes, etc., to be left in the concrete shall be accurately set out and cast with the concrete. Unless otherwise instructed by the Project Manager, all electrical conduit to be positioned within the reinforced concrete shall be fixed inside the steel cages of beams and columns and between the top and bottom steel layers in the slabs and similar members.

The proposed position of all electrical conduits 25 mm and over in diameter which are to be enclose in the concrete shall be shown accurately on a plan to be submitted to the Engineer, whose approval shall be obtained before any such conduit is placed.

# **Specification**

#### **PARTICULAR SPECIFICATIONS**

#### A. | PRICING ITEMS OF PRELIMINARIES

Prices SHALL BE INSERTED against items of "preliminaries" in the tenderer's priced Bills of Quantities. The contractor is advised to read and understand all preliminary items.

#### **B.** DESCRIPTION OF THE WORKS

The contract works include:

- Construction of Standard grain store
- Construction of Grain dryer housing
- Construction of Office
- ♦ Construction of Pit latrine
- Supply of Farm tractor, trailer, digital weighing machine, digital moisture meter and rapid afflatoxin testing kit
- ♦ External works fencing

**Note:** All the above works should be as per the attached drawings and Bills of quantities.

#### **LOCATION OF THE SITE**

The site is situated in Mogogosiek Ward, Konion Sub County in Bomet County

#### C. | FLOOR AREAS

To be done as per description in bill of quantities and technical drawings

#### D. MEASUREMENTS

In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER in accordance with the Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with the said Conditions

#### E. | LOCATION OF SITE

IS AS INDICATED ELSEWHERE

#### F. | SIGNING OF THE TENDER DOCUMENTS

The authorized person shall append his / her signature and / or company 's rubberstamp on each and every page of tender document in which entries have been made

#### G. | DEMOLITIONS AND ALTERATIONS

The Contractor is to allow for all temporary protection required during the works including ordinary and special dust screens, hoardings, barriers, warning signs, etc as directed by the Project Manager and as necessary for the adequate propping and protection of existing property, finishes, workmen employed on the site, employer's agents and the public. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor. All protective devices are to be removed on completion of the works and any necessary making good consequent upon this is to be executed to the satisfaction of the Project Manager

The works shall be propped, strutted and supported as necessary before any alteration or demolition work commences. Prices shall include for all cleaning and preparatory work to structure and finishes and for making good to all finishes on completion whether or not specifically described.

Unless described as set aside for re-use all arising debris and surplus materials shall be carefully removed from building and cart away from site.

The Contractor shall be entirely responsible for any breakage or damage which may occur to materials required for re-use during their removal unless it is certified by the Project Manager that such damage or breakage was inevitable as a result of the condition of the item concerned

#### H. | CLEARING AWAY

The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project

Manager.

The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager

#### I. CLAIMS

It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and / or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such a claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claim shall be entertained upon the expiry of the said contact period.

#### J. PAYMENTS

The tenderer's attention is drawn to the General Conditions of Contract and the Particular Conditions of Contract

# K. PREVENTION OF ACCIDENT, DAMAGE OR LOSS

The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is thus instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of activities being carried out by the Client. The Contractor shall allow in his rates any expense he deemed necessary by taking such care within the site

#### L. WORKING CONDITIONS

The Contractor shall allow in his rates for any interference that he may encounter in the course of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed, as the facility will be operating as usual during the course of the contract.

#### M. | SIGNBOARD

Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager.

#### N. | LABOUR CAMPS

The Contractor shall be allowed to house labour on site

#### O. | MATERIALS FROM DEMOLITIONS

Any materials arising from demolitions and not re-used shall become the property of the Client

#### P. | PRICING RATES

The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract.

#### Q. SECURITY

The Contractor shall allow for providing adequate security for the works and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers.

#### R. URGENCY OF THE WORKS

The Contractor is notified that these **"works are urgent"** and should be completed within the period stated in these Particular Preliminaries

The Contractor shall allow in his rates for any costs he/ she deems that he/she may incur by having to complete these works within the stipulated contract period.

#### S. PAYMENT FOR MATERIALS ON SITE

All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Manager. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers.

#### T. EXISTING SERVICES

Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such

services.

#### U. | CONTRACT COMPLETION PERIOD

The contract completion period in accordance with clause 31 of the Conditions of Contract must be adhered to.

The 'PROJECT MANAGER' shall strictly monitor the Contractors progress in relation to the progress chart and should it be found necessary the 'PROJECT MANAGER' shall inform the Contractor in writing that his actual performance on site is not satisfactory. In all such cases the Contractor shall accelerate his rate of performance production and progress by all means such as additional labour, plant, etc. and working overtime all at his cost.

#### V. PERFORMANCE BOND

A guarantee of 10 % of the contract sum will be required in accordance. No payment on account for the works executed will be made to the contractor until he has submitted the Performance guarantee to the Project Manager duly signed, sealed and stamped from an approved Bank.

#### W. | DELIVERY OF TENDER

Tenders and all documents in connection therewith, as specified above must be delivered in the addressed envelope which should be properly sealed and deposited at the offices as specified in the letter accompanying these documents or as indicated in the advertisement.

Tenders will be opened at the time specified in the letter accompanying these Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened.

#### X. VALUE ADDED TAX

The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1st September, 1993 which requires payment of VAT on all contracts. The Contractor should therefore include allowance in his rates and prices for prices for VAT and any other Government taxes currently in force

ITEM	DESCRIPTION	
Α.		
A.	PRICING ITEMS OF PRELIMINARIES AND PREAMBLES	
	Prices will be inserted against items of Preliminaries in the Contractor's priced	
	Bills of Quantities and Spe	ecification.
		deemed to have included in his prices or rates for the
	various items in the Bills of Quantities or Specification for all costs involved in	
	complying with all the requirements for the proper execution of the whole of	
	the works in the Contract.	
B.	ABBREVIATIONS	
	Throughout these Bills, u	units of measurement and terms are abbreviated and
	shall be all the requireme	nts for the proper execution of the whole of the works
	in the Contract.	
	На	Shall mean hectares
	C.M.	Shall mean cubic metre
	S.M.	Shall mean square metre
	L.M.	Shall mean linear metre
	MM	Shall mean Millimetre
	Kg.	Shall mean Kilogramme
	No.	Shall mean Number
	Prs.	Shall mean Pairs
	B.S.	Shall mean the British Standard Specification
		Published by the British Standards Institution, 2 Park
	5	Street, London W.I., England.
	Ditto	Shall mean the whole of the preceding description
		except as qualified in the description in which it
	m.s.	occurs. Shall mean measured separately.
C.	EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT	
		ANDARD PIETITOD OF PIEMOUNEPIERI
	Attendance	
	Clause B19(a) of the Standard Method of Measurement is deleted and the	

following clause is substituted: -

Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and

for storage of plant and materials; providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same.

Fix Only: -

"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.

# D. EMPLOYER

As defined in the conditions of contract

# E. PROJECT MANAGER

The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in of the Conditions of Contract or such person or persons as may be duly authorized to represent him on behalf of the Government.

#### F. ARCHITECT

The term "Architect" shall be deemed to mean "The P.M." as defined above

# G. QUANTITY SURVEYOR

The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above

# H. ELECTRICAL ENGINEER

	The term "Electrical Engineer" shall be deemed to mean "The P.M." as defined	
	above	
I. MECHANICAL ENGINEER		
	The term "Mechanical Engineer" shall be deemed to mean "The P.M." as	
	defined	
J.	J. STRUCTURAL ENGINEER	
	The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above_	
	Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities	
K.	BOND.	
	The Contractor shall find and submit on the Form of Tender as given in the instructions to bid and SPN	
L.	PLANT, TOOLS AND VEHICLES	
	Allow for providing all scaffolding, plant, tools and vehicles required for the	
	works except in so far as may be stated otherwise herein and except for such	
	items specifically and only required for the use of nominated Sub-Contractors as	
	described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.	
М.	TRANSPORT.	
	Allow for transport of workmen, materials, etc., to and from the site at such	
	hours and by such routes as may be permitted by the competent authorities.	
N.	MATERIALS AND WORKMANSHIP	
	All materials and workmanship used in the execution of the work shall be of the	
	best quality and description unless otherwise stated. The Contractor shall order	
	all materials to be obtained from overseas immediately after the Contract is	
	signed and shall also ensure they are onsite when required for use in the works.	

The Bills of Quantities shall not be used for the purpose of ordering materials

#### O. SIGN FOR MATERIALS SUPPLIED.

The Contractor will be required to sign a receipt for all articles and materials supplied by the **PROJECT MANAGER** at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the **PROJECT MANAGER** at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the **PROJECT MANAGER** 

#### P. STORAGE OF MATERIALS

The Contractor shall provide at his own risk and cost were directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the **PROJECT MANAGER** Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.

# Q. SAMPLES

The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the **PROJECT MANAGER** for his approval until such samples are approved by the PROJECT MANAGER and the **PROJECT MANAGER**, may reject any materials or workmanship not in his opinion to be up to approved samples. The **PROJECT MANAGER** shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the **PROJECT MANAGER**. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Roads, Housing and Public Works

The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the **PROJECT MANAGER** 

The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub- contractors' work.

#### R. GOVERNMENT ACTS REGARDING WORK PEOPLE ETC.

Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople.

The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.

#### S. SECURITY OF WORKS ETC.

The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.

# T. PUBLIC AND PRIVATE ROADS.

Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the **PROJECT MANAGER** 

#### U. EXISTING PROPERTY.

The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the **PROJECT MANAGER** 

#### V. VISIT SITE AND EXAMINE DRAWINGS.

The Contractor is recommended to examine the drawings and visit the site, the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.

# W. ACCESS TO SITE AND TEMPORARY ROADS.

Means of access to the Site shall be agreed with the **PROJECT MANAGER** prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the **PROJECT MANAGER** The Contractor should also allow for relocating existing fence (approx. 30 metres long).

#### X. AREA TO BE OCCUPIED BY THE CONTRACTOR

The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the **PROJECT MANAGER**.

#### Y. OFFICE ETC. FOR THE PROJECT MANAGER

The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the standard type, complete with furniture. He shall also provide a strong metal trunk complete with strong hasp

and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the **PROJECT MANAGER** including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the **"PROJECT MANAGER"** a modern and accurate level together with leveling staff, ranging rods and 50 metre metallic or linen tape

# Z. WATER AND ELECTRICITY SUPPLY FOR THE WORKS

The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the **PROJECT MANAGER.** The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub--contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.

# AA. SANITATION OF THE WORKS

The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the **PROJECT MANAGER**.

#### BB. SUPERVISION AND WORKING HOURS

The works shall be executed under the direction and to the entire satisfaction in all respects of the **PROJECT MANAGER** who shall at all times during normal

working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.

#### CC. PROVISIONAL SUMS

The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.

# DD. PRIME COST (OR P.C.) SUMS.

The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the **PROJECT MANAGER** to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.

#### EE. PROGRESS CHART.

The Contractor shall provide within two weeks of Possession of Site and in agreement with the **PROJECT MANAGER** a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.

#### FF. ADJUSTMENT OF P.C. SUMS.

In the final account all P.C. Sums shall be deducted and the amount properly expended upon the **PROJECT MANAGER'S** order in respect of each of them added to the Contract sum. The Contractor shall produce to the **PROJECT MANAGER** such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the

amount paid. Items of "attendance

# GG. ADJUSTMENT OF P.C. SUMS. Ctd......

Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.

#### HH. ADJUSTMENT OF PROVISIONAL SUMS

In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the **PROJECT MANAGER's** order added to the Contract Sum. Such work shall be valued as described for Variations, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.

#### II. NOMINATED SUB-CONTRACTORS

When any work is ordered by the **PROJECT MANAGER** to be executed by nominated sub-contractors, the Contractor shall enter into sub- contracts and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".

#### JJ. DIRECT CONTRACTS

Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.

# KK. ATTENDANCE UPON OTHER TRADESMEN, ETC.

The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.

#### LL. INSURANCE

The Contractor shall insure as required in the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the **PROJECT MANAGER** either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the **PROJECT MANAGER** shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the **PROJECT MANAGER's** inspection.

#### MM. PROVISIONAL WORK

All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the **PROJECT MANAGER** Immediately the work is ready for measuring, the Contractor shall give notice to the **PROJECT MANAGER**. If the Contractor makes default in these respects he shall if the **PROJECT MANAGER** so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense

# NN. | ALTERATIONS TO BILLS, PRICING, ETC.

Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.

#### OO. | BLASTING OPERATIONS

Blasting will only be allowed with the express permission of the **PROJECT MANAGER** in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the **PROJECT MANAGER** governing the use and storage of explosives.

# PP. MATERIALS ARISING FROM EXCAVATIONS

Materials of any kind obtained from the excavations shall be the property of the Government. Unless the **PROJECT MANAGER** directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the **PROJECT MANAGER** Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.

# QQ. PROTECTION OF THE WORKS.

Provide protection of the whole of the works contained in the Bills of Quantities, including casing, casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the **PROJECT MANAGER** and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.

# RR. REMOVAL OF RUBBISH ETC.

Removal of rubbish and debris from the buildings and site as it accumulates and

at the completion of the works and remove all plant, scaffolding and unused materials at completion

#### SS. WORKS TO BE DELIVERED UP CLEAN

Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the **PROJECT MANAGER** 

#### TT. GENERAL SPECIFICATION.

For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads, Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.

# UU. HOARDING

The Contractor shall enclose all the site under construction with a hoarding 2400 mm high consisting of iron sheets gauge 30 on  $100 \times 50$  mm 2nd grade treated sawn cypress timber posts firmly secured at 1800 mm centres with two 75 x 50 mm 2nd grade treated sawn cypress timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.

# VV. | CONTRACTOR'S SUPERINTENDENCE/SITE AGENT

The Contractor shall constantly keep on the works a literate English-speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and

instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract

# **Drawings**

All the necessary drawings are as provided

# **Supplementary Information**

# 3.0 PART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS

# 3.1 Section VI. General Conditions (GC)

These **General Conditions** (**GC**), read in conjunction with the **Particular Conditions** (**PC**) and other documents listed therein, should be a complete document expressing fairly the rights and obligations of both parties.

# **Table of Clauses**

3.0	PART	3 - CONDITIONS OF CONTRACT AND CONTRACT FORM	1S 174
3.1	Section	No. General Conditions (GC)	174
3	.1.1 Gen	eral Provisions	178
	3.1.1.1	Definitions	178
	3.1.1.2	Interpretation	182
	3.1.1.3	Communications	183
	3.1.1.4 l	Law and Language	183
	3.1.1.5 F	Priority of Documents	184
	3.1.1.6	Contract Agreement	184
	3.1.1.7	Assignment	185
	3.1.1.8	Care and Supply of Documents	185
	3.1.1.9	Confidential Details	185
	3.1.1.10	Compliance with Laws	186
	3.1.1.11	Joint and Several Liability	187
	3.1.1.12	Inspections and Audit by the Bank	187
	3.1.1.13	Project Manager's Decisions	187
	3.1.1.14	Delegation	188
	3.1.1.15	Subcontracting	188
	3.1.1.16	Personnel and Equipment	188
	3.1.1.17	Other Contractors	188
	3.1.1.18	Employer's and Contractor's Risks	188

	3.1.1.19	Employer's Risks	. 189
	3.1.1.20	Contractor's Risks	. 189
	3.1.1.21	Insurance	. 189
	3.1.1.22	Site Investigation Reports	. 190
	3.1.1.23	Contractors to Construct the Works	. 190
	3.1.1.24	The Works to Be Completed by the Intended Completion Date	. 190
	3.1.1.25	Approval by the Project Manager	. 191
	3.1.1.26	Safety	. 191
	3.1.1.27	Discoveries	. 191
	3.1.1.28	Possession of the Site	. 191
	3.1.1.29	Access to the Site	. 191
	3.1.1.30	Instructions	. 191
	3.1.1.31	Appointment of the Adjudicator	. 192
	3.1.1.32	Procedure for Disputes	. 192
3	3.1.2 Tim	e Control	.193
	3.1.2.1	Programme	. 193
	3.1.2.2	Extension of the Intended Completion Date	. 193
	3.1.2.3	Acceleration	. 194
	3.1.2.4	Delays Ordered by the Project Manager	. 194
	3.1.2.5	Management Meetings	. 194
		Early Warning	
3	3.1.3 Qua	lity Control	.195
	3.1.3.1	Identifying Defects	. 195
	3.1.3.2	Tests	. 195
	3.1.3.3	Correction of Defects	. 195
	3.1.3.4	Uncorrected Defects	. 195
3	3.1.4 Cos	t Control	.196
	3.1.4.1	Contract Price	. 196
	3.1.4.2	Changes in the Contract Price	. 196
	3.1.4.3	Variations	. 197
	2111	Cach Flow Forocacts	107

	3.1.4.5 Payment Certificates	198
	3.1.4.6 Payments	198
	3.1.4.7 Compensation Events	199
	3.1.4.8 Tax	200
	3.1.4.9 Currencies	201
	3.1.4.10 Price Adjustment	201
	3.1.4.11 Retention	201
	3.1.4.12 Liquidated Damages	202
	3.1.4.13 Bonus	202
	3.1.4.14 Securities	202
	3.1.4.15 Dayworks	203
	3.1.4.16 Cost of Repairs	203
3	3.1.5 Staff and Labour	203
	3.1.5.1 Forced Labour	203
	3.1.5.2 Child Labour	203
	3.1.5.3 Workers' Organizations	204
	3.1.5.4 Non-Discrimination and Equal Opportunity	204
3	3.1.6 Force Majeure	205
	3.1.6.1 Definition of Force Majeure	205
	3.1.6.2 Notice of Force Majeure	205
	3.1.6.3 Duty to Minimise Delay	206
	3.1.6.4 Consequences of Force Majeure	206
	3.1.6.5 Force Majeure Affecting Subcontractor	207
	3.1.6.6 Optional Termination, Payment and Release	207
	3.1.6.7 Release from Performance	
3	3.1.7 Finishing the Contract	208
	3.1.7.1 Completion	
	3.1.7.2 Taking Over	208
	3.1.7.3 Final Account	208
	3.1.7.4 Operating and Maintenance Manuals	209
	2.1.7.F. Tormination	200

# Section VI. General Conditions (GC)

3.1.8 Fraud and Corruption21		
3.1.8.1 Payment upon Termination	212	
3.1.8.2 Property	212	
3.1.8.3 Release from Performance	213	

# **Section VII. General Conditions**

[Name of Employer]
[Name of Contract]

#### 3.1.1 General Provisions

#### 3.1.1.1 Definitions

In the Conditions of Contract ("these Conditions"), which include **Particular Conditions**, and these **General Conditions**, the following words and expressions shall have the meanings stated. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

#### **The Contract**

**"Contract"** means the Contract Agreement, the Letter of Acceptance, the Letter of Bid, these Conditions, the Specification, the Schedules, and the further documents (if any) which are listed in the Contract Agreement or in the Letter of Acceptance.

"Contract Agreement" means the contract agreement referred to in GC Clause 1.6 [Contract Agreement].

"Letter of Acceptance" means the letter of formal acceptance, signed by the Employer, of the Letter of Bid, including any annexed memoranda comprising agreements between and signed by both Parties. If there is no such letter of acceptance, the expression "Letter of Acceptance" means the Contract Agreement and the date of issuing or receiving the Letter of Acceptance means the date of signing the Contract Agreement.

**"Letter of Bid"** means the document entitled letter of bid, which was completed by the Contractor and includes the signed offer to the Employer for the Works.

**"Specification"** means the document entitled specification, as included in the Contract, and any additions and modifications to the specification in accordance with the Contract. Such document specifies the Works.

**"Drawings"** means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Employer in accordance with the Contract.

**"Schedules"** means the document(s) entitled schedules, completed by the Contractor and submitted with the Letter of Bid, as included in the Contract. Such document may include the Bill of Quantities, data, lists, and schedules of rates and/or prices.

The **Activity Schedule** is a schedule of the activities comprising the construction, installation, testing, and commissioning of the Works in a lump sum contract. It includes a lump sum price for each activity, which is used for valuations and for assessing the effects of Variations and Compensation Events.

**"Bid"** means the Letter of Bid and all other documents which the Contractor submitted with the Letter of Bid, as included in the Contract.

#### PC means Particular Conditions

#### **Parties and Persons**

**"Party"** means the Employer or the Contractor, as the context requires.

**"Employer"** means the person named as employer in the **Particular Conditions** and the legal successors in title to this person.

**"Contractor"** means the person(s) named as contractor in the Letter of Bid accepted by the Employer and the legal successors in title to this person(s).

**"Project Manager"** is the person named in the **PC** (or any other competent person appointed by the Employer and notified to the Contractor, to act in replacement of the Project Manager) who is responsible for supervising the execution of the Works and administering the Contract.

**"Subcontractor"** means any person named in the Contract as a subcontractor, or any person appointed as a subcontractor, for a part of the Works; and the legal successors in title to each of these persons.

"Bank" means the financing institution (if any) named in the PC.

"Borrower" means the person (if any) named as the borrower in the PC.

The "Adjudicator" is the person appointed jointly by the Employer and the Contractor to resolve disputes in the first instance, as provided for in **GC** Clause 1.32.

# **Dates, Tests, Periods and Completion**

**"Base Date"** means the date 28 days prior to the latest date for submission of the Bid.

"Commencement Date" means the date notified under the PC.

"Completion Date" means the date for completion of the Works, or a Section (as the case may be) as certified by the Project Manager, in accordance with GC Clause 7.1.1, and as stipulated in the PC.

"**Test on Completion**" means the tests (if any) which are specified in the Contract and which are carried out in accordance with the Specification for the purpose of issuing the "Certificate of Completion of the Works".

"Taking-Over Certificate" or "Certificate of Completion of the Works" means a certificate issued under GC Clause 7.1 [Completion].

"day" means a calendar day and "year" means 365 days.

**"Dayworks"** are varied work inputs subject to payment on a time basis for the Contractor's employees and Equipment, in addition to payments for associated Materials and Plant.

#### **Money and Payments**

"Initial Contract Amount" means the amount accepted in the Letter of

Acceptance for the execution and completion of the Works and the remedying of any defects.

**"Contract Price"** means the price defined in **GC** Clause 4.1 [Contract Price], and includes adjustments in accordance with the Contract.

**"Compensation Events"** are those defined in **GC** Clause 4.7 [Compensation Events] hereunder.

#### **Works and Goods**

"Contractor's Equipment" means all apparatus, machinery, vehicles and other things required for the execution and completion of the Works and the remedying of any defects. However, Contractor's Equipment excludes Temporary Works, Employer's Equipment (if any), Plant, Materials and any other things intended to form or forming part of the Permanent Works.

**"Goods"** means Contractor's Equipment, Materials, Plant and Temporary Works, or any of them as appropriate.

"Materials" means things of all kinds (other than Plant) intended to form or forming part of the Permanent Works, including the supply-only materials (if any) to be supplied by the Contractor under the Contract.

**"Permanent Works"** means the permanent works to be executed by the Contractor under the Contract.

**"Plant"** means the apparatus, machinery and other equipment intended to form or forming part of the Permanent Works, including vehicles purchased for the Employer and relating to the construction or operation of the Works.

**"Section"** means a part of the Works specified in the **PC** as a Section (if any).

**"Temporary Works"** means all temporary works of every kind (other than Contractor's Equipment) required on Site for the execution and completion of the Permanent Works and the remedying of any defects.

"Works" mean the Permanent Works and the Temporary Works, or either of

them as appropriate, and as described in the **PC**.

#### **Other Definitions**

"Contractor's Documents" means the calculations, computer programs and other software, drawings, manuals, models and other documents of a technical nature (if any) supplied by the Contractor under the Contract.

"Country" means the country in which the Site (or most of it) is located.

**"Force Majeure"** is defined in **GC** Clause 6.1 [Force Majeure].

**"Laws"** means all national (or state) legislation, statutes, ordinances and other laws, and regulations and by-laws of any legally constituted public authority.

**"Performance Security"** means the security (or securities, if any) under **GC** Clause 4.15 [Securities].

"Site" means the places where the Permanent Works are to be executed including storage and working areas and to which Plant and Materials are to be delivered, and any other places as may be specified in the **PC** as forming part of the Site.

**"Unforeseeable"** or **"Unforeseen"** means not reasonably foreseeable by an experienced Contractor by the Base Date.

"Variation" means any change to the Works, which is instructed or approved as a variation under **GC** Clause 4.3 [Variations].

#### 3.1.1.2 Interpretation

Interpretation In the Contract, except where the context requires otherwise:

- (a). words indicating one gender include all genders;
- (b). words indicating the singular also include the plural and words indicating the plural also include the singular;
- (c). provisions including the word "agree", "agreed" or "agreement" require the agreement to be recorded in writing;

- (d). "written" or "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record;
- (e). the word "tender" is synonymous with "bid" and "tenderer" with "bidder" and the words "tender documents" with "bidding documents".

The marginal words and other headings shall not be taken into consideration in the interpretation of these Conditions.

If sectional completion is specified in the **PC**, references in the **GC** to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

#### 3.1.1.3 Communications

Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices, requests and discharges, these communications shall be:

- (a). in writing and delivered by hand (against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission as stated in the PC; and
- (b). delivered, sent or transmitted to the address for the recipient's communications as stated in the PC. However:
  - (i.) if the recipient gives notice of another address, communications shall thereafter be delivered accordingly; and
  - (ii.) if the recipient has not stated otherwise when requesting an approval or consent, it may be sent to the address from which the request was issued

Approvals, certificates, consents and determinations shall not be unreasonably withheld or delayed. When a certificate is issued to a Party, the certifier shall send a copy to the other Party.

When a notice is issued to a Party, by the other Party or the Project Manager, a copy shall be sent to the Project Manager or the other Party, as the case may be.

#### 3.1.1.4 Law and Language

The Contract shall be governed by the law of the country or other jurisdiction

stated in the PC.

The ruling language of the Contract shall be that stated in the **PC**.

The language for communications shall be that stated in the **PC**. If no language is stated there, the language for communications shall be the ruling language of the Contract.

Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified, in which case, for purposes of interpretation of the Contract, this translation shall govern.

The Contractor shall bear all costs of translation to the governing language and all risks of the accuracy of such translation, for documents provided by the Contractor.

# **3.1.1.5** Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents shall be in accordance with the following sequence:

- (a). the Contract Agreement (if any),
- (b). the Letter of Acceptance,
- (c). the Bid,
- (d). the Particular Conditions
- (e). these General Conditions,
- (f). the Specification,
- (g). the Drawings, and
- (h). the Schedules and any other documents forming part of the Contract.

If an ambiguity or discrepancy is found in the documents, the Project Manager shall issue any necessary clarification or instruction.

#### **3.1.1.6** Contract Agreement

The Parties shall enter into a Contract Agreement within 28 days after the Contractor receives the Letter of Acceptance, unless the **Particular Conditions** establish otherwise. The Contract Agreement shall be based upon the relevant

form provided in Section IX, Contract Forms. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Contract Agreement shall be borne by the Employer.

# 3.1.1.7 Assignment

Neither Party shall assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, either Party:

- (a). may assign the whole or any part with the prior agreement of the other Party, at the sole discretion of such other Party, and
- (b). may, as security in favour of a bank or financial institution, assign its right to any moneys due, or to become due, under the Contract.

#### **3.1.1.8** Care and Supply of Documents

The Specification and Drawings shall be in the custody and care of the Employer. Unless otherwise stated in the Contract, two copies of the Contract and of each subsequent Drawing shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.

Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over by the Employer. Unless otherwise stated in the Contract, the Contractor shall supply to the Project Manager six copies of each of the Contractor's Documents.

The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Employer's Personnel shall have the right of access to all these documents at all reasonable times.

If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.

#### 3.1.1.9 Confidential Details

The Contractor's and the Employer's Personnel shall disclose all such confidential and other information as may be reasonably required in order to verify the Contractor's compliance with the Contract and allow its proper implementation.

Each of them shall treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.

Notwithstanding the above, the Contractor may furnish to its Subcontractor(s) such documents, data and other information it receives from the Employer to the extent required for the Subcontractor(s) to perform its work under the Contract, in which event the Contractor shall obtain from such Subcontractor(s) an undertaking of confidentiality similar to that imposed on the Contractor under this Clause.

# 3.1.1.10 Compliance with Laws

The Contractor shall, in performing the Contract, comply with applicable Laws.

Unless otherwise stated in the **Particular Conditions**:

- (a). the Employer shall acquire and pay for all permits, approvals and/or licenses from all local, state or national government authorities or public service undertakings in the Employer's Country, which (i) such authorities or undertakings require the Employer to obtain in the Employer's name, and (ii) are necessary for the execution of the Contract, including those required for the performance by both the Contractor and the Employer of their respective obligations under the Contract;
- (b). the Contractor shall acquire and pay for all permits, approvals and/or licenses from all local, state or national government authorities or public service undertakings in the Employer's Country, which such authorities or undertakings require the Contractor to obtain in its name and which are necessary for the performance of the Contract, including, without limitation, visas for the Contractor's and Subcontractor's personnel and entry permits for all imported Contractor's Equipment. The

Contractor shall acquire all other permits, approvals and/or licenses that are not the responsibility of the Employer under **GC** Clause 1.10.2(a) hereof and that are necessary for the performance of the Contract. The Contractor shall indemnify and hold harmless the Employer from and against any and all liabilities, damages, claims, fines, penalties and expenses of whatever nature arising or resulting from the violation of such laws by the Employer or its personnel, including the Subcontractors and their personnel, but without prejudice to **GC** Clause 1.10.1 hereof.

# **3.1.1.11** Joint and Several Liability

If the Contractor is a joint venture, consortium, or association (JVCA) of two or more persons, all such persons shall be jointly and severally bound to the Employer for the fulfilment of the provisions of the Contract, unless otherwise specified in the **PC**, and shall designate one of such persons to act as a leader with authority to bind the JVCA. The composition or the constitution of the JVCA shall not be altered without the prior consent of the Employer.

#### 3.1.1.12 Inspections and Audit

The Contractor shall permit the persons appointed to inspect the Site and/or the Contractor's accounts and records relating to the performance of the Contract and to have such accounts and records audited by the Office of Auditor General.

The Contractor shall maintain all documents and records related to the Contract for a period of three (3) years after completion of the Works. The Contractor shall provide any documents necessary for the investigation of allegations of fraud, collusion, coercion, obstruction or corruption and require its employees or agents with knowledge of the Contract to respond to questions from the Client.

#### 3.1.1.13 Project Manager's Decisions

Except where otherwise specifically stated, the Project Manager shall decide contractual matters between the Employer and the Contractor in the role representing the Employer.

## **3.1.1.14** Delegation

The Project Manager may delegate any of his duties and responsibilities and may cancel any delegation after notifying the Contractor.

## 3.1.1.15 Subcontracting

The Contractor may subcontract with the approval of the Project Manager, but may not assign the Contract without the approval of the Employer in writing. Subcontracting shall not alter the Contractor's obligations.

## **3.1.1.16** Personnel and Equipment

The Contractor shall employ the key personnel and use the equipment identified in its Bid, to carry out the Works or other personnel and equipment approved by the Project Manager. The Project Manager shall approve any proposed replacement of key personnel and equipment only if their relevant qualifications or characteristics are substantially equal to or better than those proposed in the Bid.

If the Project Manager asks the Contractor to remove a person who is a member of the Contractor's staff or work force, stating the reasons, the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.

#### 3.1.1.17 Other Contractors

The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors, as referred to in the **PC**. The Contractor shall also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of Other Contractors, and shall notify the Contractor of any such modification.

# 3.1.1.18 Employer's and Contractor's Risks

The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

## 3.1.1.19 Employer's Risks

From the Start Date until the Defects Liability Certificate has been issued, the following are Employer's risks:

- (a). The risk of personal injury, death, or loss of or damage to property (excluding the Works, Plant, Materials, and Equipment), which are due to
  - (i.) use or occupation of the Site by the Works or for the purpose of the Works, which is the unavoidable result of the Works or
  - (ii.) negligence, breach of statutory duty, or interference with any legal right by the Employer or by any person employed by or contracted to him except the Contractor.
- (b). The risk of damage to the Works, Plant, Materials, and Equipment to the extent that it is due to a fault of the Employer or in the Employer's design, or due to war or radioactive contamination directly affecting the country where the Works are to be executed.

From the Completion Date until the Defects Liability Certificate has been issued, the risk of loss of or damage to the Works, Plant, and Materials is an Employer's risk except loss or damage due to

- (a). a Defect which existed on the Completion Date,
- (b). an event occurring before the Completion Date, which was not itself an Employer's risk, or
- (c). the activities of the Contractor on the Site after the Completion Date.

#### 3.1.1.20 Contractor's Risks

From the Starting Date until the Defects Liability Certificate has been issued, the risks of personal injury, death, and loss of or damage to property (including, without limitation, the Works, Plant, Materials, and Equipment) which are not Employer's risks are Contractor's risks.

#### 3.1.1.21 Insurance

The Contractor shall provide, in the joint names of the Employer and the

Contractor, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the **PC** for the following events which are due to the Contractor's risks:

- (a). loss of or damage to the Works, Plant, and Materials;
- (b). loss of or damage to Equipment;
- (c). loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract; and
- (d). personal injury or death.

Policies and certificates for insurance shall be delivered by the Contractor to the Project Manager for the Project Manager's approval before the Commencement Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.

If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due.

Alterations to the terms of insurance shall not be made without the approval of the Project Manager.

Both parties shall comply with any conditions of the insurance policies.

## 3.1.1.22 Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **PC**, supplemented by any information available to the Bidder.

#### **3.1.1.23** Contractors to Construct the Works

The Contractor shall construct and install the Works in accordance with the Specifications and Drawings.

## 3.1.1.24 The Works to Be Completed by the Intended Completion Date

The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the Program submitted by the Contractor, as updated with the approval of the Project Manager, and complete them by the Intended Completion Date.

## **3.1.1.25** Approval by the Project Manager

The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Project Manager, who is to approve them if they comply with the Specifications and Drawings.

The Contractor shall be responsible for design of Temporary Works.

The Project Manager's approval shall not alter the Contractor's responsibility for design of the Temporary Works.

The Contractor shall obtain approval of third parties to the design of the Temporary Works, where required.

All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Project Manager before this use.

## 3.1.1.26 Safety

The Contractor shall be responsible for the safety of all activities on the Site.

## 3.1.1.27 Discoveries

Anything of historical or other interest or of significant value unexpectedly discovered on the Site shall be the property of the Employer. The Contractor shall notify the Project Manager of such discoveries and carry out the Project Manager's instructions for dealing with them.

#### 3.1.1.28 Possession of the Site

The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the **PC**, the Employer shall be deemed to have delayed the start of the relevant activities, and this shall be a Compensation Event.

## 3.1.1.29 Access to the Site

The Contractor shall allow the Project Manager and any person authorized by the Project Manager access to the Site and to any place where work in connection with the Contract is being carried out or is intended to be carried out.

#### 3.1.1.30 Instructions

The Contractor shall carry out all instructions of the Project Manager which

comply with the applicable laws where the Site is located.

## **3.1.1.31** Appointment of the Adjudicator

The Adjudicator shall be appointed jointly by the Employer and the Contractor, at the time of the Employer's issuance of the Letter of Acceptance. If, in the Letter of Acceptance, the Employer does not agree on the appointment of the Adjudicator, the Employer will request the Appointing Authority designated in the **PC**, to appoint the Adjudicator within 14 days of receipt of such request.

Should the Adjudicator resign or die, or should the Employer and the Contractor agree that the Adjudicator is not functioning in accordance with the provisions of the Contract, a new Adjudicator shall be jointly appointed by the Employer and the Contractor. In case of disagreement between the Employer and the Contractor, within 30 days, the Adjudicator shall be designated by the Appointing Authority designated in the **PC** at the request of either party, within 14 days of receipt of such request.

## 3.1.1.32 Procedure for Disputes

If the Contractor believes that a decision taken by the Project Manager was either outside the authority given to the Project Manager by the Contract or that the decision was wrongly taken, the decision shall be referred to the Adjudicator within 14 days of the notification of the Project Manager's decision.

The Adjudicator shall give a decision in writing within 28 days of receipt of a notification of a dispute.

The Adjudicator shall be paid by the hour at the rate specified in the **PC**, together with reimbursable expenses of the types specified in the **PC**, and the cost shall be divided equally between the Employer and the Contractor, whatever decision is reached by the Adjudicator. Either party may refer a decision of the Adjudicator to an Arbitrator within 28 days of the Adjudicator's written decision. If neither party refers the dispute to arbitration within the above 28 days, the Adjudicator's decision shall be final and binding.

The arbitration shall be conducted in accordance with the arbitration procedures published by the institution named and, in the place, specified in the **PC**.

#### 3.1.2 Time Control

# **3.1.2.1 Programme**

Within the time stated in the **PC**, after the date of the Letter of Acceptance, the Contractor shall submit to the Project Manager for approval a Programme showing the general methods, arrangements, order, and timing for all the activities in the Works. In the case of a lump sum contract, the activities in the Programme shall be consistent with those in the Activity Schedule.

An update of the Programme shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work, including any changes to the sequence of the activities.

The Contractor shall submit to the Project Manager for approval an updated Programme at intervals no longer than the period stated in the **PC.** If the Contractor does not submit an updated Programme within this period, the Project Manager may withhold the amount stated in the **PC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Programme has been submitted. In the case of a lump sum contract, the Contractor shall provide an updated Activity Schedule within 14 days of being instructed to by the Project Manager.

The Project Manager's approval of the Programme shall not alter the Contractor's obligations. The Contractor may revise the Programme and submit it to the Project Manager again at any time. A revised Programme shall show the effect of Variations and Compensation Events.

## **3.1.2.2** Extension of the Intended Completion Date

The Project Manager shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work, which would cause the Contractor to incur additional cost.

The Project Manager shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the Project Manager for a decision upon the effect of a Compensation Event or Variation and

submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

#### 3.1.2.3 Acceleration

When the Employer wants the Contractor to finish before the Intended Completion Date, the Project Manager shall obtain priced proposals for achieving the necessary acceleration from the Contractor. If the Employer accepts these proposals, the Intended Completion Date shall be adjusted accordingly and confirmed by both the Employer and the Contractor.

If the Contractor's priced proposals for acceleration are accepted by the Employer, they are incorporated in the Contract Price and treated as a Variation.

## 3.1.2.4 Delays Ordered by the Project Manager

The Project Manager may instruct the Contractor to delay the start or progress of any activity within the Works.

# **3.1.2.5** Management Meetings

Either the Project Manager or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.

The Project Manager shall record the business of management meetings and provide copies of the record to those attending the meeting and to the Employer. The responsibility of the parties for actions to be taken shall be decided by the Project Manager either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

# 3.1.2.6 Early Warning

The Contractor shall warn the Project Manager at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price, or delay the execution of the Works. The Project Manager may require the Contractor to provide an estimate

of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate shall be provided by the Contractor as soon as reasonably possible.

The Contractor shall cooperate with the Project Manager in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Project Manager.

# 3.1.3 Quality Control

# 3.1.3.1 Identifying Defects

The Project Manager shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Project Manager may instruct the Contractor to search for a Defect and to uncover and test any work that the Project Manager considers may have a Defect.

#### 3.1.3.2 Tests

If the Project Manager instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect, the test shall be a Compensation Event.

#### **3.1.3.3** Correction of Defects

The Project Manager shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion, and is defined in the **PC.** The Defects Liability Period shall be extended for as long as Defects remain to be corrected.

Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Project Manager's notice.

#### 3.1.3.4 Uncorrected Defects

If the Contractor has not corrected a Defect within the time specified in the Project Manager's notice, the Project Manager shall assess the cost of having the Defect corrected, and the Contractor shall pay this amount.

#### 3.1.4 Cost Control

#### 3.1.4.1 Contract Price

In the case of an admeasurement contract, the Bill of Quantities shall contain priced items for the Works to be performed by the Contractor. The Bill of Quantities is used to calculate the Contract Price. The Contractor will be paid for the quantity of the work accomplished at the rate in the Bill of Quantities for each item.

In the case of a lump sum contract, the Activity Schedule shall contain the priced activities for the Works to be performed by the Contractor. The Activity Schedule is used to monitor and control the performance of activities on which basis the Contractor will be paid. If payment for Materials on Site shall be made separately, the Contractor shall show delivery of Materials to the Site separately on the Activity Schedule.

# **3.1.4.2** Changes in the Contract Price

In the case of an admeasurement contract:

- (a). If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1 percent of the Initial Contract Price, the Project Manager shall adjust the rate to allow for the change.
- (b). The Project Manager shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 percent, except with the prior approval of the Employer.
- (c). If requested by the Project Manager, the Contractor shall provide the Project Manager with a detailed cost breakdown of any rate in the Bill of Quantities.

In the case of a lump sum contract, the Activity Schedule shall be amended by the Contractor to accommodate changes of Programme or method of working made at the Contractor's own discretion. Prices in the Activity Schedule shall not be altered when the Contractor makes such changes to the Activity Schedule.

## 3.1.4.3 Variations

All Variations shall be included in updated Programs, and, in the case of a lump sum contract, also in the Activity Schedule, produced by the Contractor.

The Contractor shall provide the Project Manager with a quotation for carrying out the Variation when requested to do so by the Project Manager. The Project Manager shall assess the quotation, which shall be given within seven (7) days of the request or within any longer period stated by the Project Manager and before the Variation is ordered.

If the Contractor's quotation is unreasonable, the Project Manager may order the Variation and make a change to the Contract Price, which shall be based on the Project Manager's own forecast of the effects of the Variation on the Contractor's costs.

If the Project Manager decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.

The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.

In the case of an admeasurement contract, if the work in the Variation corresponds to an item description in the Bill of Quantities and if, in the opinion of the Project Manager, the quantity of work above the limit stated in **GC** Clause 4.2.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work.

## 3.1.4.4 Cash Flow Forecasts

When the Program, or, in the case of a lump sum contract, the Activity Schedule, is updated, the Contractor shall provide the Project Manager with an updated cash flow forecast. The cash flow forecast shall include different currencies, as defined

in the Contract, converted as necessary using the Contract exchange rates.

# 3.1.4.5 Payment Certificates

The Contractor shall submit to the Project Manager monthly statements of the estimated value of the work executed less the cumulative amount certified previously.

The Project Manager shall check the Contractor's monthly statement and certify the amount to be paid to the Contractor.

The value of work executed shall be determined by the Project Manager.

The value of work executed shall comprise:

- (a). In the case of an admeasurement contract, the value of the quantities of work in the Bill of Quantities that have been completed; or
- (b). In the case of a lump sum contract, the value of work executed shall comprise the value of completed activities in the Activity Schedule.

The value of work executed shall include the valuation of Variations and Compensation Events.

The Project Manager may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

# **3.1.4.6** Payments

Payments shall be adjusted for deductions for advance payments and retention. The Employer shall pay the Contractor the amounts certified by the Project Manager within 28 days of the date of each certificate. If the Employer makes a late payment, the Contractor shall be paid interest on the late payment in the next payment. Interest shall be calculated from the date by which the payment should have been made up to the date when the late payment is made at the prevailing rate of interest for commercial borrowing for each of the currencies in which payments are made.

If an amount certified is increased in a later certificate or as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.

Unless otherwise stated, all payments and deductions shall be paid or charged in the proportions of currencies comprising the Contract Price.

Items of the Works for which no rate or price has been entered in shall not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.

# **3.1.4.7** Compensation Events

The following shall be Compensation Events:

- (a). The Employer does not give access to a part of the Site by the Site Possession Date pursuant to **GC** Clause 1.29.
- (b). The Employer modifies the Schedule of Other Contractors in a way that affects the work of the Contractor under the Contract.
- (c). The Project Manager orders a delay or does not issue Drawings, Specifications, or instructions required for execution of the Works on time.
- (d). The Project Manager instructs the Contractor to uncover or to carry out additional tests upon work, which is then found to have no Defects.
- (e). The Project Manager unreasonably does not approve a subcontract to be let.
- (f). Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of the Letter of Acceptance from the information issued to bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
- (g). The Project Manager gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
- (h). Other contractors, public authorities, utilities, or the Employer does not

work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.

- (i). The advance payment is delayed.
- (j). The effects on the Contractor of any of the Employer's Risks.
- (k). The Project Manager unreasonably delays issuing a Certificate of Completion.

If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date shall be extended. The Project Manager shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.

As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it shall be assessed by the Project Manager, and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Project Manager shall adjust the Contract Price based on the Project Manager's own forecast. The Project Manager shall assume that the Contractor shall react competently and promptly to the event.

The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor's not having given early warning or not having cooperated with the Project Manager.

#### 3.1.4.8 Tax

The Project Manager shall adjust the Contract Price if taxes, duties, and other levies are changed between the date 28 days before the submission of bids for the Contract and the date of the last Completion certificate. The adjustment shall be the change in the amount of tax payable by the Contractor, provided such changes are not already reflected in the Contract Price or are a result of **GC** Clause 4.10.

#### **3.1.4.9** Currencies

Where payments are made in currencies other than the currency of the Employer's country specified in the **PC**, the exchange rates used for calculating the amounts to be paid shall be the exchange rates stated in the Contractor's Bid.

## 3.1.4.10 Price Adjustment

Prices shall be adjusted for fluctuations in the cost of inputs only if provided for in the **PC.** If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type indicated below applies to each Contract currency:

# $P_c = A_c + B_c Imc/Ioc$

where:

 $\mathbf{P_c}$  is the adjustment factor for the portion of the Contract Price payable in a specific currency "c."

**A**<sub>c</sub> and **B**<sub>c</sub> are coefficients<sup>7</sup> specified in the **PC**, representing the nonadjustable and adjustable portions, respectively, of the Contract Price payable in that specific currency "**c**;" and

**Imc** is the index prevailing at the end of the month being invoiced and **Ioc** is the index prevailing 28 days before Bid opening for inputs payable; both in the specific currency "c."

If the value of the index is changed after it has been used in a calculation, the calculation shall be corrected and an adjustment made in the next payment certificate. The index value shall be deemed to take account of all changes in cost due to fluctuations in costs.

# **3.1.4.11** Retention

The Employer shall retain from each payment due to the Contractor the

<sup>&</sup>lt;sup>7</sup> The sum of the two coefficients Ac and Bc should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the nonadjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other nonadjustable components. The sum of the adjustments for each currency is added to the Contract Price.

proportion stated in the **PC** until Completion of the whole of the Works.

Upon the issue of a Certificate of Completion of the Works by the Project Manager, in accordance with **GC** Clause 7.1.1, half the total amount retained shall be repaid to the Contractor and half when the Defects Liability Period has passed and the Project Manager has certified that all Defects notified by the Project Manager to the Contractor before the end of this period have been corrected. The Contractor may substitute retention money with an "on demand" Bank guarantee.

## 3.1.4.12 Liquidated Damages

The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the **PC** for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the **PC.** The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

If the Intended Completion Date is extended after liquidated damages have been paid, the Project Manager shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in **GC** Clause 4.6.1.

## 3.1.4.13 Bonus

The Contractor shall be paid a Bonus calculated at the rate per calendar day stated in the **PC** for each day (less any days for which the Contractor is paid for acceleration) that the Completion is earlier than the Intended Completion Date. The Project Manager shall certify that the Works are complete, although they may not be due to be complete.

#### **3.1.4.14** Securities

The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount specified in the **PC**, by a bank or surety acceptable to the Employer, and denominated in the types and proportions of the currencies in which the Contract

Price is payable. The Performance Security shall be valid until a date 28 days from the date of issue of the Certificate of Completion in the case of a Bank Guarantee, and until one year from the date of issue of the Completion Certificate in the case of a Performance Bond.

# 3.1.4.15 Dayworks

If applicable, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Project Manager has given written instructions in advance for additional work to be paid for in that way.

All work to be paid for as Dayworks shall be recorded by the Contractor on forms approved by the Project Manager. Each completed form shall be verified and signed by the Project Manager within two days of the work being done.

The Contractor shall be paid for Dayworks subject to obtaining signed Dayworks forms.

# 3.1.4.16 Cost of Repairs

Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.

#### 3.1.5 Staff and Labour

#### 3.1.5.1 Forced Labour

The Contractor shall not employ forced labour, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty, and includes any kind of involuntary or compulsory labour, such as indentured labour, bonded labour or similar labour-contracting arrangements.

#### 3.1.5.2 Child Labour

The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where the relevant labour laws have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor.

Children below the age of 18 years shall not be employed in dangerous work.

## 3.1.5.3 Workers' Organizations

In countries where the relevant labour laws recognize workers' rights to form and to join workers' organisations of their choosing without interference and to bargain collectively, the Contractor shall comply with such laws. Where the relevant labour laws substantially restrict workers' organisations, the Contractor shall enable alternative means for Contractor's Personnel to express their grievances and protect their rights regarding working conditions and terms of employment. In either case described above, and where the relevant labour laws are silent, the Contractor shall not discourage Contractor's Personnel from forming or joining workers' organisations of their choosing or from bargaining collectively, and shall not discriminate or retaliate against the Contractor's Personnel who participate, or seek to participate, in such organisations and bargain collectively. The Contractor shall engage with such workers representatives. Worker organisations are expected to fairly represent the workers in the workforce.

# **3.1.5.4** Non-Discrimination and Equal Opportunity

The Contractor shall not make employment decisions on the basis of personal characteristics unrelated to inherent job requirements. The Contractor shall base the employment relationship on the principle of equal opportunity and fair treatment, and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation (including wages and benefits), working conditions and terms of employment, access to training, promotion, termination of employment or retirement, and discipline. In countries where the relevant labour laws provide for non-discrimination in employment, the Contractor shall comply with such laws. When the relevant labour laws are silent on non-discrimination in employment, the Contractor shall meet this Clause's requirements. Special measures of protection or assistance to remedy past discrimination or selection for a particular job based on inherent requirements of the job shall not be deemed discrimination.

## 3.1.6 Force Majeure

# **3.1.6.1** Definition of Force Majeure

In this Clause, "Force Majeure" means an exceptional event or circumstance:

- (a) which is beyond a Party's control,
- (b) which such Party could not reasonably have provided against before entering into the Contract,
- (c) which, having arisen, such Party could not reasonably have avoided or overcome, and
- (d) which is not substantially attributable to the other Party.

Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, so long as conditions (a) to (d) above are satisfied:

- (i) war, hostilities (whether war be declared or not), invasion, act of foreign enemies,
- (ii) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
- (iii) riot, commotion, disorder, strike or lockout by persons other than the Contractor's Personnel,
- (iv) munitions of war, explosive materials, ionising radiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such munitions, explosives, radiation or radio- activity, and
- (v) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.

## **3.1.6.2** Notice of Force Majeure

If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure. The Party shall, having given notice, be excused performance of its obligations for so long as such Force Majeure prevents it from performing them.

Notwithstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract

# 3.1.6.3 Duty to Minimise Delay

Each Party shall at all times use all reasonable endeavours to minimise any delay in the performance of the Contract as a result of Force Majeure.

A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.

## **3.1.6.4** Consequences of Force Majeure

If the Contractor is prevented from performing its substantial obligations under the Contract by Force Majeure of which notice has been given under **GC** Clause 6.2 [Notice of Force Majeure], and suffers delay and/or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to **GC** Clause 1.32.1 [Procedure for Disputes] to:

- (a) an extension of time for any such delay, if completion is or will be delayed, under **GC** Clause 2.2 [Extension of the Intended Completion Date], and
- (b) if the event or circumstance is of the kind described in sub-paragraphs (i) to (iv) of **GC** Clause 6.1 [Definition of Force Majeure] and, in the case of **GC** Clause 6.1.1(d)(ii) to (iv), occurs in the Country, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destructed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in **GC** Clause 1.21 [Insurance].

After receiving this notice, the Project Manager shall proceed in accordance with **GC** Clause 1.13 [Project Manager's Decisions] to agree or determine these matters.

## **3.1.6.5** Force Majeure Affecting Subcontractor

If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's non-performance or entitle him to relief under this Clause.

# 3.1.6.6 Optional Termination, Payment and Release

If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under **GC** Clause 6.2 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with **GC** Clause 7.5.5.

Upon such termination, the Project Manager shall determine the value of the work done and issue a Payment Certificate which shall include:

- (a) the amounts payable for any work carried out for which a price is stated in the Contract;
- (b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Employer when paid for by the Employer, and the Contractor shall place the same at the Employer's disposal;
- (c) other Costs or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
- (d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
- (e) the Cost of repatriation of the Contractor's staff and labour

employed wholly in connection with the Works at the date of termination.

#### **3.1.6.7** Release from Performance

Notwithstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises which makes it impossible or unlawful for either or both Parties to fulfill its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Party of such event or circumstance:

- (a) the Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract, and
- (b) the sum payable by the Employer to the Contractor shall be the same as would have been payable under **GC** Clause 6.6 [Optional Termination, Payment and Release] if the Contract had been terminated under **GC** Clause 6.6.

## **3.1.7 Finishing the Contract**

#### **3.1.7.1** Completion

The Contractor shall request the Project Manager to issue a Certificate of Completion of the Works, and the Project Manager shall do so upon deciding that the whole of the Works is completed.

#### **3.1.7.2** Taking Over

The Employer shall take over the Site and the Works within seven days of the Project Manager's issuing a certificate of Completion.

#### 3.1.7.3 Final Account

The Contractor shall supply the Project Manager with a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The Project Manager shall issue a Defects Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and

complete. If it is not, the Project Manager shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Project Manager shall decide on the amount payable to the Contractor and issue a payment certificate.

## **3.1.7.4** Operating and Maintenance Manuals

If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the **PC.** 

If the Contractor does not supply the Drawings and/or manuals by the dates stated in the **PC** pursuant to **GC** Clause 7.4.1, or they do not receive the Project Manager's approval, the Project Manager shall withhold the amount stated in the **PC** from payments due to the Contractor.

#### 3.1.7.5 Termination

The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

Fundamental breaches of Contract shall include, but shall not be limited to, the following:

- (a) the Contractor stops work for 28 days when no stoppage of work is shown on the current Programme and the stoppage has not been authorized by the Project Manager;
- (b) the Project Manager instructs the Contractor to delay the progress of the Works, and the instruction is not withdrawn within 28 days;
- (c) the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
- (d) a payment certified by the Project Manager is not paid by the Employer to the Contractor within 84 days of the date of the Project Manager's certificate;
- (e) the Project Manager gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the

Contractor fails to correct it within a reasonable period of time determined by the Project Manager;

- (f) the Contractor does not maintain a Security, which is required;
- (g) the Contractor has delayed the completion of the Works by the number of days for which the maximum amount of liquidated damages can be paid, as defined in the **PC**; or
- (h) if the Contractor, as determined by the Employer, based on reasonable evidence, has engaged in corrupt or fraudulent practices in competing for or in executing the Contract, pursuant to **GC** Clause 7.6 [Fraud and Corruption].

When either party to the Contract gives notice of a breach of Contract to the Project Manager for a cause other than those listed under **GC** Clause 7.5.2 above, the Project Manager shall decide whether the breach is fundamental or not.

Notwithstanding the above, the Employer may terminate the Contract for convenience.

If the Contract is terminated, the Contractor shall stop work immediately, make the Site safe and secure, and leave the Site as soon as reasonably possible.

# 3.1.8 Fraud and Corruption

If the Employer determines that the Contractor has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Employer may, after giving 14 days' notice to the Contractor, terminate the Contractor's employment under the Contract and expel him from the Site, and the provisions of **GC** Clause 7.5 [Termination] shall apply as if such expulsion had been made under **GC** Clause 7.5.2.

Should any employee of the Contractor be determined to have engaged in corrupt, fraudulent, coercive or obstructive practice during the execution of the work then that employee shall be removed in accordance with **GC** Clause 1.16.2.

It is the Government of Kenya policy to require bidders, suppliers, and contractors, and their agents (whether declared or not), subcontractors, sub-consultants,

service providers or suppliers, and any personnel thereof, observe the highest standard of ethics during the procurement and execution of contracts<sup>8</sup>. In pursuance of this policy, the Government of Kenya:

- (a). defines, for the purposes of this provision, the terms set forth below as follows:
  - (i) "Corrupt Practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party<sup>9</sup>;
  - (ii) "Fraudulent Practice" is any act or omission, including a misrepresentation that knowingly or recklessly misleads, or attempts to mislead, a party<sup>10</sup> to obtain financial or other benefit or to avoid an obligation;
  - (iii) "Collusive Practice" is an arrangement between two or more parties<sup>11</sup>, designed to achieve an improper purpose, including to influence improperly the actions of another party; and
  - (iv) "Coercive Practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party<sup>12</sup>;
  - (v) "Obstructive practice" is
    - (v.1) deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede

<sup>&</sup>lt;sup>8</sup> In this context, any action to influence the procurement process or contract execution for undue advantage is improper.

<sup>&</sup>lt;sup>9</sup> For the purpose of this sub-paragraph, "another party" refers to a public official acting in relation to the procurement process or contract execution. In this context, "public official" includes persons taking or reviewing procurement decisions.

<sup>10</sup> For the purpose of this sub-paragraph, "party" refers to a public official; the terms "benefit" and "obligation" relate to the procurement process or contract execution; and the "act or omission" is intended to in fluence the procurement process or contract execution

<sup>11</sup> For the purpose of this sub-paragraph, "parties" refers to participants in the procurement process (including public officials) attempting either themselves, or through another person or entity not participating in the procurement or selection process, to simulate competition or to establish bid prices at artificial, non-competitive levels, or are privy to each other's bid prices or other conditions.

<sup>12</sup> For the purpose of this sub-paragraph, "party" refers to a participant in the procurement process or contract execution

a investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or

- (v.2) acts intended to materially impede the exercise of the inspection and audit rights
- (b). will reject a proposal for award if it determines that the bidder recommended for award or any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/or their employees, has, directly or indirectly engaged in Corrupt, Fraudulent, Collusive, Coercive or Obstructive Practices in competing for the contract in question.

## **3.1.8.1** Payment upon Termination

If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Project Manager shall issue a certificate for the value of the work done and Materials ordered less advance payments received up to the date of the issue of the certificate and less the percentage to apply to the value of the work not completed, as indicated in the **PC**. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor, the difference shall be a debt payable to the Employer.

If the Contract is terminated for the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Project Manager shall issue a certificate for the value of the work done, Materials ordered, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works, and less advance payments received up to the date of the certificate.

# **3.1.8.2** Property

All Materials on the Site, Plant, Equipment, Temporary Works, and Works shall be deemed to be the property of the Employer if the Contract is terminated because of the Contractor's default.

## **3.1.8.3** Release from Performance

If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor, the Project Manager shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which a commitment was made.

# 3.2 Section VII. Particular Conditions

	1. General Provisions		
GC 1.1.2.2	The Employer is: <b>Principal Secretary, State Department for Crop Development, Ministry of Agriculture and Livestock, Development</b>		
GC 1.1 .2.4	The Project Manager is: <b>Project Engineer ATI, Kilimo House, 5<sup>th</sup> Floor</b>		
GC 1.1.2.6	The Client is: Ministry of Agriculture and Livestock		
	Development, State Department For Crop Development		
GC 1.1.2.7	The specific financing institution is: <b>GoK</b>		
GC 1.1.3.2	The Commencement Date shall be: <i>not later than 14 days after</i> site handing over		
GC 1.1.3.3	The Completion Date for the whole of the Works shall be: four (4) months after commencement of works.		
GC 1.1.5.6	If Sections are to be used: N/A		
GC 1.1.5.8	Description of the works  The contract works include:		

GC 1.1.6.6	LOCATION OF THE SITE		
	The site is situated in Mogogosiek Ward, Konoin Sub County in Bomet County		
GC 1.2.3	Sectional Completions <b>shall not be</b> applicable.		
GC 1.2.4(i)	The following documents also form part of the Contract:		
	a) the Letter of Acceptance		
	b) the Bid		
	c) All Addenda, if any		
	d) the Particular Conditions		
	e) the General Conditions		
	f) the Specification		
	g) the Drawings; and		
	h) the completed Schedules,		
GC 1.3.1(a)	The Electronic Transmission System is: <b>None</b>		
GC 1.3.1(b)	The Employer's address for the purpose of communications is:		
	Principal Secretary State Department for Crop Development Kilimo House, Cathedral Road P.O. Box 300028 - 00100 Nairobi, Kenya Tel: + 254-20-2718870/9 Fax: +254-20-2711149 E-mail: psagriculture@kilimo.go.ke  The Contractor's address for the purpose of communications is:  [state full address, telephone, fax and e-mail]		
GC 1.4.1	The governing law is that of: Republic of Kenya		
	The ruling language is: <b>English</b> The language for communications is: <b>English</b>		

GC 1.6.1	The Parties <b>shall</b> enter into contract within 28 days after the			
	Contractor receives the Letter of Acceptance.			
GC 1.10.2(a)	Permits, approvals and/or licenses, or public service undertakings to			
	be acquired by the Employer: as in the specifications			
GC 1.10.2(b)	Permits, approvals and/or licenses, or public service undertakings to			
	be acquired by the Contractor: as in the specifications			
GC 1.11.1	The individuals or firms in a joint venture, consortium or association			
	shall be jointly and severally liable.			
GC 1.17.1	Schedule of Other Contractors: <b>None</b>			
GC 1.21.1	The minimum insurance amounts and deductibles shall be:			
	(a) for loss or damage to the Works, Plant and Materials:			
	KES 100,000.00			
	(b) for loss or damage to Equipment: <b>KES 50,000.00</b>			
	(c) for loss or damage to property (except the Works, Plant,			
	Materials, and Equipment) in connection with Contract: <b>KES</b>			
	50,000.00			
	(d) for personal injury or death:			
	(i) of the Contractor's employees: <b>KES</b>			
	50,000.00			
	(ii) of other people: <b>KES 100,000.00</b>			
GC 1.22.1	Site Investigation Reports shall include: design report, drawings and			
	any other investigation as may be required by the engineer			
GC 1.28.1	The Site Possession Date(s) shall be not later than 14 days after			
	contract signing			
GC 1.31.1 &	Appointing Authority for the Adjudicator:			
1.31.2	Chartered Institute of Arbitrators, Kenya			
	P.O. Box 50163 - 00200			
	Nairobi, Kenya			
	Email Address: info@ciarbkenya.org			

GC 1.32.3	Hourly rate and types of reimbursable expenses to be paid to the Adjudicator: as per as body's policy		
GC 1.32.4	Institute of Arbitrators, Kenya		
	The place of arbitration shall be: Nairobi, Kenya		
	2. Time Control		
GC 2.1.1	The Contractor shall submit for approval a Programme for the Works within 7 days from the date of the Letter of Acceptance.		
GC 2.1.3	The period between Programme updates is 30 days.		
	The amount to be withheld for late submission of an updated Programme is: <b>10% of amount due in next certificate</b>		
	Trogramme is: 20 70 of amount due in next continuate		
	3. Quality Control		
GC 3.3.1	The Contract Period is 18 months and Defects Liability Period is: 90 days.		
	4. Cost Control		
GC 4.9.1	The currency of the Employer's country is: <i>Kenya Shillings</i>		
GC 4.10.1	The Contract <b>"shall not"</b> be subject to price adjustment, in accordance with GC Clause 4.10.1, and the following information regarding coefficients		
GC 4.11.1	The proportion of payments retained is: 10%		
GC 4.12.1	The Liquidated Damages for the whole of the Works are 0.05 of the final Contract Price, per day. The maximum amount of Liquidated		
GC 4.13.1	The Bonus for the whole of the Works is 0% of the final Contract Price,		

	per day. The maximum amount of Bonus for the whole of the Works is
	0% of the final Contract Price.
GC 4.14.1	The Advance Payment shall be: 10% of the contract sum and shall be
	paid to the Contractor no later than: 60 days
GC 4.15.1	The Performance Security amount is: 10% of contract sum in the form of:
	(a) Bank Guarantee
	[A <b>Bank Guarantee</b> shall be unconditional (on demand) (see Section IX, Contract Forms).
	5. Finishing the Contract
GC 7.4.1	The date by which operating and maintenance manuals are required
	shall be: date of completion of works
	The date by which "as built" drawings are required shall be: date of
	completion of works
GC 7.4.2	The amount to be withheld for failing to produce "as built" drawings
	and/or operating and maintenance manuals by the date required in GC
	Clause 7.7.1 shall be: <b>KES 100,000.00</b>
GC 7.5.2 (g)	The maximum number of days is: 30 days
GC 7.7.1	The percentage to apply to the value of the work not completed,
	representing the Employer's additional cost for completing the Works,
	shall be: 100% of work not done

# 3.3 Section VIII. Contract Forms

This Section contains Contract Forms which, once completed, will constitute part of the Contract. The forms for Contract Agreement, Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder, after contract award

# **Table of Forms**

3.3.1	Form No 1: Notification Of Intention To Award	217
3.3.2	Form No. 2 - Request For Review	220
3.3.2.	1 Form For Review (R.203(1))	220
3.3.3	Form No 3: Letter Of Award	221
3.3.4	Form No 4: Contract Agreement	222
3.3.5	Form No. 5 - Performance Security	223
3.3.5.2	1 [Option 1 - Unconditional Demand Bank Guarantee]	223
3.3.6	Form No. 6 - Performance Security	225
3.3.6.2	1 [Option 2– Performance Bond]	225
3.3.7	Performance Bond No.:	225
3.3.8	Form No. 7 - Advance Payment Security	227
3.3.9	Form No. 8 - Retention Money Security	216
3.3.9.2	1 [Demand Bank Guarantee]	216
3.3.10	Form No. 9 Beneficial Ownership Disclosure Form	217
3.3.10	.1 (Amended And Issued Pursuant To Ppra Circular No. 02/2022)	217

#### 3.3.1 FORM No 1: NOTIFICATION OF INTENTION TO AWARD

This Notification of Intention to Award shall be sent to each Tenderer that submitted
a Tender. Send this Notification to the Tenderer's Authorized Representative named
in the Tender Information Form on the format below.

-----

FORMAT

# For the attention of Tenderer's Authorized Representative

- *i)* Name: [insert Authorized Representative's name]
- *ii)* Address: [insert Authorized Representative's Address]
- *iii)* Telephone: [insert Authorized Representative's telephone/fax numbers]
- *iv)* Email Address: *[insert Authorized Representative's email address]*

[IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]

2. <u>Date of transmission</u>: [*email*] on [*date*] (local time)

This Notification is sent by (*Name and designation*)

#### 3. Notification of Intention to Award

- *i*) Procuring Entity: [insert the name of the Procuring Entity]
- *ii)* Project: [insert name of project]
- *iii)* Contract title: [insert the name of the contract]
- *iv)* Country: [insert country where ITT is issued]
- v) ITT No: [insert ITT reference number from Procurement Plan]

This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:

4. Request a debriefing in relation to the evaluation of your tender

Submit a Procurement-related Complaint in relation to the decision to award the contract.

- a) The successful tenderer
  - i) Name of successful Tender
  - ii) Address of the successful Tender \_\_\_\_\_
  - iii) Contract price of the successful Tender Kenya Shillings \_\_\_\_\_
- b) Other Tenderers

Names of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as well as the Tender price as read out. For Tenders not evaluated, give one main reason the Tender was unsuccessful.

SNo	Name of Tender	Tender Price as read out	Tender's evaluated price (Note a)	One Reason Why not Evaluated
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

## 5. How to request a debriefing

- a) DEADLINE: The deadline to request a debriefing expires at midnight on [insert date] (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
  - i) Attention: [insert full name of person, if applicable]
  - ii) Title/position: [insert title/position]
  - ii) Agency: [insert name of Procuring Entity]
  - iii) Email address: [insert email address]
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

#### 6. How to make a complaint

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [insert date] (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:

- i) Attention: [insert full name of person, if applicable]
- ii) Title/position: [insert title/position]
- iii) Agency: [insert name of Procuring Entity]
- iv) Email address: [insert email address]
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website <a href="mailto:info@ppra.go.ke">info@ppra.go.ke</a> or complaints@ppra.go.ke.
  - You should read these documents before preparing and submitting your complaint.
- e) There are four essential requirements:
  - You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process, and is the recipient of a Notification of Intention to Award.
  - ii) The complaint can only challenge the decision to award the contract.
  - iii) You must submit the complaint within the period stated above.
  - iv) You must include, in your complaint, all of the information required to support your complaint.

## 7. Standstill Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [*insert date*] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5 (d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

Signature:	Name:	Title/positi	ion:
Telephone:	Email:		

# 3.3.2 FORM NO. 2 - REQUEST FOR REVIEW

# 3.3.2.1 FORM FOR REVIEW (r.203(1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD
APPLICATION NOOF20
BETWEEN
APPLICANT
AND
RESPONDENT (Procuring Entity)
Request for review of the decision of the
REQUEST FOR REVIEW
I/We,the above named Applicant(s), of address: Physical addressP. O. Box No Tel. NoEmail, hereby request the Public Procurement Administrative Review Board to review the whole/part of the above mentioned decision on the following grounds , namely:
1.
2.
By this memorandum, the Applicant requests the Board for an order/orders that:
1.
2.
SIGNED(Applicant) Dated onday of/20
FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board onday of20
SIGNED
Board Secretary

### 3.3.3 FORM NO 3: LETTER OF AWARD

[letterhead paper of the Procuring Entity] [date]

To: [name and address of the Contractor]

You are requested to furnish the Performance Security within 30 days in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.

Authorized Signature:			
Name Signatory:	and	Title	of
Name Entity	of		Procuring
Attachment:			Contract

# 3.3.4 FORM NO 4: CONTRACT AGREEMENT

THI: 20_	IS AGREEMENT made theday of, between of		
(her	reinafter "the Procuring of ity"), of the one part, andof_		ıafte
WHI	IEREAS the Procuring Entity desires that the Works known as_	shoul	d be
	e Procuring Entity and the Contractor agree as follows:		
1.	In this Agreement words and expressions shall have the sam respectively assigned to them in the Contract documents referred		
2.	The following documents shall be deemed to form and be read a of this Agreement. This Agreement shall prevail over all other Cont		
	a) the Letter of Acceptance		
	b) the Letter of Tender		
	c) the addenda Nos(if any)		
	d) the Special Conditions of Contract		
	e) the General Conditions of Contract;		
	f) the Specifications		
	g) the Drawings; and		
	h) the completed Schedules and any other documents forming pa	rt of the contract.	
3.	In consideration of the payments to be made by the Proc Contractor as specified in this Agreement, the Contractor hereby Procuring Entity to execute the Works and to remedy defects the all respects with the provisions of the Contract.	covenants with the	
4.	The Procuring Entity hereby covenants to pay the Contractor in execution and completion of the Works and the remedying of Contract Price or such other sum as may become payable under Contract at the times and in the manner prescribed by the Contract	defects therein, the the provisions of the	
exe	WITNESS whereof the parties hereto have caused this Agreen ecuted in accordance with the Laws of Kenya on the day, montecified above.		
Sigr Prod	ned and sealed by curing Entity)	(for the	
	ned and sealed byntractor).	(for the	
COIT	idacor ji		

### 3.3.5 FORM NO. 5 - PERFORMANCE SECURITY

#### 3.3.5.1 [Option 1 - Unconditional Demand Bank Guarantee]

[Gua	arantor letterhead]		
Ben	eficiary:	insert name and Address of Procuring	
Entit	zy / <b>Date:</b>	Insert date of issue]	
	rantor: [Insert name and address of place of pla	f issue, unless indicated in the	
1.	We have been informed thatentered into Contract No(hereinafter called	_(hereinafter called "the Contractor") hasdated"the Contract").	_with ( <i>name</i>
2.	Furthermore, we understand that, according performance guarantee is required.	ng to the conditions of the Contract, a	
3.	At the request of the Contractor, we as Guara the Beneficiary any sum or sums not exceedi whether in the demand itself or in a sepa identifying the demand, stating that the Appl the Contract, without the Beneficiary needing demand or the sum specified therein.	ng in total an amount of rrate signed document accompanying or licant is in breach of its obligation(s) under	(in
4.	This guarantee shall expire, no later than demand for payment under it must be receive before that date.		
5.	The Guarantor agrees to a one-time extens exceed [six months] [one year], in respons such extension, such request to be presented guarantee."	e to the Beneficiary's written request for	
	[Name of Authorized Official_signature(s) ar	nd seals/stamps]	

[Name of Authorized Official, signature(s) and seals/stamps].

**Note:** All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

<sup>&</sup>lt;sup>1</sup>The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.

 $<sup>^2</sup>$ Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must

be in writing and must be made prior to the expiration date established in the guarantee.

## 3.3.6 FORM No. 6 - PERFORMANCE SECURITY

# **3.3.6.1** [Option 2– Performance Bond]

[Note: Procuring Entities are advised to use Performance Security – Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action]

	[GL	arantor letterhead or SWIFT identifier code]	
	Bei	neficiary:[insert name and Address of	
	Pro	curing Entity / Date:[Insert date of issue].	
3.3.7	PE	RFORMANCE BOND No.:	
		arantor: [Insert name and address of place of issue, unless indicated in the erhead]	
	1.	By this Bondas Principal (hereinafter called "the Contractor") and] as	1
		Surety (hereinafter called "the Surety"), are held and firmly bound unto	] as
	2.	WHEREAS the Contractor has entered into a written Agreement with the Procuring Entity dated theday of, 20 , forin accordance with the documents, plans, specifications, and amendments thereto, which to the extent herein provided for, are by reference made part hereof and are hereinafter referred to as the Contract.	
	3.	NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments thereto), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Procuring Entity to be, in default under the Contract, the Procuring Entity having performed the Procuring Entity's obligations thereunder, the Surety may promptly remedy the default, or shall promptly:	
		<ol> <li>complete the Contract in accordance with its terms and conditions; or</li> <li>obtain a tender or tenders from qualified tenderers for submission to the Procuring Entity for completing the Contract in accordance with its terms and conditions, and upon determination by the Procuring Entity and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Procuring Entity and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including</li> </ol>	

other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term "Balance of the Contract

- Price," as used in this paragraph, shall mean the total amount payable by Procuring Entity to Contractor under the Contract, less the amount properly paid by Procuring Entity to Contractor; or
- 3) pay the Procuring Entity the amount required by Procuring Entity to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.
- 4. The Surety shall not be liable for a greater sum than the specified penalty of this Bond.
- 5. Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate. No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Procuring Entity named herein or the heirs, executors, administrators, successors, and assigns of the Procuring Entity.

6.	In testimony whereof, the Contractor has hereunto set and the Surety has caused these presents to be sealed attested by the signature of his legal representative, this	d with his corporate seal	duly
	SIGNED ON	_on behalfof By_in	the
	capacity of In the presence of		
	SIGNED ON	on behalf of By	_in
	the capacity of In the presence of		

### 3.3.8 FORM NO. 7 - ADVANCE PAYMENT SECURITY

# [Demand Bank Guarantee] [Guarantor letterhead] **Beneficiary:** [Insert name and Address of Procuring Entity] [Insert date of issue] Date: **ADVANCE PAYMENT GUARANTEE No.:**[Insert quarantee reference] number | Guarantor: [Insert name and address of place of issue, unless indicated in the letterhead ] We have been informed that \_\_\_\_\_(hereinafter called "the Contractor") has 1. Furthermore, we understand that, according to the conditions of the Contract, an 2. advance payment in the sum (in words) is to be made against an advance payment quarantee. At the request of the Contractor, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of either that the Applicant: has used the advance payment for purposes other than the costs of mobilization in respect of the Works; or b) has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay. A demand under this guarantee may be presented as from the presentation to the 4. Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Contractor on its account number at\_\_ The maximum amount of this guarantee shall be progressively reduced by the 5. amount of the advance payment repaid by the Contractor as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, or on the day \_\_\_\_\_\_, 2 ,² whichever is earlier. Consequently, ademand for payment under this guarantee must be received by us at this office on or before that date. The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months][one year], in response to the Beneficiary's written request for

such extension, such request to be presented to the Guarantor before the expiry of the

(in word

[Name of Authorized Official, signature(s) and seals/stamps]

quarantee.

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

<sup>1</sup>The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the

currency of the advance payment as specified in the Contract.

<sup>&</sup>lt;sup>2</sup>Insert the expected expiration date of the Time for Completion. The Procuring Entity should note that in the event of an extension of the time for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

## 3.3.9 FORM NO. 8 - RETENTION MONEY SECURITY

# **3.3.9.1** [Demand Bank Guarantee]

[Gl	uarantor letterh	ad]
Be	neficiary:	[Insert name and Address of Procuring Entity]
Da	te:	[Insert date of issue]
Ad	vance payme	t guarantee no. [Insert guarantee reference number]
Gu	arantor: [ <i>Inse</i>	t name and address of place of issue, unless indicated in the letterhead]
1.	<i>of a joint ve</i> Contractor")	[insert name of Contractor, which in the case name shall be the name of the joint venture] (hereinafter called "the nas entered into Contract No.  [insert reference number of the contract] dated with the property with the property with the prince of the execution of finsert name of the contract] (hereinafter called "the Contract").
2.	Beneficiary Money"), and and the first	we understand that, according to the conditions of the Contract, the etains moneys up to the limit set forth in the Contract ("the Retention that when the Taking-Over Certificate has been issued under the Contract half of the Retention Money has been certified for payment, and payment of cond half of the Retention Money] is to be made against a Retention Money
3.	the Beneficia in figures] upon receipt statement, w or identifyin	t of the Contractor, we, as Guarantor, hereby irrevocably undertake to pay y any sum or sums not exceeding in total an amount of <code>[insert amount in words])<sup>t</sup></code> by us of the Beneficiary's complying demand supported by the Beneficiary's nether in the demand itself or in a separate signed document accompanying the demand, stating that the Contractor is in breach of its obligation(s) intract, without your needing to prove or show grounds for your demand or fied therein.
4.	Guarantor of Retention M account nu	nder this guarantee may be presented as from the presentation to the a certificate from the Beneficiary's bank stating that the second half of the ney as referred to above has been credited to the Contractor on its nberat[insert name of Applicant's bank].
5.		ee shall expire no later than the
6.	exceed [six	or agrees to a one-time extension of this guarantee for a period not to months] [one year], in response to the Beneficiary's written request for on, such request to be presented to the Guarantor before the expiry of

the guarantee.

[Name of Authorized Official, signature(s) and seals/stamps]

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

### 3.3.10 FORM NO. 9 BENEFICIAL OWNERSHIP DISCLOSURE FORM

## 3.3.10.1 (Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

#### INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a

Tender Reference No.:		[insert identification no]
Name of the Tender Title/Descripti	on:	[insert name of the
assignment] to:	_[insert complete name of Procuring	g Entity]

In response to the requirement in your notification of award dated *[insert date of notification of award]* to furnish additional information on beneficial ownership: *[select one option as applicable and delete the options that are not applicable]* 

I) We here by provide the following beneficial ownership information.

Details of beneficial ownership

<sup>&</sup>lt;sup>1</sup>The Guarantor shall insert an amount representing the amount of the second half of the Retention Money.

<sup>&</sup>lt;sup>2</sup>Insert a date that is twenty-eight days after the expiry of retention period after the actual completion date of the contract. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

	Details of all Beneficial Owners	% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
1.	Full Name  National identity card number or Passport number  Personal Identification Number (where applicable)  Nationality  Date of birth [dd/mm/yyyy]  Postal address  Residential address  Telephone number  Email address  Occupation or profession	Directly % of shares  Indirectly % of shares	Directly	1. Having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer: YesNo  2. Is this right held directly or indirectly?:  Direct	1. Exercises significant influence or control over the Company body of the Company (tenderer)  YesNo  2. Is this influence or control exercised directly or indirectly?  Direct
	<u>                                     </u>	L			
2.	Full Name  National identity card number or Passport number  Personal Identification Number (where applicable)	Directly % of shares  Indirectly % of shares	Directly	1. Having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer: YesNo  2. Is this right held directly or indirectly?:	1. Exercises significant influence or control over the Company body of the Company (tenderer) YesNo

	Details of all Beneficial Owners	% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
	Nationality(ie s)			Direct	influence or control exercised
	Date of birth [dd/mm/yyyy]			Indirect	directly or indirectly?
	Postal address				Direct
	Residential address				Indirect
	Telephone number				
	Email address				
	Occupation or profession				
3.					
e.t. c					

II) Am fully aware that beneficial ownership information above shall be reported to the Public Procurement Regulatory Authority together with other details in relation to contract awards and shall be maintained in the Government Portal, published and made publicly available pursuant to Regulation 13(5) of the Companies (Beneficial Ownership Information) Regulations, 2020.(Notwithstanding this paragraph Personally Identifiable Information in line with the Data Protection Act shall not be published or made public). Note that Personally Identifiable Information (PII) is defined as any information that can be used to distinguish one person from another and can be used to deanonymize previously anonymous data. This information includes National identity card number or Passport number, Personal Identification Number, Date of birth, Residential address, email address and Telephone number.

- III) In determining who meets the threshold of who a beneficial owner is, the Tenderer must consider a natural person who in relation to the company:
  - (a) holds at least ten percent of the issued shares in the company either directly or indirectly;
  - (b) exercises at least ten percent of the voting rights in the company either directly or indirectly;
  - (c) holds a right, directly or indirectly, to appoint or remove a director of the company; or
  - (d) exercises significant influence or control, directly or indirectly, over the company.
- IV) What is stated to herein above is true to the best of my knowledge, information and belief.

Name of the Tenderer:*[insert complete name of the Tenderer]
Name of the person duly authorized to sign the Tender on behalf of the Tenderer: **
[insert complete name of person duly authorized to sign the Tender]
Designation of the person signing the Tender: [insert complete title of the
person signing the Tender]
Signature of the person named above: [insert signature of person whose
name and capacity are shown above]
Date this [insert date of signing] day of [Insert month],
[insert year]

**Bidder Official Stamp**