


**PROPOSED MOGOGOSIEK AGGREGATION
CENTER PAVING LAYOUT**
COORDINATES= -0.618493, 35.274211E



- GENERAL NOTES
1.

All dimensions to be checked on site. Written dimension rules over scaled dimensions. Any discrepancy in dimensions to be reported to R.E before any work commences.
2.

All construction works to comply with the latest K.B.S. standard codes of practice.
3.


All R.C works and Steel details are to Structural Engineer's details. Depth of foundation to be determined on site, but should not be less than 1500mm.
4.

Plinth level to be minimum 300mm from proposed parking level or existing ground level.
5.

All surface beds to be casted on well compacted to well consolidated filling.
6.

All service pipes to be minimum 450mm below reduced ground level.
7.

All dimensions are in milimeters (mm) unless otherwise stated.



**PROPOSED MOGOGOSIEK AGGREGATION
CENTER PAVING LAYOUT**
COORDINATES= -0.618493, 35.274211E

LAWN AREA= 1026M²
CABRO PAVING= 1270M²

REV.	DESCRIPTION:	DATE:	DRAWN BY:	DESIGNED / CHECKED BY:	CLIENT:	PROJECT: PROPOSED MOGOGOSIEK AGGREGATION CENTER PAVING, BOMET COUNTY	
A.	FIRST ISSUE	NOV, 2024	Francis K. Ngigi	1. Eng. Daudi Njogu	Ministry of Agriculture and Livestock Development, Cathedral Road, Nairobi P. O. Box 30028-00100 Nairobi- Kenya	TITLE: PAVING LAYOUT	DRG NO: MoALD/MOG/001
				2. Eng. Simiyu Wangette		SCALE: As Shown	Sheet: A Sheet
				3. Eng. Jesca Makena		Contract NO:	
				5.			